



MHY-68

YARD HYDRANT

Internet address: www.mifab.com

Toll Free: 1-800-465-2736


Canada Toll Free: 1-800-387-3880

SPECIFICATION: MIFAB® Series MHY-68 _____ (specify length) non freeze yard hydrant with heavy duty cast iron head casting and lift handle with lock feature and combination 3/4" (19) female and 1" (25) male inlet connection. Hydrant assembly complete with one piece neoprene plunger, hardened bronze operating stem, 1" (25) galvanized steel casing, heavy duty bronze head casting with head nut assembly, 3/8" (9) diameter galvanized steel operating rod and a tapped 1/8" (3) drain port in the bronze tailpiece.

OPERATION: Opening the hydrant will allow water to flow freely from the hose connection and seal the drain port to prevent water from being wasted. Closing the hydrant opens the drain port to allow existing water in the hydrant to drain to prevent freezing.

FEATURES: The 1" (25) galvanized steel casing will prevent rust and deterioration in acidic ground areas. Heavy duty cast iron head casting with a powder epoxy coating is standard to ensure long life.

APPLICATIONS: Intended for installation in areas that require ready water flow. MIFAB's yard hydrants are used to clean tools and equipment, maintain lawns and gardens, water livestock, fill field spray equipment and provide a general potable water supply even in below freezing temperature conditions.



MODEL NO.	OVERALL LENGTH		BURY DEPTH		APPROXIMATE WEIGHT	
	IN	MM	FT	CM	Lbs.	Kg.
MHY-681	48	122	1	30.4	15	6.80
MHY-682	60	152	2	60.9	17	7.71
MHY-683	72	183	3	91.4	19	8.61
MHY-684	84	213	4	121.9	22	9.97
MHY-685	96	244	5	155.4	24	10.88
MHY-686	108	274	6	182.9	26	11.79
MHY-687	120	305	7	213.4	28	12.70
MHY-688	132	335	8	243.8	30	13.60

OPTIONAL VARIATIONS:

- 1" (25) hose connection suffix -0
- Vacuum breaker (Certified to A.S.S.E. Standard 1011 and listed with I.A.P.M.O.) suffix -8
- 1" (25) brass casing suffix -40
- 3/8" (9) brass operating rod suffix -41
- Decorative casing guard suffix -42

(Dimension) Denotes Millimetres