

ZURN - MIFAB PRODUCT CROSS REFERENCE

Square Strainers for Floor Drains

WATTS	MIFAB
L5-1 Standard NB XS5-1 (Heavy duty 1/2")	
L6-1 Standard NB XS6-1 (Heavy duty 1/2")	
L8-1 Standard NB XS8-1 (Heavy duty 1/2")	
L5-3 Standard S.S. S5-3 (Heavy duty 1/2")	
L6-3 Standard S.S. S6-3 (Heavy duty 1/2")	
M5-1 ... 1/4" NB S5-1	
M6-1 ... 1/4" NB S6-1	
M8-1 ... 1/4" NB S8-1	

Funnels for Floor Drains

WATTS	MIFAB
EF-1 4" round NB EF4-1	
EF-50 4" round C.I. EF4-50	
EF6-1 ... 6" round NB EF6-1	
EF6-50 ... 6" round C.I. EF6-50	
EG-1 4" x 9" NB EG-1	
EG-50 ... 4" x 9" C.I. EG-50	
F4-1 4" NB funnel only .. F4-1	
F4-50 ... 4" CI funnel only .. F4-50	

Cleanout Top Assemblies

WATTS	MIFAB
R-1 . 5" Dia. NB CO top ... R-1	
R-3 . 5" Dia. SS CO top ... R-3	
RX-3 5" Dia. SS CO top ... R-3	
RC-1 5" Dia. NB CO top, ... RC-1 carpet marker	
RX-1 5" Dia. NB CO top ... XR-1	
RX-4 5" Dia. D.I. CO top ... XR-4	
S-1 . 5" x 5" NB CO top ... S-1	
S-3 . 5" x 5" SS CO top ... S-3	
T-1 ... 5" Dia. NB CO top ... T-1 for tile	
TS-1 . 5" x 5" NB CO top ... TS-1 for tile	
U-1 . 5" Dia. NB CO top ... U-1 for terrazo	
US-1 5" x 5" NB CO US-1 for terrazo	

Hardware Packs

WATTS	MIFAB
FC-1 ... 3 cap screws HS-1 with integral washers	
FC-2 ... 3 bolts, washers HS-2 and nuts for RD	
FC-3 ... 3 bolts, washers HS-3 and nuts for deck clamps	
FC-4 ... 3 bolts, washers HS-3 and nuts forextensions	



Roof Drain Parts

WATTS	MIFAB
B2 DM poly dome A2-PD	
B2 KDM-4 low D.I. dome "X"	
B3 DM poly dome A2-MD-4	
B3 KDM-80 ... Alum. dome A1-PD	
B3 KDM-81 ... Bronze dome A1-MD	
B2-FLG Falshing ring, A2-C3 deck clamp	
B2-FLG-W-80 Alum. W/ ABS A2-C3-W Standpipe	
B2-FLG-D Flashing ring with ... A2-WD built in water dam	
B2-S sump receiver A2-BP	
B2-V2 Fixed 2" extension .. A2-V2	
B2-V3 Fixed 3" extension .. A2-V3	
B2-V4 Fixed 4" extension .. A2-V4	
B3-FLG flashing ring, A1-C3 deck clamp	
B3-FLG-W-80 flashing ring, A1-WD w/ ABS standpipe	
B3-S sump receiver A1-BP	

Replacement Strainers, Grates & Cleanout Covers

WATTS	Description	MIFAB
A5PG-1	A-5" NB Strainer grate with 3 screws	5PG-1
A6PG-1	A-6" NB Strainer grate with 3 screws	6PG-1
5PG-1	5" Dia. , 1/2" thick NB grate with 3 screws	X5PG-1
FD-300-PG-4	6" Dia. Heavy duty ductile iron grate	F1300-PG-4
FD-300-PG-1	6" Dia. Heavy duty NB grate	F1300-PG-1
FD-320-PG-4	7 1/4" Dia. ductile iron grate	F1320-PG-4
FD-320-PG-1	7 1/4" Dia. Grate with NB veneer	F1320-PG-1
FD-340-PG-4	11 11/ 16" Dia. ductile iron grate	F1340-PG-4
FD-340-PG-1	11 11/ 16" Dia. cast iron grate	F1340-PG-4
FD-460-AF-PG-4	12" square ductile iron area drain grate	F1440-PG-4
FD-460-AF-PG-1	12" square D.I. area drain grate with NB veneer	F1340-PG-1
FD-450-AF-PG-4	15" square ductile iron area drain grate	F1460-PG-4
FD-450-AF-PG50-1	15" square C.I. area drain grate with NB veneer	F1460-PG-1
R5G-1	5" Dia. NB CO cover w/ gasket and 3 screws ...	5PC-1
RXPG-1	1/2" NB CO cover w/ gasket and 3 screws	X5PC-1
RXPG-4	1/2" D.I. CO cover w/ gasket and 3 screws	5PC-4
RXPG-50	1/2" C.I. CO cover w/ gasket and 3 screws	5PC-4

ZURN Cross Reference Roof Drains

ZURN	MIFAB
Z-100	R1200
Z-100-EA-R-C	R1200-EU
Z-100-EC	R1200-BUV
Z-100-ERC	R1200-BUV
Z-100-84	R1200-G
Z-100-85	R1200-JC
Z-101	R1260
Z-105	R1200-F
Z-105-EA-R-C	R1200-EU-F
Z-105-EC	R1200-BUV
Z-105-ERC	R1200-BUV-F
Z-107	R1200-Z
Z-108	R1200-R
Z-121	R1220
Z-121-EC	R1220-BUV
Z-121-ERC	R1220-BW
ZCF121	R1200-F
Z-122	R1220-RS
Z-125	R1100-M
Z-125-ERC	"X"
Z-130	R1100
ZCF-130	R1100-F
Z-135-6	F1840
Z-150	R1200-P
Z-154	R1220-P
Z-158	R1100-P
Z-161	"X"

Roof Drain Parts (Flow Controls)

WATTS	MIFAB
B2-A1 ... RD-100 1 slot accutrol	A2-F1
B2-A2 ... RD-100 2 slot accutrol	A2-F2
B3-A1 ... RD-200 1 slot accutrol	A1-F1
B3-A2 ... RD-200 2 slot accutrol	A1-F2

Roof Drain Parts (IRMA Ballast Guards)

WATTS	MIFAB
B2-GSS .. RD-100 SS ballast guard ...	A2-BG
B2-H C.I. ballast guard	A2-H
B2-J RD-100J SS ballast guard	A2-BG
B3-GSS .. RD-200 SS ballast guard ...	A1-BG
B3-J RD-200 SS ballast guard ...	A1-BG

Hydrant Box

WATTS	MIFAB
HY725-B...NB Hydrant Box.....	HY1500-PB
HY1.....Hydrant Key.....	MHY-1

Roof Drain Options Con't

ZURN	MIFAB
-BS ... Bronze mesh over dome ..	-82
-C Underdeck clamp	-U
-DX ... Extended wide flange	-Z
-E Fixed extension	-V
-EA ... Adjustable extension	-E
-EB ... Extension	-E
-G All galvanized	-13
-GD .. Gal. metal dome	-M-13
-HD ... Metal dome	-M
-NH ... No hub outlet	Standard
-NL ... Push on outlet	P
-R Sump receiver	B
-SC ... Secondary clamp	C
-SE ... 3/3/4" Slotted extension ..	G
-SSM SS Mesh covered dome ..	-83
-SS ... SS Mesh covered dome ..	-83
-TS ... Vandal proof	-6
-VP ... Vandal proof	-6
-W2 .. 2" internal water dam ..	R
-W3 .. 3" internal water dam ...	R
-W4 .. 4" internal water dam ...	R
-XJ ... Expansion joint	R1900
-Y Sediment bucket	-5

Floor and Area Drains

ZURN	MIFAB
Z-210 bdy only .	F1100 body only
ZN-210-B	F1100 Standard
ZXN-210-A	F1000-X5
ZX-210-A	F1000-X5-4
Z-211 bdy only	F1100 body only
Z-211	F1100 body only
ZN-211-B	F1100 Standard
ZN-211-BE	F1100-EF
ZN-211-BF	F1100-EG
ZN-211-F	F1100-EG
ZN-211-Y	F1100-S
ZXN-211-A	F1100-X-1
ZX-211-A	F1100-X-4
ZX-211-Y	F1100-XS-8-4
ZXN-211-H	F1100-XS-6-1
ZXN-211-Y	F1100-XS-1
Z-221	F1230
ZN-300	F1650-G
Z-310	F1650
Z-315	"X"
Z-319	"X"
Z-320	"X"
Z-325	"X"
Z-326	"X"
Z-328-4	-F4
Z-340	"X"
Z-348	F1820
ZN-350	F1830-P
ZRB-352	F1810
Z-355	"X"
Z-356	F1170-C
Z415 body,	F1100 body & clamp
Z-415	F1100C*
ZN-415-B	F1100C*
ZN-415-BE	F1100C-X*
ZN-415-BL	F1100C-Z *
ZN-415-C	"X"
ZN-415-D	"X"
ZN-415-G	F1100C-K*
ZN-415-I	F1100C-ER*
ZN-415-J	F1100C-RS*
ZN-415-K	F1100C-AS*
ZN-415-N	F1100C-N*
ZN-415-O	F1100C-FT6*
ZN-415-P	F1100C-WD*
ZN-415-R	F1100C-FC*

ZURN - MIFAB PRODUCT CROSS REFERENCE

Floor Drains Con't	Floor Drain Options	Traps, Primers & Backwater Valves Con't	Water Closet Carriers
ZURN MIFAB	ZURN MIFAB	ZURN MIFAB	ZURN MIFAB
ZN-415-T "X"	Prefixes	Z-1022.5SFU "X"	Z-1203-NL3 "X"
ZN-415-Y F1100C-S*	Z Cast iron Standard	Z-1022.5IPU MI-TSP-3	Z-1203-NR3 "X"
Z-415-B-HD F1100C-X*	ZN Nickel bronze -1	Z-1023 MI-600-5	Z-1203-ND3 "X"
Z-415-BL F1100C-Z*	ZANB Nickel bronze -1	Z-1024 "X"	Z-1203-HL4 MC-10L-HS
Z-415-E F1100C-EF*	ZARB Polished bronze -2	Z-1025 "X"	Z-1203-HR4 MC-10R-HS
Z-415-F F1100C-EG*	ZURN MIFAB	Z-1040 -NH	Z-1203-HD4 MC-10D-HS
Z-415-I F1100C-ER*	Suffixes Suffixes	Z-1042 "X"	Z-1203-NL4 MC-10L
Z-415-N F1100C-N*	-AA 3M epoxy finish -3M	Z-1088 "X"	Z-1203-NR4 MC-10R
Z-415-O F1100C-FT6*	-AR Acid rnt epoxy coating -11	Z-1090 BV1200	Z-1203-ND4 MC-10D
Z-415-P F1100C-WD*	-C Membrane clamp -C or -40	Z-1091 "X"	ZE-1203 SERIES MC-10-L,R,D-36
Z415-S F1100C-DD*	-CP Chrome plated top -49	Z-1095 BV1200	Z-1204-H MC-12-HS*
Z415-S-HD F1100C-XS*	-DB Secondary dome Str. -20	Z-1095-15 BV1200R	Z-1204-HD MC-12D-HS*
Z-415-SL F1100C-SZ*	-DG Ductile iron -40	Z-1099 BV1260	Z-1204-1HL MC-12L-HS Series*
ZX-415-A F1000C-X5-4*	-DP Decorative polished top-10		Z-1204-1HR MC-12R-HS Series*
ZX-415-Y8 F1000C-XS-4*	-DX Extended wide flange -Z		Z-1204-1HD MC-12D-HS Series*
ZXN-415-A F1000C-X-1*	-F Extension -15		Z-1204-2H MC-12-HS Series*
ZXN-415-H F1000C-XS6-1*	-FG Non tilt gte -14		Z-1204-2HD MC-2D-HS Series*
ZXN-415-Y8 F1000C-XS8-1*	-FO 4" x 9" oval funnel -G		Z-1204-N4 MC-12*
ZN-455-B F1120C*	-FS Floating slab...F600 Series		Z-1204-ND MC-12D*
ZN-456-B F1130C*	-G Gal. finish -13		Z-1204-1NL MC-13 Series
Z-503 F1360-4-14-Q	-H Ductile iron -4		Z-1204-1NR MC-13 Series
Z-507 F1300C-Y	-HD Heavy duty -4		Z-1204-1ND MC-13D Series
Z-508 F1320C-Y*	-HP Heel proof standard		Z-1204-2N MC-13 Series
Z-509 F1340C-Y-Q*	-IG Integral grate (1650) -B		Z-1204-2ND MC-13D Series
Z-520 F1320C*	-J Auxillary inlets -44		Z-1207 Series "X"
Z-534 F1540	-K Flange Standard or -FL		Z-1208-H42 MC-14-4-V2-HS
Z-536 F1550	-KC Flange with clamp ... C or FLC		Z-1208-H44 MC-14-4-V4-HS
Z-537 F1550-16	-NE Spark proof top "X"		Z-1208-N32 MC-14-3-V2
Z-538 F1350-Y5-14	-P Trip seal pri tping -7		Z-1208-N42 MC-14-4-V2
Z-541 F1340C-Y1-4-5	-PD Promenade Deck Drain..Standard		Z-1208-N44 MC-14-4-V4
Z-543 F1360C-Y5-14	-PS Perforated Standpipe ..Specify		Z-1209-NL4 MC-15L
Z-548 F1370-17	-R Sump receiver -41		Z-1209-NR4 MC-15R
Z-550 F1320C-Y-14*	-S Sec. strainer -2		Z-1209-ND4 MC-15D
Z-551 F1320-M-14-33	-SB Shallow body -Q		Z-1209-H Series MC-15-HS Series
Z-554 F1320C-Y5-14*	-SSM Stainless steel mesh		Z-1212 MC-21 or 22-T
Z-555 F1320C-Y-14*	screen over dome -83		Z-1214 "X"
Z-556 F1320C-M*	-T Square top -16		Z-1215 "X"
Z-572 "X"	-TG Tractor grate Standard		Z-1216 "X"
Z-573 "X"	-TS Secured grate -6		
Z-574 "X"	-U Extension -15		
Z-575 "X"	-V Backwater valve -8		
Z-576 "X"	-VP Vandal proof -6		
Z-585 "X"	-W Closure plug -34		
Z-586 "X"	-W Closure plug -34		
Z-610-H F1440-M	-WB Water supply box F1660		
Z-610-H-ADJ F1440	-X Backwater valve -8		
ZAL-625-HY F1510	-Y Sediment bucket -5		
Z-626 C1200C-R	-4 4" round funnel -F4		
Z-627 F1620C	-6NH 6" no hub connection std. 6"		
Z-629 BV1210	-45 45 degree outlet -45		
Z-645 F1560	-90 No hub side outlet -90		
Z-670 F1840-43	-414 4" round funnel -F4		
Z-676 F1440-4			
Z-679 F1640			
Z-690 F1370-18			
ZG-706 TO ZG-718 "X"			
Z-724 "X"			
Z-730 F1140C			
Z-742 "X"			
ZF-799-75 F1570			
ZF-799-76 F1570-SI			

Traps, Primers & Backwater Valves	Interceptors	Water Closet Carrier	Options
ZURN MIFAB	ZURN MIFAB	ZURN MIFAB	ZURN MIFAB
Z-1000 "X"	Z-1170 MI-G	Z-1204-1NL MC-13 Series	-BC Standard
Z-1005 "X"	Z-1171 MI-G-L	Z-1204-1NR MC-13 Series	-BV Standard
Z-1012 "X"	Z-1172 XL-MI-G	Z-1204-1ND MC-13D Series	-G -13
Z-1019 "X"	Z-1173 MI-G-SD	Z-1204-2N MC-13 Series	
Z-1022.5SF MI-TSP-1	Z-1174 "X"	Z-1204-2ND MC-13D Series	
Z-1022.5IP MI-TSP-2	Z-1175 MI-HAIR	Z-1207 Series "X"	
	Z-1176 "X"	Z-1208-H42 MC-14-4-V2-HS	
	Z-1180 MI-SOLID-S	Z-1208-H44 MC-14-4-V4-HS	
	Z-1181 MI-SOLID-L	Z-1208-N32 MC-14-3-V2	
	Z-1182 "X"	Z-1208-N42 MC-14-4-V2	
	Z-1183 "X"	Z-1208-N44 MC-14-4-V4	
	Z-1184 MI-SOLID-LB	Z-1209-NL4 MC-15L	
	Z-1185 MI-LINT	Z-1209-NR4 MC-15R	
	Z-1186 MI-O	Z-1209-ND4 MC-15D	
	Z-1187 MI-SAND	Z-1209-H Series MC-15-HS Series	
	Z-1188 MI-O	Z-1212 MC-21 or 22-T	
	Z-1189 MI-OS	Z-1214 "X"	
		Z-1215 "X"	
		Z-1216 "X"	

Traps, Primers & Backwater Valves	Interceptor Options	Water Closet Carrier	Options
ZURN MIFAB	ZURN MIFAB	ZURN MIFAB	ZURN MIFAB
Z-1000 "X"	Z Standard	Z Standard	Z Standard
Z-1005 "X"	ZS -SS	ZG Standard	ZG Standard
Z-1012 "X"	Suffixes Suffixes	ZURN MIFAB	Suffix Suffix
Z-1019 "X"	-DI -DI	-A "X" or -10	-A "X" or -10
Z-1022.5SF MI-TSP-1	-E -C	-AV "X"	-AV "X"
Z-1022.5IP MI-TSP-2	-HD -HD	-B Standard	-B Standard
	-K -FL	-BC -21	-BC -21
	-KC -FLC	-CG -6	-CG -6
	-L "X"	-CL -7	-CL -7
	-R MI-CS	-CV "X"	-CV "X"
	-RE MI-CS-EN	-D D	-D D
	-T -TL	-F -11	-F -11
	-75 -SB	-FO "X"	-FO "X"
		-F2 MC-62-4-V2	-F2 MC-62-4-V2
		-F4 MC-62-4-V4	-F4 MC-62-4-V4
		-G -18 or -19	-G -18 or -19
		-H -HS	-H -HS

<p>*includes "C" membrane clamp in areas with waterproof membrane. As recommended alternate, use F1100 in non membrane areas, delete "C" membrane clamp.</p> <p>Note: This guide is prepared to assist in determining the MIFAB Catalog number which is similar to the ZURN number referred to. Due to the simplified modular design of MIFAB products, this index indicates the product which is closest in design, based on function, eg. Free Area, Leading Rating, Depth, Material, etc. "X" Contact MIFAB.</p>	<p>*MC-14 or MC-15 are recommended alternatives - Less pipe space, lower cost, fewer parts</p> <p>"X" Contact MIFAB</p>
---	---

ZURN - MIFAB PRODUCT CROSS REFERENCE

Water Closet Carrier Options Con't

ZURN	MIFAB
-J	Specify
-JJ	Specify
-JL	Specify
-JR	Specify
-JS	-23
-JV	-24
-L2	Specify
-M	-10
-PB	"X"
-PC	"X"
-PN	"X"
-T	"X"
-VL	"X"
-VP	-14
-W	-15
-XH	Specify
-X3	"X"
-X4	"X"
-Y	"X"
-29	-13
-45	-1
-45B	-2
-50	-20
-61	-19

Lavatory, Urinal, Sink Carriers

ZURN	MIFAB
Z-1217	MC-62-4-V2
Z-1218	MC-61-T
ZX-1220-BM3	MC-62-3-V2
ZX-1220-BM4	MC-62-4-V2
Z-1221	MC-31
Z-1222	MC-31D
Z-1223	MC-33
Z-1224	MC-31
Z-1225	MC-32
Z-1229	MC-35
Z-1231	MC-41
Z-1236	MC-40
Z-1251	MC-51
Z-1253	MC-53
Z-1254	MC-54
Z-1255	MC-55
Z-1256	MC-56
Z-1257	MC-55
Z-1258	MC-58
Z-1259	MC-36
Z-1259-BP	MC-37
Z-1259-D	MC-38D
Z-1259-DB	MC-39D
Z-1259-SP	MC-39
Z-1259-2	MC-36-2

Lavatory, Urinal, Sink Carrier Options

ZURN	MIFAB
Prefix	Suffix
Z	Standard
ZURN	MIFAB
Suffix	Suffix
-AL	-L
-B	Standard
-BL	-K
-BP	Standard
-BR	-H
-BS	-F
-CC	-6
-CL	-7
-CU	-B

Lavatory, Urinal, Sink Carriers Con't

ZURN	MIFAB
-CV	"X"
-D	D
-DB	Standard
-E2	-E2
-E4	-E4
-E6	-E6
-FP	Standard
-F2	Standard
-F4	Standard
-SL	-A
-VP	-14
-WS	-G
-W6	Specify
-XH	Specify
-1	-W
-2	Standard
-5	-C
-58	-20

Residential Water Closet Carriers

ZURN	MIFAB
Z-1280-N3-2	MC-25-3-2
Z-1280-N4-2	MC-25-4-2
Z-1280-N4	MC-25-4-4
Z-1282-H Series	MC-25-HS
Z-1283-P3	MC-25-0
Z-1284-N4	MC-25-4-4-29

Residential Water Closet Carriers Options

ZURN	MIFAB
-CL	Describe
-HT	-16
-Y	-29

Hydrants

ZURN	MIFAB
Z-1300	MHY-20
Z-1305	MHY-25
Z-1310	MHY-10
Z-1315	MHY-15
Z-1320	MHY-26
Z-1321	MHY-16
Z-1325	MHY-45
Z-1330	MHY-35
Z-1333	MHY-30
Z-1335	MHY-35
Z-1350	MHY-55
Z-1360	MHY-60
Z-1365	MHY-61
Z-1370	MHY-60-HSB
Z-1375	MHY-35
Z-1385	MHY-65
Z-1390	MHY-66
Z-1395	MHY-68

Hydrant Options

ZURN	MIFAB	
-3/4" IP Female thread adaptor	-6	
-3	3/4" solder female inlet adaptor .. -5	
-4	Wall clamp	-WC
-5	3/4" vacuum breaker	-8
-6	Polished bronze face	-2
-7	Plain bronze box face	-7
-8	Lacquered cast iron box	-50
-10	Polished bronze box	-1
-11	Statuary bronze face	-4
-12	Cylinder lock	-K
-13	3/4" IPS 90 deg. Elb. & union nut ..	-6

Hydrant Options Con't

ZURN	MIFAB	
-14 ..	Water cast on cover (symbol)	Std.
-15 ..	Stainless steel box and cover	-3
-17 ..	1/4" drain port in box	-9
-18 ..	Wheel handle	-12
-20 ..	Decorative aluminum casing	-13
-21 ..	3/8" drain port in box	-10
-22 ..	1/2" drain port in box	-11
-HD ..	Heavy duty cover	-X
-K ..	Membrane (anchor) flange	-FL
-KC ..	Flange with clamp	-FLM
-RK ..	Hydrant repair kit	MHY-CIA

Cleanouts

ZURN	MIFAB
Z-1400	C1100-R
Z-1400-CF	"X"
Z-1400-CM	C1100-RC
Z-1400-DC	C1100-XR-4
Z-1400-DX	C1100-R-Z
Z-1400-HD	C1100-XR
Z-1400-KC	C100C-R*
Z-1400-T	C1100-S
Z-1400-T-CM	C1100-S-RC
Z-1400-TX	C1100-TS
Z-1400-X	C1100-T
Z-1400-X-DX	C1100-XR-Z
Z-1400-Z	C1100-U
Z-1400-16-KC	C1100C-R-Z*
Z-1400-18	C1100-R-Z
Z-1402	C1100-R-M
Z-1405-KC	C1100C-R*
Z-1405-2	C1100-R
Z-1405-3	C1100-S
Z-1405-18	C1100-R-Z
Z-1406	C1100-XR
Z-1406-HD	C1100-XR-4
Z-1406-T	C1100-XS
Z-1410-KC	C1100C-XR*
Z-1410-1-C	C1100C-XS*
Z-1410-2	C1100-XR
Z-1410-3	C1100-XS
Z-1410-16-KC	C1100C-XR-Z*
Z-1410-18	C1100-XR-Z
Z-1415-KC	C1100C-XR*
Z-1415-1-KC	C1100C-XS*
Z-1415-2	C1100-XR
Z-1415-3	C1100-XS
Z-1420-KC	C1100C-R*
Z-1420-1-KC	C1100C-S*
Z-1420-2	C1100-R
Z-1420-3	C1100-S
Z-1420-7	C1100-XR
Z-1425-KC	C1100C-R*
Z-1425-1-KC	C1100C-S*
Z-1425-2	C1100-R
Z-1425-3	C1100-S
Z-1425-24-KC	C1100C-XR*
Z-1425-25	C1100-XR
Z-1425-26-KC	C1100C-XR*
Z-1425-27	C1100-XR
Z-1430-KC	C1100C-XR*
Z-1430-1-KC	C1100C-XS*
Z-1430-2	C1100-XR
Z-1430-3	C1100-S
Z-1435-KC	C1100C-XR*
Z-1435-1-KC	C1100C-XS*
Z-1435-2	C1100-XR
Z-1435-3	C1100-XS
Z-1440	C1450
Z-1441	C1450-RD
Z-1443	C1450-S
Z-1444	C1100-R-M
Z-1445	C1460
Z-1446	C1460-RD

Cleanouts con't

ZURN	MIFAB
Z-1447	C1460-S
Z-1448	C1460
	w/ C1300-R
Z-1449	C1230
Z-1450-KC	C1100C-XR*
Z-1450-1	C1100-XR
Z-1454	C1100C-R*
Z-1455	C1100C-R-Y*
Z-1456	"X"
ZANB-1460	C1400-S
Z-1461	"X"
ZANB-1462	"X"
ZANB-1463	C1300-R
ZANB-1464-ST	C1400-R
Z-1464	F1660
Z-1466	UA
Z-1467	M-VB
Z-1468	C1430-RD
Z-1469	C1400-RD
Z-1470	C1430
Z-1471	"X"
Z-1474	C1300-MF
ZN-1600	C1100-R
ZN-1602	C1100-R
ZN-1602-CM	C1100-RC
ZN-1602-T	C1100-T
ZN-1602-TX	C1100-ST
ZN-1602-X	C1100-T
ZXN-1612	C1100-XR
Z-1615	C1450
Z-1616	C1450
Z-1666	C1440
Z-1666-1	C1440-RD

Cleanout Options

ZURN	MIFAB	
Prefix	Suffix	
Z	Cast iron body and top...standard	
ZB ..	Polished bronze top	-2
ZN ..	Nickel bronze top	-1
ZS ..	Stainless steel	-3
ZAB ..	Polished bronze	-2
ZANB ..	Nickel bronze	-1
Suffix	Suffix	
-A ..	Raised head plug	-A
-AR ..	Acid resistant epoxy coating ..	-11
-BP ..	Bronze plug	-34B
-C ..	Membrane clamp	C
-CP ..	Chrome plated	-49
-DC ..	Ductile iron	-4
-DX ..	Extended flange	-Z
-G ..	All galvanized	-13
-HD ..	Heavy duty	-XR or -XS
-K ..	Anchor flange	standard
-KC ..	Membrane clamp	-C
-SG ..	Gasketed cover	standard
-T ..	Special marking	-S
-VP ..	Vandal proof	-6

As recommended alter- nate, use C1100 in non membrane areas, delete "C" membrane clamp.

Note: This guide is prepared to assist in determining the MIFAB Catalog number which is similar to the Watts number referred to. Due to the simplified modular design of products, this index indicates the product which is closest in design, based on function. E.g: Free Area, Load Rating, Depth, Material, etc. "X" Contact MIFAB.