

JOSAM - MIFAB CROSS REFERENCE

CROSS REFERENCE

WATER CLOSET CARRIERS

JOSAM	MIFAB
11001(pg. 224).....	MC-21
11007(pg. 224).....	MC-21
11008(pg. 224).....	MC-21
12004(pg. 212).....	MC-10L-HS
12024(pg. 212).....	MC-10R-HS
12044(pg. 212).....	MC-10D-HS
12114A(pg. 221).....	MC-13L-HS
12134A(pg. 221).....	MC-13R-HS
12154A(pg. 219).....	MC-12D-HS
12174A(pg. 221).....	MC-13L-HS
12194A(pg. 221).....	MC-13R-HS
12214A(pg. 221).....	MC-13D-HS
12234A(pg. 221).....	MC-13R-HS
12254A(pg. 221).....	MC-13L-HS
12274A(pg. 221).....	MC-13-2-HS
12294A(pg. 221).....	MC-13-R-HS
12314A(pg. 221).....	MC-13D-HS
12674(pg. 212).....	MC-10L
12684(pg. 212).....	MC-10R
12694(pg. 212).....	MC-10D
12704(pg. 220).....	MC-13L
12714(pg. 220).....	MC-13R
12724(pg. 218).....	MC-12D
12734(pg. 220).....	MC-13L
12744(pg. 220).....	MC-13R
12754(pg. 220).....	MC-13D
12764(pg. 220).....	MC-13R
12774(pg. 220).....	MC-13L
12784(pg. 220).....	MC-13D
12794(pg. 220).....	MC-13L
12804(pg. 220).....	MC-13R
12814(pg. 220).....	MC-13D
14004(pg. 223).....	MC-15L-HS
14024(pg. 223).....	MC-15R-HS
14044(pg. 223).....	MC-15D-HS
14064(pg. 222).....	MC-14-4-V4-HS
14104(pg. 222).....	MC-14-4-V2-HS
14404(pg. 223).....	MC-15L
14424(pg. 223).....	MC-15R
14444(pg. 223).....	MC-15D
14464(pg. 222).....	MC-14-4-V4
14484(pg. 223).....	MC-15D
14504(pg. 222).....	MC-14-4-V2
15964(pg. 225).....	MC-27
15984(pg. 225).....	MC-28
16123(pg. 224).....	MC-24

**WATER CLOSET CARRIERS
OPTIONAL VARIATIONS**

JOSAM	MIFAB
-1(pg. 319, 320).....	-1
-2(pg. 319, 320).....	-13
-4(pg. 319, 320).....	-14
-6(pg. 319, 320).....	-20
-10(pg. 319, 320).....	-12
-21(pg. 319, 320).....	-16
-24(pg. 319, 320).....	-11
-30(pg. 319, 320).....	CI-6
-30-5(pg. 319, 320).....	-6
-32(pg. 319, 320).....	-10
-35(pg. 319, 320).....	Std.
-45(pg. 319, 320).....	-27
-46(pg. 319, 320).....	-27
-49(pg. 319, 320).....	-27
-50(pg. 319, 320).....	-27
-53(pg. 319, 320).....	"X"
-54(pg. 319, 320).....	-27
-57(pg. 319, 320).....	-37
-58(pg. 319, 320).....	-37

***MC-14 or MC-15 are recommended alternatives.
Less pipe space, lower cost and fewer parts.**

"X" Contact MIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

**LAVATORY, URINAL AND
SINK CARRIERS**

JOSAM	MIFAB
17100(pg. 230).....	MC-41
17105(pg. 231).....	MC-41D
17110(pg. 234).....	MC-51
17115(pg. 235).....	MC-53
17120(pg. 234).....	MC-51
17125(pg. 234).....	MC-51
17130(pg. 235).....	MC-51-LP
17380(pg. 230).....	MC-40
17385(pg. 230).....	MC-40D
17390(pg. 236).....	MC-56
17395(pg. 235).....	MC-55
17400(pg. 236).....	MC-56
17405(pg. 236).....	MC-56-LP
17415(pg. 230).....	MC-40
17420(pg. 230).....	MC-40D
17425(pg. 236).....	MC-56
17430(pg. 236).....	MC-56
17435(pg. 236).....	MC-56
17440(pg. 236).....	MC-56-LP
17550(pg. 226).....	MC-31
17555(pg. 226).....	MC-31D
17560(pg. 226).....	MC-32
17565(pg. 226).....	MC-32D
17570(pg. 226).....	MC-31-C
17575(pg. 226).....	MC-31
17580(pg. 226).....	MC-32
17585(pg. 228).....	MC-38D
17590(pg. 228).....	MC-36
17700(pg. 230).....	MC-40
17705(pg. 230).....	MC-40D
17710(pg. 230).....	MC-40
17715(pg. 227).....	MC-34
17720(pg. 227).....	"X"
17725(pg. 227).....	"X"
17730(pg. 236).....	MC-61-T
17735(pg. 236).....	MC-62-4-V2
17800(pg. 226).....	MC-31
17805(pg. 226).....	MC-31
17810(pg. 226).....	MC-32
17815(pg. 226).....	MC-32
17820(pg. 226).....	MC-32
17825(pg. 236).....	MC-61-T
17830(pg. 228).....	MC-38D
17835(pg. 228).....	MC-36
17895(pg. 226).....	MC-31
17900(pg. 226).....	MC-32
17905(pg. 227).....	MC-33-2
17910(pg. 227).....	MC-33

**LAVATORY, URINAL AND
SINK CARRIERS OPTIONAL
VARIATIONS**

JOSAM	MIFAB
-2(pg. 319, 320).....	TC
-4(pg. 319, 320).....	-14
-10(pg. 319, 320).....	J
-11(pg. 319, 320).....	CI
-60(pg. 319, 320).....	G
-61(pg. 319, 320).....	F
-66(pg. 319, 320).....	"X"
-67(pg. 319, 320).....	Standard
-69(pg. 319, 320).....	-20
-75(pg. 319, 320).....	E2
-76(pg. 319, 320).....	E4
-77(pg. 319, 320).....	E6

PUSH ON GASKETS

JOSAM	MIFAB
19802(pg. 276).....	POG-2
19803(pg. 276).....	POG-3
19804(pg. 276).....	POG-4
19805(pg. 276).....	"X"
19806(pg. 276).....	POG-6
19812(pg. 276).....	POG-2
19813(pg. 276).....	POG-3
19814(pg. 276).....	POG-4
19815(pg. 276).....	"X"
19816(pg. 276).....	POG-6
19825(pg. 276).....	"X"
19826(pg. 276).....	POG-6

ROOF DRAINS

JOSAM	MIFAB
21000(pg. 134).....	R1220-E
21009-Z(pg. 136).....	R1260-E
21500(pg. 125).....	R1200
21509-Z(pg. 136).....	R1260
21500-19(pg. 127).....	R1200-G
21509-Z-19(pg. 136).....	R1260-G
21500-IRMA(pg. 128).....	R1200-JC
21509-IRMA-Z(pg. 136).....	R1260-JC
21500-IRMA-6(pg. 128).....	R1200-JC-Z
22000(pg. 134).....	R1220-M
22010(pg. 134).....	R1220
22080(pg. 120).....	R1100
22250(pg. 134).....	R1220-U
23000(pg. 129).....	R1200-PR
23009-Z(pg. 136).....	R1260-PR
23010(pg. 129).....	R1200-PR-90
23500(pg. 129).....	R1200-PR15
23509-Z(pg. 136).....	R1260-PR15
23500-IRMA(pg. 129).....	R1200-PR15-JC
23509-Z-IRMA(pg. 136).....	R1260-PR15-JC
23500-IRMA-6(pg. 129).....	R1200-PR15-Z
23510(pg. 59).....	F1360
23530(pg. 129).....	R1200-PR
23710(pg. 135).....	R1220-PR
23730(pg. 122).....	R1100-PR
23740(pg. 122).....	R1100-PR-1
24020(pg. 53).....	F1320-Y-Z-14
24030(pg. 54).....	F1340-Y-Z-14
24040(pg. 68).....	F1530
24050(pg. 69).....	F1540
24060(pg. 69).....	F1550
24200(pg. 128).....	R1200-JC-PR-Z
24500(pg. 144).....	R1400-83-HM
24520(pg. 145).....	R1420-83-HM
24540(pg. 145).....	R1410-83-HM
24700(pg. 142).....	R1300
24710(pg. 142).....	R1310
24720(pg. 143).....	R1320
24730(pg. 143).....	R1330
24900(pg. 142).....	R1310
25000(pg. 147).....	R1640
25010(pg. 150).....	R1940
25500(pg. 130).....	R1200-RS
25520(pg. 135).....	R1220-RS
25540(pg. 123).....	R1100-RS
26000(pg. 132).....	R1200-W-E
26010(pg. 132).....	R1200-W
26200(pg. 149).....	R1900
26400(pg. 149).....	"X"
26450(pg. 149).....	"X"
26700(pg. 149).....	R1930
28500(pg. 127).....	R1200-F-E
28600(pg. 127).....	R1200-F
29000(pg. 132).....	R1200-W

**ROOF DRAINS OPTIONAL
VARIATIONS**

JOSAM	MIFAB
-1 Underdeck clamp -U	
-2 Sump receiver -B	
-3 Deck clamp assembly..... -B-U	
With sump receiver	
-4 Sec. membrane ring..... -C	
-10 Fixed extension -V	
-10-20 Fixed extension -V-12	
Galvanized finish	
-12 Extension flashing coll..... -E	
-15 Rough bronze -C-12	
clamp collar	
-17 2" high solid -R	
membrane clamp	
-19 Stainless steel mesh -83	
screen over dome	
-20 All galvanized -13	
-21 Galvanized dome -12	
-22 Metal dome -M	
-23 Rough bronze dome -81	
-24 Nikaloy top -1	
-26 Aluminum dome -M-80	
-27 High dome Standard	
-29 Sediment bucket -5	
-29-20 Galv. sediment bucket -5-13	
-30 Vandal proof -6	
-31 Chained locking grate -23	
-32 SS mesh screen -83	
over dome	
-33 Membrane clamp with -C-G	
ballast guard	
-33 Stainless steel mesh -83	
screen over dome	
-35 Flat grate Std	
-36 Ductile iron grate Std	
-37-50 Ductile iron grate -1	
with NB veneer	
-37-51 Ductile iron grate -1	
with PB veneer	
-50 Nikaloy top -1	
-51 Nickel bronze top -1	
-61 Downspout elbow "X"	
-66 No hub side outlet -90	
-T Threaded outlet T	
-Y Push on outlet P	
-X Inside caulk outlet X	
-Z No hub outlet Std	

FLOOR AND AREA DRAINS

JOSAM	MIFAB
30000(pg. 276).....	A1-C*
30000-A(pg. 33).....	F1100-C*
30000-AJ(pg. 33).....	F1100-C-8*
30000-C(pg. 33).....	F1100-C-5*
30000-E(pg. 38).....	F1100-C-N*
30000-E1(pg. 36).....	F1100-C-ER*
30000-E2(pg. 35).....	F1100-C-EF*
30000-E3(pg. 35).....	F1100-C-EG*
30000-P(pg. 34).....	F1100-C-AS*
30000-R(pg. 39).....	F1100-C-RS*
30000-S(pg. 39).....	F1100-C-S*
30200-AD(pg. 36).....	F1100-C-FC*
30500(pg. 45).....	F1130C body
30500-A(pg. 48).....	F1130C
30500-S(pg. 48).....	F1130C-S
30600(pg. 45).....	F1120-C* body
30600-A(pg. 48).....	F1120-C*
31100(pg. 53).....	F1320-C-14*

JOSAM - MIFAB CROSS REFERENCE
FLOOR AND AREA DRAINS

JOSAM	MIFAB
31120 (pg. 53)	F1320-C-5-14*
31200 (pg. 54)	F1340-14
31210 (pg. 54)	F1340-90
31220 (pg. 54)	F1340-5-14
31600 (pg. 53)	F1320-C*
31720 (pg. 54)	F1340-C*
31800 (pg. 62)	F1440-4-5
32100 (pg. 53)	F1320-C-Y-14*
32120 (pg. 53)	F1320-C-Y-5-14*
32200 (pg. 54)	F1340-C-Y-14-Q*
32220 (pg. 54)	F1340-C-Y-5-14-Q*
32300 (pg. 58)	F1350-C-5*
32320 (pg. 54)	F1340-C-Y-5-14*
32330 (pg. 58)	F1350-C-5*
34720 (pg. 60)	F1370-C-Y-5-14*
34920 (pg. 60)	F1370-C-TFB*
35130 (pg. 61)	F1430C-33-5
35230 (pg. 40)	F1100-C-SHG8-3-5*
35330 (pg. 66)	F1480-FL-5
35430 (pg. 66)	F1480-FL-5-9
35440 (pg. 62)	F1440-14
35460 (pg. 65)	F1460-Y
35580 (pg. 66)	F1480
35620A (pg. 62)	F1440-5-6
35720A (pg. 64)	F1450-5-6
36000 (pg. 53)	F1320-C-Y*
36100 (pg. 54)	F1330C-Y
36210 (pg. 56)	F1340-Y-Q
36340 (pg. 58)	F1350-5
36410 (pg. 59)	F1360-C-Y*
36640 (pg. 62)	F1440-5-9-90
36820A (pg. 65)	F1470-Y-5-14
36850 (pg. 75)	F1760-FL
37500 (pg. 61)	F1420-Y-14
37770A (pg. 62)	F1440-5-33
37800 (pg. 62)	F1440-Y-14
37810 (pg. 62)	F1440-C-Y-5-4*
37820 (pg. 62)	F1440-C-Y-5-4*
38040 (pg. 49)	F1140C-9
38250A (pg. 49)	F1140C-9
38420 (pg. 60)	F1370-17
38620-40 (pg. 175)	C1600
38830 (pg. 70)	F1560
38930 (pg. 194)	MI-OS
39000 (pg. 74)	F1650-25-1
39150 (pg. 73)	F1640-C
39240 (pg. 58)	F1350-Y-36-16
39420 (pg. 60)	F1370-18
39600 (pg. 76)	F1810
39720 (pg. 58)	F1350-Z-5
39960	"X"

PLASTIC DRAINS

JOSAM	MIFAB
JPD (pg. 51)	F1230-30-5-1
JPD-5PVC (pg. 51)	F1230-30-5-1
JPDF-3200	"X"
JPG3x4-J5 (pg. 51)	F1220-30-5-1
JPG3x4-J5PVC (pg. 51)	F1220-30-5-1
JPG3x4-J6 (pg. 51)	F1220-30-6-1
JPG3x4-J6SQ (pg. 51)	F1220-30-S6-1
JPDF-J5 (pg. 33)	F1100-C-30-5-1*
JPDF-J5PVC (pg. 33)	F1100-C-30-5-1*
JPDF-J6 (pg. 33)	F1100-C-30-6-1*
JPDF-J6SQ (pg. 39)	F1100-C-30-S6-1*
JPFS-PVC	"X"
JPRD-CI (pg. 120)	R1100-M-30
JPVC-1600 (pg. 164)	C1230-30-1
JPFC-3x4 (pg. 156)	C1100-R-30-1

**FLOOR AND AREA DRAINS
OPTIONAL VARIATIONS**

JOSAM	MIFAB
-1	Nickel Bronze (pg. 319, 320) -1
-2	Polished bronze (pg. 319, 320) -2
-3	Buffed polished NB (pg. 319, 320) -10
-4	Buffed polished bronze (pg. 319, 320) -10
-5	Rough NB top "X"
-6	Rough bronze top "X"
-7	Ductile iron grate (pg. 319, 320) -4
-8	SS screen dome (pg. 319, 320) -83
-10	Less grate (pg. 319, 320) -22
-11	Extra heavy duty grate (pg. 319, 320) -4
-12	Square top (pg. 319, 320) -16
-13	Dome grate (pg. 319, 320) -20
-13-1	NB dome grate (pg. 319, 320) -20-1
-13-2	PB dome grate (pg. 319, 320) -20-2
-14	Hinged grate (pg. 319, 320) -14
-15	Chained grate (pg. 319, 320) -23
-16	Locking grate (pg. 319, 320) -6
-17	Vandal proof (pg. 319, 320) -6
-19	C.I. undergrate with NB top (pg. 319, 320) 3
-20	CI undergrate with satin bronze top (pg. 319, 320) -2
-21	Loose set grate (pg. 319, 320) -14
-22	Less locking device "X"
-24	Less dome (pg. 319, 320) -(D)
-33	Galvanized sed. Bucket (pg. 319, 320) -5-13
-40	Less flange (pg. 319, 320) -33
-41	Membrane clamp (pg. 319, 320) -C
-42	Membrane clamp (pg. 319, 320) -C
-43	Levelling studs "X"
-44	Extension (pg. 319, 320) -15
-44-92	Galvanized extension (pg. 319, 320) -15-13
-45	Integral extension (pg. 319, 320) -15
-49	3/4" TSP tapping (pg. 319, 320) -3/4"
-50	TSP tapping (pg. 319, 320) -7
-51	1-1/2" aux. threaded inlet (pg. 319, 320) -44
-52	2" aux. threaded inlet (pg. 319, 320) -44T
-53	2" auxiliary hub inlet (pg. 319, 320) -44NH
-54	2" aux. spigot inlet (pg. 319, 320) -44X
-60	Backwater valve (pg. 319, 320) -8
-61	Less backwater valve "X"
-62	T handle closure plug "X"
-63	Spanner wrench (pg. 319, 320) H-1042
-64	Bronze closure plug (pg. 319, 320) -34B
-66	No hub side outlet (pg. 319, 320) -90NH
-70	Less bucket "X"
-71	Solid sediment bucket (pg. 319, 320) -5
-72	Solid bucket with bronze screen ports "X"
-74	Solid alum. bucket "X"
-75	Solid alum. bucket with bronze screen ports "X"
-80	SS sediment bucket (pg. 319, 320) A1-SSB
-81	Slotted cast iron bucket (pg. 319, 320) -5
-82	Aluminum bucket (pg. 319, 320) -5
-84	SS mesh lined bucket (pg. 319, 320) -5-83
-88	Secondary strainer (pg. 319, 320) -21
-89	Underdeck clamp (pg. 319, 320) -40
-91	Rough bronze body (pg. 319, 320) -27
-92	All galvanized (pg. 319, 320) -13
-93	All cast iron "X"
-94	Bronze dome (pg. 319, 320) -81
-98	Control box (pg. 319, 320) MI-VB
-99	Extension (pg. 319, 320) -15
-T	Threaded outlet (pg. 319, 320) T
-W	Extension (pg. 319, 320) -15
-X	Inside caulk outlet X
-Y	Push on outlet (pg. 319, 320) P
-Z	No hub outlet (pg. 319, 320) St

**30000 SERIES STRAINER
OPTIONAL VARIATIONS**

JOSAM	MIFAB
A	Std (pg. 46)
5A	5-1 (pg. 46)
6A	6-1 (pg. 46)
7A	7-1 (pg. 46)
8A	8-1 (pg. 46)
9A	10-1 (pg. 46)
10A	10-1 (pg. 46)
AD	FC (pg. 46)
6AD	FC7-1 (pg. 46)
9AD	FC9-1 (pg. 46)
AF	FT6 (pg. 46)
6AF	FT6-1 (pg. 46)
AJ	Std-8 (pg. 46)
5AJ	5-1-8 (pg. 46)
6AJ	6-1-8 (pg. 46)
7AJ	7-1-8 (pg. 46)
C	5-5 (pg. 46)
5C	5-1-5 (pg. 46)
D	K (pg. 46)
5D	K5-1 (pg. 46)
6D	K5-1 (pg. 46)
E	N (pg. 46)
6E	N7-1 (pg. 46)
7E	N7-1 (pg. 46)
9E	N9-1 (pg. 46)
E1	ER (pg. 46)
6E1	ER7-1 (pg. 46)
7E1	ER7-1 (pg. 46)
9E1	ER9-1 (pg. 46)
E2	EF4 (pg. 46)
7E2	EF4-1 (pg. 46)
E3	EG (pg. 46)
7E3	EG-1 (pg. 46)
EJ	N-8 (pg. 46)
6EJ	N7-1-8 (pg. 46)
7EJ	N7-1-8 (pg. 46)
9EJ	N9-1-8 (pg. 46)
F	T (pg. 47)
6F	T6-3 (pg. 47)
F4	F4-1 (pg. 46)
F6	F6-1 (pg. 46)
F8	J-1 (pg. 46)
F9	G-1 (pg. 46)
F52	F4-1 (pg. 46)
F53	F4-1 (pg. 46)
G	VD (pg. 47)
5G	VD5-3 (pg. 47)
H	HG (pg. 46)
5H	HG5-3 (pg. 46)
6H	HG7-3 (pg. 46)
7H	HG7-3 (pg. 46)
8H	HG8-3 (pg. 46)
M	WD (pg. 47)
2M	WD-3 (pg. 47)
3M	WD-3 (pg. 47)
P	AS (pg. 46)
4P	AS-1 (pg. 46)
6P	AS-1 (pg. 46)
R	RS (pg. 46)
5R	RS-48-1 (pg. 46)
6R	RS-412-1 (pg. 46)
7R	RS-517-3 (pg. 46)
8R	RS-517-3 (pg. 46)
S	S Standard (pg. 47)
5S	S5-1 (pg. 47)
6S	S6-1 (pg. 47)
8S	S8-1 (pg. 47)
9S	S10-1 (pg. 47)
"X"	Contact MIFAB

CROSS REFERENCE

 Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

JOSAM - MIFAB CROSS REFERENCE

CROSS REFERENCE

**30000 SERIES STRAINER
OPTIONAL VARIATIONS**

JOSAM	MIFAB
SJ.....(pg. 47)	S5-8
5SJ.....(pg. 47)	S5-1-8
6SJ.....(pg. 47)	S6-1-8
8SJ.....(pg. 47)	S8-1-8
T.....(pg. 47)	SHG
5T.....(pg. 47)	SHG6-3
6T.....(pg. 47)	SHG6-3
9T.....(pg. 47)	SHG8-3
W.....(pg. 46)	DD
2W.....(pg. 46)	DD-50
4W.....(pg. 46)	DD-50
6W.....(pg. 46)	DD-50
WF6S.....(pg. 47)	ZS-1

*Includes "-C" membrane clamp in areas with waterproof membrane.
As a recommended alternate, use F1100 in non membrane areas, delete "-C" membrane clamp

FLOOR SINKS

JOSAM	MIFAB
49000.....(pg. 97)	FS1520-FL-1
49010.....(pg. 97)	FS1520-1
49020AS.....(pg. 99)	FS1720-FL-1
49030AS.....(pg. 99)	FS1720-1
49040AS.....(pg. 100)	FS1730-FL-1
49050AS.....(pg. 100)	FS1730-1
49060AS.....(pg. 101)	FS1740-FL-1
49070AS.....(pg. 101)	FS1740-1
49100.....(pg. 66)	F1490-FL-1-11
49110.....(pg. 66)	F1490-1-11
49120.....(pg. 66)	F1490-FL-1-11
49130.....(pg. 66)	F1490-1-11
49200.....(pg. 102)	FS1750-FL-1
49210.....(pg. 102)	FS1750-1
49220A.....(pg. 102)	FS1750-FL-1
49230A.....(pg. 102)	FS1750-1
49280A.....(pg. 103)	FS1760-FL-1
49290A.....(pg. 103)	FS1760-1
49300.....(pg. 97)	FS1520-FL
49310.....(pg. 97)	FS1520
49320A.....(pg. 99)	FS1720-FL
49330A.....(pg. 99)	FS1720
49340A.....(pg. 100)	FS1730-FL
49350A.....(pg. 100)	FS1730
49360A.....(pg. 101)	FS1740-FL
49370A.....(pg. 101)	FS1740
49400.....(pg. 104)	FS1770-FL
49410.....(pg. 104)	FS1770
49420.....(pg. 105)	FS1790
49430.....(pg. 105)	FS1790
49500.....(pg. 102)	FS1750-FL
49510.....(pg. 102)	FS1750
49520A.....(pg. 102)	FS1750-FL
49530A.....(pg. 102)	FS1750
49580A.....(pg. 103)	FS1760-FL
49590A.....(pg. 103)	FS1760
49600.....(pg. 98)	FS1530-FL-1
49610.....(pg. 98)	FS1530-1
49620.....(pg. 98)	FS1530-FL-1
49630.....(pg. 98)	FS1530-1
49700.....(pg. 98)	FS1530-FL
49710.....(pg. 98)	FS1530
49720.....(pg. 98)	FS1530-FL
49730.....(pg. 98)	FS1530
49850.....(pg. 74)	F1650-1
49870A.....(pg. 58)	F1350-Y-36

FLOOR SINK OPTIONAL VARIATIONS

JOSAM	MIFAB
-2.....Less grate.....(pg. 319, 320)	-22
-3.....Half grate.....(pg. 319, 320)	-150
-4.....3/4 grate.....(pg. 319, 320)	-175
-5.....Nickel bronze grate.....(pg. 319, 320)	-1
-7.....Full grate with 2 1/2" center opening.....(pg. 319, 320)	-51
-8.....Depressed alum grate	"X"
-10.....Secured grate.....(pg. 319, 320)	-6
-15.....Stainless Steel rim & grate.....(pg. 319, 320)	-3
-16.....Grate w/ 4" dia. funnel.....(pg. 319, 320)	-F4
-17.....Grate w/ 6" dia. funnel.....(pg. 319, 320)	-F6
-18.....Grate w/ 4" x 9" funnel.....(pg. 319, 320)	-G
-20.....Solid NB cover	"X"
-24.....Chained grate.....(pg. 319, 320)	-23
-30.....SS sediment bucket.....(pg. 319, 320)	-5-3
-31.....Sediment bucket.....(pg. 319, 320)	-5
-35.....SS mesh lined bucket.....(pg. 319, 320)	-5-83
-43.....Internal dome strainer.....(pg. 319, 320)	Std
-45.....Less bottom dome strainer	"X"
-51.....All galvanized.....(pg. 319, 320)	-13
-52.....Painted inside and out	"X"
-55.....Trap seal primer.....(pg. 319, 320)	-7
-C.....Membrane clamp.....(pg. 319, 320)	-C
-X.....Inside caulk outlet	X
-Z.....No hub outlet.....(pg. 319, 320)	Std

STAINLESS STEEL DRAINAGE PRODUCTS

JOSAM	MIFAB
52000.....(pg. 32)	F1000-S8-3-28
52010.....(pg. 106)	FS1920-FL
52020.....(pg. 32)	F1000-S10-3
52030.....(pg. 106)	FS1920-FL
52040.....(pg. 106)	FS1940-FL
52050.....(pg. 106)	FS1940-FL
52060.....(pg. 106)	FS1940-FL
52070.....(pg. 106)	FS1940-FL
52080.....(pg. 106)	FS1920-FLC
52100.....(pg. 106)	FS1940-FLC
52120.....(pg. 106)	FS1940-FLC
52130.....(pg. 32)	F1000-S6-3-28
52140.....(pg. 32)	F1000-C-S6-3-28
52150.....(pg. 156)	C1000-R-3-29
52200.....	"X"
52300.....	"X"
52310.....	"X"
52320.....	"X"
54100.....(pg. 143)	R1320-28
54200.....(pg. 32)	F1000-C-6-3-28
54210.....(pg. 32)	F1000-C-8-3-28
54220.....(pg. 32)	F1000-C-8-3-5-28
54230.....(pg. 32)	F1000-C-8-3-28
54240.....(pg. 32)	F1000-C-8-3-5-28
54250.....(pg. 32)	F1000-C-10-3-28
54300.....(pg. 78)	F1890
54400.....(pg. 159)	C1000-TS-3-28
54500.....	"X"

"X".....Contact MIFAB

CLEANOUTS

JOSAM	MIFAB
56000.....(pg. 156)	C1100-R
56000-12.....(pg. 158)	C1100-T
56000-14.....(pg. 157)	C1100-RC
56000-88.....(pg. 285)	R-1
56010.....(pg. 156)	C1100-R
56010-12.....(pg. 158)	C1100-T
56010-14.....(pg. 157)	C1100-RC
56020.....(pg. 158)	C1100-S
56020-12.....(pg. 159)	C1100-TS
56020-14.....(pg. 159)	C1100-S-RC
56020-88.....(pg. 285)	S-1
56030.....(pg. 158)	C1100-S
56030-12.....(pg. 159)	C1100-TS
56030-14.....(pg. 158)	C1100-S-RC
56040.....(pg. 160)	C1100-XR
56040-13.....(pg. 159)	C1100-UR
56040-14.....(pg. 158)	C1100-T
56040-88.....(pg. 285)	XR-1
56050.....(pg. 160)	C1100-XR
56050-13.....(pg. 159)	C1100-UR
56050-14.....(pg. 157)	C1100-RC
56060.....(pg. 160)	C1100-XR
56060-14.....(pg. 157)	C1100-RC
56070.....(pg. 160)	C1100-XR
56070-14.....(pg. 157)	C1100-RC
58180.....(pg. 170)	C1450
58190.....(pg. 170)	C1450
58360.....(pg. 163)	C1220
58370A.....(pg. 156)	C1100-C-R*
58460A.....(pg. 163)	C1220-C-R*
58500.....(pg. 170)	C1450
58510.....(pg. 172)	C1460
58540.....(pg. 167)	C1430
58600.....(pg. 167)	C1400-RD
58610.....(pg. 165)	C1300-R
58620.....(pg. 319)	-25-1
58630.....(pg. 176)	FHA
58640.....(pg. 166)	C1400-S
58660.....(pg. 165)	C1300-U
58665.....(pg. 165)	C1300-US
58670.....(pg. 175)	C1500
58680.....(pg. 166)	C1300-MF
58700.....(pg. 170)	C1450-R
58710.....(pg. 171)	C1450-RD
58730.....(pg. 171)	C1450-S
58740.....(pg. 171)	C1450-S
58750.....(pg. 172)	C1460-R
58760.....(pg. 173)	C1460-S
58770.....(pg. 173)	C1460-S
58790.....(pg. 173)	C1460-RD
58800.....(pg. 164)	C1230-S
58810.....(pg. 164)	C1230-S
58820.....(pg. 164)	C1230-S
58830.....(pg. 164)	C1230-S
58850.....(pg. 166)	C1300-MF w/C1230
58860.....(pg. 166)	C1300-MF w/C1230
58890.....(pg. 167)	C1430-RD
58900.....(pg. 170)	C1450
58910.....(pg. 172)	C1460

CLEANOUT OPTIONAL VARIATIONS

JOSAM	MIFAB
-1.....Nickel bronze.....(pg. 319, 320)	-1
-2.....Polished bronze.....(pg. 319, 320)	-2
-5.....Ductile iron cover.....(pg. 319, 320)	-4
-6.....Square NB top.....(pg. 319, 320)	S-1
-6-2.....Square NB top.....(pg. 319, 320)	S-1
-10.....Scoriated cover.....(pg. 319, 320)	std
-12.....Top recessed for tile.....(pg. 319, 320)	T-1
-13-1.....Rnd NB terrazzo cove.....(pg. 319, 320)	UR-1
-13-2.....Rnd NB terrazzo cover.....(pg. 319, 320)	UR-1
-14.....Carpet Marker.....(pg. 319, 320)	RC-1
-15.....Vandal proof.....(pg. 319, 320)	-6
-17.....Longer screw then 3 1/2".....(pg. 319, 320)	-87

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.

JOSAM - MIFAB CROSS REFERENCE
CLEANOUT OPTIONAL VARIATIONS CONT

JOSAM	MIFAB
-19 Plug tap. for center scr. (pg. 319, 320).	"X"
-20 Raised head br. plug (pg. 319, 320).	-34B
-22 Taper thread br. plug (pg. 319, 320).	-34B
-24 Spanner wrench (pg. 319, 320).	H-1042
-26 Gasketed cover (pg. 319, 320).	Std
-31 All galvanized (pg. 319, 320).	-13
-41 Membrane clamp (pg. 319, 320).	-C and flange
-E Extension (pg. 319, 320).	-15
-F Anchor flange (pg. 319, 320).	Std
-WF Wide flange (pg. 319, 320).	Std
-X Inside caulk outlet (pg. 319, 320).	X
-Y Push on outlet (pg. 319, 320).	P
-Z No hub outlet (pg. 319, 320).	Std

INTERCEPTORS

JOSAM	MIFAB
60000A (pg. 190)	MI-G-SDH
60010A (pg. 190)	MI-G-L-SDH
60030A (pg. 190)	MI-G-SDH w/ MI-CSD
60040A (pg. 190)	MI-G-SDH w/ MI-CSD-EN
60100A (pg. 187)	MI-G
60100A-EGLD (pg. 201)	MI-E-G
60100A (pg. 187)	MI-G-E
60100-50A (pg. 190)	MI-G-SDH
60110A (pg. 187)	MI-G-L
60110-50A (pg. 190)	MI-G-L-SDH
60120A (pg. 187)	MI-G-C
60130A (pg. 187)	MI-G w/ MI-CS
60130-50A (pg. 190)	MI-G-SDH w/ MI-CSD
60140A (pg. 187)	MI-G w/ MI-CS-EN
60140-50A (pg. 190)	MI-G-SDH w/ MI-CSD-EN
60200A (pg. 188)	XL-MI-G-C
60210A (pg. 188)	XL-MI-G
60210A-EGLD (pg. 188)	XL-MI-E-G
60100A (pg. 188)	XL-MI-E-G
60300 (pg. 200)	MI-G-AD
60500A (pg. 192)	MI-O
60520A (pg. 192)	MI-O-C
60600A (pg. 192)	MI-O-C
60610A (pg. 192)	MI-O
61000 (pg. 194)	MI-HAIR
61020 (pg. 194)	MI-SOLID-LB
61030 (pg. 194)	MI-SOLID-S
61040 (pg. 194)	MI-SOLID-L
61070 (pg. 194)	"X"
61080 (pg. 194)	"X"
61800 (pg. 198)	MI-LINT
61850 (pg. 194)	MI-OS
GI 2000 (pg. 200)	MI-G-AD

INTERCEPTOR OPTIONAL VARIATIONS

JOSAM	MIFAB
-4 All galvanized (pg. 319, 320).	-13
-15 Stainless steel basket (pg. 319, 320).	-SSB
-30 ARE coating, inside/out. (pg. 319, 320).	"X"
-31 ARE coating, inside (pg. 319, 320).	"X"
-32 ARE coating, outside (pg. 319, 320).	"X"
-40 Cover recessed for tile (pg. 319, 320).	-TL
-41 Extension (pg. 319, 320).	-C
-61 Anchor flange and (pg. 319, 320).	-FLC membrane clamp
-62 4" inlet and outlet (pg. 319, 320).	"X"
-65 Hub inlet, spigot outlet, 2" (pg. 319, 320).	"X"
-66 Hub inlet, spigot outlet, 3" (pg. 319, 320).	"X"
-67 Hub inlet, spigot outlet, 4" (pg. 319, 320).	"X"
-68 3" inlet and outlet (pg. 319, 320).	"X"
-80 Sediment bucket (pg. 319, 320).	-SB
-85 Enzymatic port (pg. 319, 320).	"X"

BACKWATER VALVES

JOSAM	MIFAB
67100A (pg. 258)	BV1260
67350 (pg. 260)	BV1300
67360 (pg. 260)	BV1300
67400 (pg. 257)	BV1000
67500 (pg. 257)	BV1000
67520 (pg. 257)	BV1000
67600 (pg. 257)	BV1000
67650 (pg. 258)	BV1210
67720 (pg. 259)	BV1280
67800 (pg. 259)	BV1280

BACKWATER VALVE OPTIONAL VARIATIONS

JOSAM	MIFAB
-5 All galvanized (pg. 319, 320).	-13
-28 .. 12" CI extension (pg. 319, 320).	"X"
-29 .. 24" CI extension (pg. 319, 320).	"X"

HYDRANTS

JOSAM	MIFAB
71000 (pg. 247)	MHY-26
71020 (pg. 248)	MHY-35
71050 (pg. 247)	MHY-10
71070 (pg. 248)	MHY-30
71600 (pg. 253)	MHY-60
71650 (pg. 249)	MHY-45

HYDRANT OPTIONAL VARIATIONS

JOSAM	MIFAB
-72 Wall clamp (pg. 319, 320).	-WC
-73 Solder inlet (pg. 319, 320).	Std
-91 1" thr. Outlet (pg. 319, 320).	-0
-95 Cylinder key lock (pg. 319, 320).	-K
-97 1/8" drain hole (pg. 319, 320).	-9 tapped in box

WATER HAMMER ARRESTORS

JOSAM	MIFAB
75000 (pg. 274)	WHB
75001 (pg. 274)	WHB-A
75002 (pg. 274)	WHB-B
75003 (pg. 274)	WHB-C
75004 (pg. 274)	WHB-D
75005 (pg. 274)	WHB-E
75006 (pg. 274)	WHB-F
75007 (pg. 275)	WHS
75000-S (pg. 274)	MWH
75001-S (pg. 274)	MWH-A
75002-S (pg. 274)	MWH-B
75003-S (pg. 274)	MWH-C
75004-S (pg. 274)	MWH-D
75005-S (pg. 274)	MWH-E
75006-S (pg. 274)	MWH-F

TRENCH DRAINS

JOSAM	MIFAB
76000 (pg. 82)	T1320-FL-4
76010 (pg. 82)	T1350-FL-4
76300 (pg. 81)	T1200-4
76400 (pg. 81)	T1200-F-4
76500 (pg. 81)	T1200-4
76501 (pg. 81)	T1200-F-4
76700 (pg. 81)	T1200
76701 (pg. 81)	T1200-F-4
76800 (pg. 81)	T1200-F2-4

TRENCH DRAIN OPTIONAL VARIATIONS

JOSAM	MIFAB
-1 NB veneer (pg. 319, 320).	-1
-2 PB veneer (pg. 319, 320).	-1
-7 DI grate (pg. 319, 320).	-4
-20 Vandal proof (pg. 319, 320).	-6
-30 Anchor flange (pg. 319, 320).	-FLC and membrane clamp
-40 All galvanized (pg. 319, 320).	-13
-65 Backwater valve (pg. 319, 320).	-8
-70 Sediment bucket (pg. 319, 320).	-5
-X Inside caulk outlet (pg. 319, 320).	X

TRAP SEAL PRIMERS AND SPECIALITIES

JOSAM	MIFAB
85220 (pg. 143)	R1320
85800 (pg. 75)	F1760-FL
85810 (pg. 75)	F1760-FL
88100 (pg. 261)	MI-950
88210 (pg. 261)	MI-950-F
88230 (pg. 260)	TS1000
88250 (pg. 268)	MI-TSP-2
88250-90 (pg. 268)	MI-TSP-1
88250-91 (pg. 268)	MI-TSP-3
88350 (pg. 263)	MI-850
88550 (pg. 263)	"X"
88560 (pg. 263)	MI-830
88600 (pg. 263)	MI-830
88900 (pg. 262)	MI-CAG-NH
88910 (pg. 262)	MI-CAG-T
88950 (pg. 262)	MI-GRILL
88970 (pg. 262)	MI-GRILL

Note: This guide is prepared to assist in determining the MIFAB Catalog number which is similar to the Josam catalog number referred to. Due to the simplified modular design of MIFAB products, this index indicates the product which is closest in design, based on function: eg. Free Area, Loading Rating, Depth, Material etc.

"X" Contact MIFAB

Design and dimensions are subject to modification. Prices do not include applicable taxes. Visit www.mifab.com for the most recent product information.

MIFAB, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free 1-800-465-2736, Fax 773-341-3049

All sales subject to MIFAB's Terms and Warranties. Please refer to inside front cover.