

ADJUSTABLE EXTENSION FOR FLOOR DRAINS

WATTS		MIFAB	
B3-XY	small CI extension (pg. 46)	DD-50	
DD-1	small NB extension (pg. 46)	DD-1	
DD-XY-50	small CI extension (pg. 46)	DD-50	

SEDIMENT BUCKET FOR FLOOR DRAINS

WATTS		MIFAB	
B1B	Plastic sed bucket (pg. 307)	A1-PB	
B2B	Large CI sed. Buck (pg. 307)	A2-MB	
B3B	Small CI sed. Buck. (pg. 307)	A1-MB	

FUNNELS FOR FLOOR DRAINS

WATTS		MIFAB	
EF-1		EF4-1	
EF-50	4" round CI funnel (pg. 46)	EF4-50	
EF6-1	6" round NB funnel (pg. 46)	EF6-1	
EF6-50	6" round CI funnel (pg. 46)	EF6-50	
EG-1	4" x 9" NB funnel (pg. 46)	EG-1	
EG-50	4" x 9" CI funnel (pg. 46)	EG-50	
F4-1	4" round NB funnel only (pg. 46)	F4-1	
F4-50	4" round CI funnel only (pg. 46)	F4-50	
G-1	4" x 9" oval NB funnel only (pg. 46)	G-1	
G-50	4" x 9" oval CI funnel only (pg. 46)	G-50	

HARDWARE PACKS

WATTS		MIFAB	
FC-1	3 cap screws with integral washers (pg. 304)	HS-1	
FC-2	3 bolts, washers and nuts for roof drains (pg. 304)	HS-2	
FC-3	3 bolts, washers and nuts for deck clamp (pg. 304)	HS-3	
FC-4	3 bolts, washers and nuts for extensions (pg. 304)	HS-3	

PRE-ASSEMBLED ECONOMY FLOOR DRAINS

WATTS		MIFAB	
FD-390-E-1	(pg. 51)	F1230-1	
FD-390-E-4	(pg. 51)	F1230-4	
FD-390-E-63-1	(pg. 51)	F1230-WF-1	
FD-390-E-63-4	(pg. 51)	F1230-WF-4	

CLEANOUT TOP ASSEMBLIES

WATTS		MIFAB	
R-1	5" Dia. NB CO top (pg. 311)	R-1	
R-3	5" Dia. SS CO top (pg. 311)	R-3	
RX-3	5" Dia. SS CO top (pg. 311)	R-3	
RC-1	5" Dia. NB CO top car/mar (pg. 311)	RC-1	
RX-1	5" Dia. NB Co top (pg. 311)	R-3	
RX-4	5" Dia. D.I. CO top (pg. 311)	R-4	
S-1	5" x 5" NB CO top (pg. 311)	S-1	
S-3	5" x 5" SS CO top (pg. 311)	S-3	
T-1	5" Dia. NB CO top for tile (pg. 311)	T-1	
TS-1	5" x 5" NB CO top for tile (pg. 311)	TS-1	
U-1	5" Dia. NB CO top for terr. (pg. 311)	U-1	
US-1	5" x 5" NB CO top for terr. (pg. 311)	US-1	

ROOF DRAIN DOMES

WATTS		MIFAB	
B2 DM	R1200 poly (pg. 310)	A2-PD	
B2 KDM-L-4	R1200 low DI (pg. 310)	A2-MDL-80	
B2 KDM-4	R1200 DI dome (pg. 310)	A2-MD	
B2 KDM-80	R1200 alum (pg. 310)	A2-MDL-80	
B3 DM	R1100 poly (pg. 310)	A1-PD	
B3 KDM-80	R1100 alum (pg. 310)	A1-MD	

ROOF DRAIN CLAMP RINGS FOR RD-100

WATTS		MIFAB	
B2-FLG	R1200 membrane clamp (pg. 303)	A2-C3	

and underdeck clamp
 B2-FLG-W-80 R1200 AL Dome (pg. 303) A2-C3-W w/ABS standpipe (pg. 310)w/A2-MDL-80
 B2-FLG-D 2" high water dam. (pg. 303) A2-WD
 B2-S R1200 sump receiver (pg. 310) A2-BP

ROOF DRAIN FIXED EXTENSIONS

WATTS		MIFAB	
B2-V2	2" fixed extension - R1200 (pg. 305)	A2-V2	
B2-V3	3" fixed extension - R1200 (pg. 305)	A2-V3	
B2-V4	4" fixed extension - R1200 (pg. 305)	A2-V4	

ROOF DRAIN CLAMP RINGS FOR RD-200

WATTS		MIFAB	
B3-FLG	R1100 membrane clamp and underdeck clamp (pg. 303)	A1-C3	
B3-FLG-W-80	R1100 al. Dome w/ A1-MD w/ABS standpipe and A1-W (pg. 303)	A1-C3	
B3-S	R1100 sump receiver (pg. 310)	A1-BP	

ROOF DRAIN ACCUTROL WEIRS

WATTS		MIFAB	
B2-A1	R1200 1 weir Accutrol (pg. 310)	A2-F1	
B2-A2	R1200 2 weir Accutrol (pg. 310)	A2-F2	
B3-A1	R1100 1 weir Accutrol (pg. 310)	A1-F1	
B3-A2	R1100 2 weir Accutrol (pg. 310)	A1-F2	
B3-A3	R1100 3 weir Accutrol (pg. 310)	A1-F3	

ROOF DRAIN BALLAST GUARDS

WATTS		MIFAB	
B2-GSS	R1200 SS ballast guard (pg. 310)	A2-BG	
B2-H	R1200 SS ballast guard (pg. 310)	A2-BG	
B3-GSS	R1100 SS ballast guard (pg. 310)	A1-BG	

ZURN - MIFAB CROSS REFERENCE

ROOF DRAINS

ZURN	(pg. 131)	MIFAB	Z100-85	(pg. 134)	R1200-JC	Z104-SS	(pg. 142)	R1250-M-83
Z100	(pg. 131)	R1200	Z100-89	(pg. 136)	R1200-R	Z104-VP	(pg. 142)	R1250-6
Z100-AC	(pg. 131)	R1200-U	Z100-90	(pg. 139)	R1200-90	Z104-W2	(pg. 142)	R1250-W2
Z100-AR	(pg. 131)	R1200-11	ZA100	(pg. 131)	R1200-M-80	Z104-W3	(pg. 142)	R1250-W3
Z100-AW	(pg. 138)	R1200-W	ZC100	(pg. 131)	R1200-M	Z104-W4	(pg. 142)	R1250-W4
Z100-BS	(pg. 131)	R1200-M-83	ZRB100	(pg. 131)	R1200-81	Z104-XJ	(pg. 142)	R1250 w/R1900
Z100-C	(pg. 131)	R1200-U	Z101	(pg. 142)	R1260	Z104-84	(pg. 142)	R1250-G
Z100-DE	(pg. 132)	R1200-B-E	Z101-AR	(pg. 142)	R1260-11	Z104-85	(pg. 142)	R1250-JC
Z100-DP	(pg. 131)	R1200-B	Z101-DP	(pg. 142)	R1260-B	Z104-89	(pg. 142)	R1250-R
Z100-DR	(pg. 132)	R1200-EU	Z101-E	(pg. 142)	R1260-E	ZA104	(pg. 142)	R1250-M-80
Z100-DX	(pg. 138)	R1200-Z	Z101-G	(pg. 142)	R1260-M-13	ZC104	(pg. 142)	R1250-M
Z100-E	(pg. 131)	R1200-V	Z101-R	(pg. 142)	R1260-B	ZRB104	(pg. 142)	R1250-81
Z100-EA	(pg. 132)	R1200-E	Z101-W2	(pg. 142)	R1260-W2	Z105	(pg. 127)	R1200-F
Z100-EA-C	(pg. 132)	R1200-EU	Z101-W3	(pg. 142)	R1260-W3	Z105-C	(pg. 132)	R1200-F-U
Z100-EB	(pg. 132)	R1200-E	Z101-W4	(pg. 142)	R1260-W4	Z105-DE	(pg. 132)	R1200-F-B-EU
Z100-EC	(pg. 131)	R1200-EU	Z101-89	(pg. 142)	R1260-R	Z105-DP	(pg. 132)	R1200-F-B
Z100-FG	(pg. 135)	R1200-E	Z103	(pg. 137)	R1200-SO	Z105-DR	(pg. 132)	R1200-F-U
Z100-G	(pg. 131)	R1200-UV	Z103-45	(pg. 137)	R1200-SO-45	Z105-DX	(pg. 132)	R1200-F-Z
Z100-GD	(pg. 131)	R1200-PR	Z104	(pg. 142)	R1250	Z105-E	(pg. 132)	R1200-F-V
Z100-HD	(pg. 131)	R1200-M-13	Z104-AC	(pg. 142)	R1250-U	Z105-EA	(pg. 132)	R1200-F-E
Z100-R	(pg. 131)	R1200-M-12	Z104-AR	(pg. 142)	R1250-11	Z105-EA-C	(pg. 132)	R1200-F-EU
Z100-SC	(pg. 131)	R1200-M-80	Z104-AW	(pg. 142)	R1250-W	Z105-EA-R-C	(pg. 132)	R1200-F-EU
Z100-SE	(pg. 134)	R1200-B	Z104-BS	(pg. 142)	R1250-M-83	Z105-EC	(pg. 132)	R1200-F-UV
Z100-SS	(pg. 131)	R1200-C	Z104-C	(pg. 142)	R1250-U	Z105-ERC	(pg. 132)	R1200-BUV-F
Z100-SSM	(pg. 131)	R1200-HC	Z104-DX	(pg. 142)	R1250-Z	Z105-G	(pg. 133)	R1200-F-M-13
Z100-ST	(pg. 131)	R1200-M-83	Z104-E	(pg. 142)	R1250-V	Z105-H	(pg. 133)	R1200-F-B
Z100-ST	(pg. 131)	R1200-M-83	Z104-EA	(pg. 142)	R1250-E	Z105-SC	(pg. 133)	R1200-F-C
Z100-T	(pg. 131)	R1200-M-SP	Z104-EA-C	(pg. 142)	R1250-EU	Z105-TC	(pg. 133)	R1200-F-TC
Z100-TC	(pg. 131)	R1200-TC	Z104-EB	(pg. 142)	R1250-E	Z105-VJ	(pg. 133)	R1200-F-6
Z100-VP	(pg. 131)	R1200-6	Z104-ES	(pg. 142)	R1250-C-V	Z105-XP	(pg. 133)	R1200-F w/R1900
Z100-W	(pg. 138)	R1200-W	Z104-FG	(pg. 142)	R1250-PR	Z105-1	(pg. 133)	R1200-F
Z100-W2	(pg. 138)	R1200-W2	Z104-G	(pg. 142)	R1250-M-13	Z105-90	(pg. 133)	R1200-F-90
Z100-W3	(pg. 138)	R1200-W3	Z104-GD	(pg. 142)	R1250-M-12	ZA105	(pg. 133)	R1200-F-M-80
Z100-W4	(pg. 138)	R1200-W4	Z104-HD	(pg. 142)	R1250-M-80	ZC105	(pg. 133)	R1200-F-M
Z100-XJ	(pg. 131)	R1200 w/R1900	Z104-R	(pg. 142)	R1250-B	ZRB105	(pg. 133)	R1200-F-81
Z100-84	(pg. 133)	R1200-G	Z104-SC	(pg. 142)	R1250-C	Z107	(pg. 138)	R1200-Z

CROSS REFERENCE

Z107-AC (pg. 138)	R1200-Z-U	ZCF121-EB (pg. 140)	R1220-F-E	Z150-DP (pg. 135)	R1200-PR-4-B
Z107-AR (pg. 138)	R1200-Z-11	ZCF121-G (pg. 140)	R1220-F-M-13	Z150-DR (pg. 135)	R1200-PR-4-EU
Z107-AW (pg. 138)	R1200-Z-W	ZCF121-R (pg. 140)	R1220-F-B	Z150-DT (pg. 135)	R1200-PR15
Z107-BS (pg. 138)	R1200-Z-M-83	ZCF121-SSM (pg. 140)	R1220-F-83	Z150-DX (pg. 135)	R1200-PR-4-Z
Z107-C (pg. 138)	R1200-Z-U	ZCF121-VP (pg. 140)	R1220-F-6	Z150-E (pg. 135)	R1200-PR-4-E
Z107-E (pg. 138)	R1200-Z-V	ZCF121-84 (pg. 140)	R1220-F-G	Z150-EA (pg. 135)	R1200-PR-4-E
Z107-EA (pg. 138)	R1200-Z-E	ZCF121-90 (pg. 140)	R1220-F-90	Z150-EB (pg. 135)	R1200-PR-4-E
Z107-FG (pg. 138)	R1200-Z-P	ZACF121 (pg. 140)	R1220-F-M-80	Z150-ES (pg. 135)	R1200-C-PR-4-EU
Z107-G (pg. 138)	R1200-Z-M-13	ZRB121 (pg. 140)	R1220-81	Z150-G (pg. 135)	R1200-PR-4-M-13
Z107-GD (pg. 138)	R1200-Z-M-12	Z122 (pg. 141)	R1220-RS	Z150-HF (pg. 135)	R1200-PR-4
Z107-HD (pg. 138)	R1200-Z-M-80	Z122-AR (pg. 141)	R1220-RS-11	Z150-R (pg. 135)	R1200-PR-4-B
Z107-SS (pg. 138)	R1200-Z-M-83	Z122-C (pg. 141)	R1220-RS-U	Z150-S (pg. 135)	R1200-PR-4-21
Z107-VP (pg. 138)	R1200-Z-6	Z122-DP (pg. 141)	R1220-RS-B	Z150-SC (pg. 135)	R1200-PR-4-C
Z107-W2 (pg. 138)	R1200-Z-W2	Z122-E (pg. 141)	R1220-RS-V	Z150-TC (pg. 135)	R1200-PR-4-TC
Z107-W3 (pg. 138)	R1200-Z-W3	Z122-EB (pg. 141)	R1220-RS-E	Z150-TS (pg. 135)	R1200-PR-4-6
Z107-W4 (pg. 138)	R1200-Z-W4	Z122-G (pg. 141)	R1220-RS-M-13	Z150-VP (pg. 135)	R1200-PR-4-6
Z107-XJ (pg. 138)	R1200-Z w/R1900	Z122-HD (pg. 141)	R1220-RS	Z150-XJ (pg. 135)	R1200-PR-4 w/R1900
Z107-84 (pg. 138)	R1200-Z-G	Z122-R (pg. 141)	R1220-RS-B	Z150-Y (pg. 135)	R1200-PR-4-5
Z107-85 (pg. 138)	R1200-Z-JC	Z122-TC (pg. 141)	R1220-RS-TC	Z150-85 (pg. 135)	R1200-PR-4-JC
Z107-89 (pg. 138)	R1200-Z-R	Z122-90 (pg. 141)	R1220-RS-90	Z150-90 (pg. 135)	R1200-PR-4-90
ZA107 (pg. 138)	R1200-Z-M-80	Z125 (pg. 126)	R1100-M	ZB150 (pg. 135)	R1200-PR-1
ZC107 (pg. 138)	R1200-Z-M	Z125-A (pg. 126)	R1100-M-W-1	ZN150 (pg. 135)	R1200-PR-1
ZRB107 (pg. 138)	R1200-Z-81	Z125-AR (pg. 126)	R1100-M-11	Z154 (pg. 141)	R1220-PR
Z108 (pg. 136)	R1200-RS	Z125-BS (pg. 126)	R1100-M-83	Z154-AR (pg. 141)	R1220-PR-4-11
Z108-AR (pg. 136)	R1200-RS-11	Z125-C (pg. 126)	R1100-M-U	Z154-C (pg. 141)	R1220-PR-4-U
Z108-C (pg. 136)	R1200-RS-U	Z125-EB (pg. 126)	R1100-M-E	Z154-DG (pg. 141)	R1220-PR-4
Z108-DE (pg. 136)	R1250-RS-B-EU	Z125-FG (pg. 128)	R1100-M-PR	Z154-DP (pg. 141)	R1220-PR-4-B
Z108-DP (pg. 136)	R1200-RS-B	Z125-DP (pg. 126)	R1100-M-B	Z154-DT (pg. 141)	R1220-PR
Z108-DR (pg. 136)	R1200-RS-EU	Z125-DR (pg. 126)	R1100-M-EU	Z154-G (pg. 141)	R1220-PR-4-M-13
Z108-E (pg. 136)	R1200-RS-V	Z125-E (pg. 126)	R1100-M-E	Z154-R (pg. 141)	R1220-PR-4-B
Z108-EA (pg. 136)	R1200-RS-E	Z125-ERC (pg. 126)	R1100-M-E-U	Z154-S (pg. 141)	R1220-PR-4-21
Z108-EB (pg. 136)	R1200-RS-E	Z125-ES (pg. 126)	R1100-M-E-U	Z154-SC (pg. 141)	R1220-PR-4-C
Z108-DX (pg. 136)	R1200-RS-Z	Z125-G (pg. 126)	R1100-M-13	Z154-TS (pg. 141)	R1220-PR-4-6
Z108-E (pg. 136)	R1200-RS-V	Z125-R (pg. 126)	R1100-M-B	Z154-VP (pg. 141)	R1220-PR-4-6
Z108-EA (pg. 136)	R1200-RS-E	Z125-SC (pg. 126)	R1100-M-C	Z154-XJ (pg. 141)	R1220-PR-4 w/R1900
Z108-FG (pg. 136)	R1200-RS-P	Z125-SS (pg. 126)	R1100-M-83	Z154-Y (pg. 141)	R1220-PR-4-5
Z108-G (pg. 136)	R1200-RS-M-13	Z125-SSM (pg. 126)	R1100-M-83	Z154-85 (pg. 141)	R1220-PR-4-JC
Z108-HD (pg. 136)	R1200-RS	Z125-TC (pg. 126)	R1100-M-B	Z154-90 (pg. 141)	R1220-PR-4-90
Z108-R (pg. 136)	R1200-RS-B	Z125-VP (pg. 126)	R1100-M-6	ZB154 (pg. 141)	R1220-PR-1
Z108-TC (pg. 136)	R1200-RS-TC	Z125-XJ (pg. 126)	R1100-M w/R1900	ZN154 (pg. 141)	R1220-PR-1
Z108-90 (pg. 136)	R1200-RS-90	Z125-84 (pg. 127)	R1100-M-G	Z158 (pg. 128)	R1100-PR
Z110 (pg. 160)	R1200-JD-M-G5H	Z125-85 (pg. 128)	R1100-M-JC	Z158-AR (pg. 128)	R1100-PR-4-11
Z110-AI (pg. 160)	R1200-JD-G8H-AI	Z125-89 (pg. 126)	R1100-M-R	Z158-C (pg. 128)	R1100-PR-4-U
Z111 (pg. 154)	R1820	Z125-90 (pg. 130)	R1100-M-90	Z158-DG (pg. 128)	R1100-PR-4
Z121 (pg. 140)	R1220	ZA125 (pg. 126)	R1100-M-80	Z158-DT (pg. 128)	R1100-PR
Z121-A (pg. 140)	R1220-W-1	ZRB125 (pg. 126)	R1100-81	Z158-E (pg. 128)	R1100-PR-4-E
Z121-AR (pg. 140)	R1220-11	Z127 (pg. 129)	R1100-RS	Z158-G (pg. 128)	R1100-PR-4-M-13
Z121-BS (pg. 140)	R1220-M-83	Z127-AR (pg. 129)	R1100-RS-11	Z158-R (pg. 128)	R1100-PR-4-B
Z121-C (pg. 140)	R1220-U	Z127-C (pg. 129)	R1100-RS-U	Z158-SC (pg. 128)	R1100-PR-4-C
Z121-DP (pg. 140)	R1220-B	Z127-DP (pg. 129)	R1100-RS-B	Z158-TS (pg. 128)	R1100-PR-4-6
Z121-DR (pg. 140)	R1220-EU	Z127-E (pg. 129)	R1100-RS-E	Z158-VP (pg. 128)	R1100-PR-4-6
Z121-E (pg. 140)	R1220-V	Z127-EB (pg. 129)	R1100-RS-E	Z158-XJ (pg. 128)	R1100-PR-4 w/R1900
Z121-EA (pg. 140)	R1220-E	Z127-G (pg. 129)	R1100-RS-M-13	Z158-Y (pg. 128)	R1100-PR-4-5
Z121-EA-C (pg. 140)	R1220-EU	Z127-HD (pg. 129)	R1100-RS	Z158-85 (pg. 129)	R1100-PJ-4
Z121-EB (pg. 140)	R1220-E	Z127-R (pg. 129)	R1100-RS-B	Z158-90 (pg. 128)	R1100-PR-4-90
Z121-EC (pg. 140)	R1220-UV	Z127-TC (pg. 129)	R1100-RS-TC	ZB158 (pg. 128)	R1100-PR-1
Z121-ERC (pg. 140)	R1220-BUV	Z127-90 (pg. 129)	R1100-RS-90	ZN158 (pg. 128)	R1100-PR-1
Z121-ES (pg. 140)	R1220-C-V	Z130 (pg. 146)	R1200-SR	Z160 (pg. 148)	R1300
Z121-FG (pg. 141)	R1220-PR	Z130-DR (pg. 146)	R1200-SR-EU	Z161 (pg. 148)	R1300
Z121-G (pg. 140)	R1220-M-13	Z130-EB (pg. 146)	R1200-SR-E	Z163 (pg. 143)	R1270
Z121-R (pg. 140)	R1220-B	Z130-84 (pg. 146)	R1200-SR-G	Z163-AR (pg. 143)	R1270-11
Z121-SC (pg. 140)	R1220-C	Z131 (pg. 146)	R1200-SR-R	Z163-AW (pg. 143)	R1270-W
Z121-SE (pg. 140)	R1220-HC	Z131-DR (pg. 146)	R1200-SR-R-EU	Z163-BS (pg. 143)	R1270-M-83
Z121-SS (pg. 140)	R1220-M-83	Z131-EB (pg. 146)	R1200-SR-E	Z163-DR (pg. 143)	R1270-M-EU
Z121-SSM (pg. 140)	R1220-M-83	Z131-VP (pg. 146)	R1200-SR-6	Z163-E (pg. 143)	R1270-V
Z121-TC (pg. 140)	R1220-TC	Z135-6 (pg. 78)	F1840	Z163-EA (pg. 143)	R1270-E
Z121-VP (pg. 140)	R1220-6	Z135-6-A (pg. 78)	F1840-M-W-1	Z163-G (pg. 143)	R1270-M-13
Z121-XJ (pg. 140)	R1220 w/R1900	Z135-6-C (pg. 78)	F1840-40	Z163-GD (pg. 143)	R1270-M-12
Z121-84 (pg. 140)	R1220-G	Z135-6-G (pg. 78)	F1840-13	Z163-SC (pg. 143)	R1270-C
Z121-85 (pg. 141)	R1220-JC	Z135-6-R (pg. 78)	F1840-41	Z163-SS (pg. 143)	R1270-M-83
Z121-89 (pg. 141)	R1220-R	Z135-6-T (pg. 78)	F1840-16	Z163-VP (pg. 143)	R1270-6
Z121-90 (pg. 140)	R1220-90	Z135-6-Y (pg. 78)	F1840-5	Z163-W3 (pg. 143)	R1270-W3
ZA121 (pg. 140)	R1220-M-80	ZN135 (pg. 78)	F1840-1	Z163-W4 (pg. 143)	R1270-W4
ZCF121 (pg. 140)	R1220-F	Z150 (pg. 135)	R1200-PR	Z163-XJ (pg. 143)	R1270 w/R1900
ZCF121-A (pg. 140)	R1220-F-W-1	Z150-A (pg. 135)	R1200-PR-4-W-1	Z163-84 (pg. 143)	R1270-G
ZCF121-AR (pg. 140)	R1220-F-11	Z150-AR (pg. 135)	R1200-PR-4-11	Z163-85 (pg. 143)	R1270-JC
ZCF121-C (pg. 140)	R1220-F-U	Z150-C (pg. 135)	R1200-PR-4-U	Z163-89 (pg. 143)	R1270-R
ZCF121-E (pg. 140)	R1220-F-V	Z150-DB (pg. 136)	R1250-PR-4	Z164 (pg. 143)	R1270-A5
ZCF121-EA (pg. 140)	R1220-F-E	Z150-DE (pg. 135)	R1200-PR-4-B-EU	Z164-AR (pg. 143)	R1270-A5-11
ZCF121-EA-C (pg. 140)	R1220-F-EU	Z150-DG (pg. 135)	R1200-PR-4	Z164-BS (pg. 143)	R1270-A5-83

CROSS REFERENCE

ZXN211-H (pg. 43)	F1100-XS6-1	ZB328-4 (pg. 46)	F4-1	ZB400-N (pg. 46)	N-1 (specify dia.)
ZXN211-H-G (pg. 43)	F1100-XS6-1-13	ZB328-6 (pg. 46)	F6-1	ZB400-O (pg. 46)	FT6-1
ZXN211-H-P (pg. 43)	F1100-XS6-1-7	ZN328-4 (pg. 46)	F4-1	ZB400-P (pg. 47)	WD-3
ZXN211-H-VP (pg. 43)	F1100-XS6-1-6	ZN328-6 (pg. 46)	F6-1	ZB400-S (pg. 47)	S5-1 (specify size)
ZXN211-H-X (pg. 43)	F1100-XS6-1-8	Z328-AR (pg. 46)	F4-50-11	ZB400-5S (pg. 47)	S5-2
ZXN211-H-Y (pg. 43)	F1100-XS6-1-5	Z328-G (pg. 46)	F4-50-11	ZB400-6S (pg. 47)	S6-1
ZXN211-H-Y-210 (pg. 43)	F1100-XS6-1	Z329 (pg. 46)	G	ZB400-7S (pg. 47)	S8-1
ZXN211-Y (pg. 43)	F1100-XS8-1	Z329-7 (pg. 46)	J-50	ZB400-8S (pg. 47)	S8-1
ZXN211-Y8 (pg. 43)	F1100-XS8-1	Z329-9 (pg. 46)	G-50	ZB400-9S (pg. 47)	S10-1
ZXN211-Y-G (pg. 43)	F1100-XS8-1-13	ZB329-7 (pg. 46)	J-1	ZB400-10S (pg. 47)	S10-1
ZXN211-Y-P (pg. 43)	F1100-XS8-1-7	ZB329-9 (pg. 46)	G-1	ZB400-SC (pg. 47)	SD6-3
ZXN211-Y-VP (pg. 43)	F1100-XS8-1-6	ZN329-7 (pg. 46)	J-1	ZB400-SH (pg. 47)	SHG-3 (specify size)
ZXN211-Y-X (pg. 43)	F1100-XS8-1-8	ZN329-9 (pg. 46)	G-1	ZB400-SL (pg. 47)	ZS-1
ZXN211-Y-Y (pg. 43)	F1100-XS8-1-5	Z329-AR (pg. 46)	G-50-11	ZB400-T (pg. 47)	T-3 (specify dia.)
ZXN211-Y-210 (pg. 43)	F1100-XS8-1	Z329-G (pg. 46)	G-50-11	ZN400-5B (pg. 46)	5-2
Z221 (pg. 52)	F1240	Z348 (pg. 76)	F1820	ZN400-6B (pg. 46)	6-1
Z221-G (pg. 52)	F1240-13	ZB348 (pg. 76)	F1820-81	ZN400-7B (pg. 46)	7-1
Z221-P (pg. 52)	F1240-7	Z348-G (pg. 76)	F1820-13	ZN400-8B (pg. 46)	8-1
Z221-VP (pg. 52)	F1240-6	Z348-TC (pg. 76)	F1820-TC	ZN400-10B (pg. 46)	10-1
Z221-X (pg. 52)	F1240-8	Z349 (pg. 77)	F1830-PL-50	ZN400-BF (pg. 46)	EG-1
Z221-Y (pg. 52)	F1240-5	ZB349 (pg. 77)	F1830-PL	ZN400-BL (pg. 47)	Z5-1
Z300 (pg. 74)	F1650-G	ZN349 (pg. 77)	F1830-PL	ZN400-BZ (pg. 47)	5-1-CL
ZB300 (pg. 74)	F1650-G-1	ZN349-C (pg. 77)	F1830-PL-3-40	ZN400-C (pg. 46)	HG-3
ZN300 (pg. 74)	F1650-G-1	ZN349-G (pg. 77)	F1830-PL-3-13	ZN400-D (pg. 47)	VD-3
ZN300-C (pg. 74)	F1650-G-1	ZN349-SD (pg. 77)	F1830-PL-3-79	ZN400-E (pg. 46)	EF-1
ZN300-DX (pg. 74)	F1650-G-1-Z	ZN349-SS (pg. 77)	F1830-PL-3-83	ZN400-F (pg. 46)	EG-1
ZN300-FG (pg. 74)	F1650-G-1-A	Z350 (pg. 77)	F1830-P	ZN400-G (pg. 46)	K-1
ZN300-IG (pg. 74)	F1650-G-1-6	ZB350 (pg. 77)	F1830-P-3	ZN400-H (pg. 46)	FC-1 (specify dia.)
ZN300-NE	"X"	ZN350 (pg. 77)	F1830-P-3	ZN400-I (pg. 46)	ER-1 (specify dia.)
ZN300-ST	"X"	ZN350-C (pg. 77)	F1830-P-3-40	ZN400-J (pg. 46)	RS-1 (specify size)
ZN300-VP (pg. 74)	F1650-G-1-6	ZN350-G (pg. 77)	F1830-P-3-13	ZN400-K (pg. 46)	AS-1
ZN300-WB (pg. 74)	See F1670	ZN350-P (pg. 77)	F1830-P-3-7	ZN400-M (pg. 46)	5-1-TFB
Z310 (pg. 74)	F1650	ZN350-PL (pg. 77)	F1830-P-3	ZN400-N (pg. 46)	N-1 (specify dia.)
ZB310 (pg. 74)	F1650-1	ZN350-PS (pg. 77)	F1830-P-3-43	ZN400-O (pg. 46)	FT6-1
ZN310 (pg. 74)	F1650-1	ZN350-SD (pg. 77)	F1830-P-3-79	ZN400-P (pg. 47)	WD-3
ZN310-C (pg. 74)	F1650-1	ZN350-SS (pg. 77)	F1830-P-3-83	ZN400-R (pg. 46)	FC-1
ZN310-DX (pg. 74)	F1650-1-Z	Z352 (pg. 76)	F1830-P-3-83	ZN400-S (CAN) (pg. 46)	DD-1
ZN310-FG (pg. 74)	F1650-1-A	Z352-G (pg. 76)	F1810-13	ZN400-S (USA) (pg. 47)	S5-1 (spec.size)
ZN310-IG (pg. 74)	F1650-1-6	"X" Contact MIFAB		ZN400-5S (pg. 47)	S5-1
ZN310-ST	"X"	Z352-VP (pg. 76)	F1810-6	ZN400-6S (pg. 47)	S6-1
ZN310-VP (pg. 74)	F1650-1-6	Z352-45 (pg. 76)	F1810-45	ZN400-7S (pg. 47)	S8-1
ZN310-WB (pg. 74)	see F1670	Z352-90 (pg. 76)	F1810-90	ZN400-8S (pg. 47)	S8-1
Z315 (pg. 53)	F1320-25-1	ZRB352 (pg. 76)	F1810-81	ZN400-9S (pg. 47)	S10-1
ZB315 (pg. 53)	F1320-25-1	Z355 (pg. 49)	F1160	ZN400-10S (pg. 47)	S10-1
ZN315 (pg. 53)	F1320-25-1	ZB355 (pg. 49)	F1160-1	ZN400-SC (pg. 47)	SD6-1
ZN315-G (pg. 53)	F1320-25-1-13	ZN355 (pg. 49)	F1160-1	ZN400-SH (pg. 47)	SHG-3 (specify size)
ZN315-HL (pg. 53)	F1320-25-1-6	ZN355-CP (pg. 49)	F1160-49	ZN400-SL (pg. 47)	ZS-1
ZN315-P (pg. 53)	F1320-25-1-7	ZN355-G (pg. 49)	F1160-1-13	ZN400-SZ (pg. 47)	S5-1
ZN315-TC (pg. 53)	F1320-25-1-TC	Z356 (pg. 50)	F1170	ZN400-T (pg. 47)	T-3 (specify size)
ZN315-V (pg. 53)	F1320-25-1-8	ZB356 (pg. 50)	F1170-C-5-1*	ZN400-U (pg. 46)	DD-1
Z319 (pg. 74)	F1660	ZN356 (pg. 50)	F1170-C-5-1*	ZN400-Y (pg. 47)	S5-1 (specify size)
ZB319 (pg. 74)	F1660-1	ZN356-BP (pg. 50)	F1170-C-5-1-34B*	ZS400-B (pg. 46)	5-3* (Spec. dia.)
ZN319 (pg. 74)	F1660-1	ZN356-G (pg. 50)	F1170-C-5-1-13*	ZS400-5B (pg. 46)	5-3
ZN319-DX (pg. 74)	F1660-1-Z	ZN356-J (pg. 50)	F1170-C-5-1*	ZS400-6B (pg. 46)	6-3
ZN319-G (pg. 74)	F1660-1-13	ZN356-J2 (pg. 50)	F1170-C-5-1*	ZS400-7B (pg. 46)	7-3
ZN319-P (pg. 74)	F1660-1-7	ZN356-J3 (pg. 50)	F1170-C-5-1*	ZS400-8B (pg. 46)	8-3
ZN319-V (pg. 74)	F1660-1-8	ZN356-VP (pg. 50)	F1170-C-5-1-6*	ZS400-10B (pg. 46)	10-3
ZN319-VP (pg. 74)	F1660-1-6	Z400-M (pg. 46)	5-1-TFB	ZS400-S (pg. 47)	S5-3 (Spec. size)
ZN319-WB (pg. 74)	see F1670	Z400-N (pg. 46)	N	ZX400-A (pg. 46)	5-4
ZN319-Y (pg. 74)	F1660-1-5	Z400-7N (pg. 46)	N7	ZX400-Y (pg. 47)	S8-4
Z320 (pg. 74)	F1650-ER9-HG5-3-11	Z400-9N (pg. 46)	N9	ZXN400-A (pg. 47)	X-1 (specify size)
ZB320 (pg. 74)	F1650-ER9-HG5-3-11	Z400-SR (CLPB) (pg. 46)	MI-STAND	ZXN400-H (pg. 47)	XS6-1
ZN320 (pg. 74)	F1650-ER9-HG5-3-11	Z400-U (pg. 46)	DD-50	ZXN400-Y (pg. 47)	XS8-1
ZN320-DC (pg. 74)	F1650-ER9-HG5-3	Z400-18 (pg. 47)	SPR	Z414 (pg. 46)	F-50
ZN320-G (pg. 74)	F1650-ER9-HG5-3-11-13	ZB400-B (pg. 46)	5-1	Z414-1 (pg. 46)	G-50
ZN320-V (pg. 74)	F1650-ER9-HG5-3-8-11	ZB400-5B (pg. 46)	5-2	Z414-4 (pg. 46)	F4-50
ZN320-VP (pg. 74)	F1650-ER9-HG5-3-6-11	ZB400-6B (pg. 46)	6-1	Z414-6 (pg. 46)	F6-50
ZN320-WB (pg. 74)	see F1670	ZB400-7B (pg. 46)	7-1	ZN414 (pg. 46)	F-1
Z325 (pg. 75)	F1790	ZB400-8B (pg. 46)	8-1	ZN414-1 (pg. 46)	G-1
Z325-DB (pg. 75)	F1790-21	ZB400-10B (pg. 46)	10-1	ZN414-4 (pg. 46)	F4-1
Z325-G (pg. 75)	F1790-13	ZB400-BL (pg. 47)	Z5-1	ZN414-6 (pg. 46)	F6-1
Z325-S (pg. 75)	F1790-21	ZB400-C (pg. 46)	HG-3	Z415 body (pg. 302)	A1 body w/A1-C2
Z326 (pg. 75)	F1780	ZB400-D (pg. 47)	VD-3	Z415 (pg. 33)	F1100-C*
Z326-AR (pg. 75)	F1780-11	ZB400-E (pg. 46)	FD-1	Z415-B (pg. 33)	F1100-C*
Z326-DB (pg. 75)	F1780-21	ZB400-G (pg. 46)	K-1	Z415-BF (pg. 35)	F1100-C-EG*
Z326-G (pg. 75)	F1780-13	ZB400-H (pg. 46)	FC-1 (specify dia.)	Z415-BL (pg. 43)	F1100-C-Z*
Z326-S (pg. 75)	F1780-21	ZB400-I (pg. 46)	ER-1 (specify dia.)	Z415-BZ (pg. 33)	F1100-C*
Z328 (pg. 46)	-F4	ZB400-J (pg. 46)	RS-1 (specify size)	Z415-C (pg. 37)	F1000-C-HG*
Z328-4 (pg. 46)	F4-50	ZB400-K (pg. 46)	AS-1	Z415-D (pg. 41)	F1000-C-VD*
Z328-6 (pg. 46)	F6-50	ZB400-M (pg. 46)	5-2-TFB	Z415-E (pg. 35)	F1100-C-EF*
				Z415-G (pg. 38)	F1100-C-K*

CROSS REFERENCE

Z415-H (pg. 36)	F1100-C-FC*	Z509 (pg. 56)	F1340-C-Y-Q-4*	Z546 "X"
Z415-I (pg. 36)	F1100-C-ER*	Z509-T (pg. 63)	F1440-Y-Q-4	Z547 "X"
Z415-J (pg. 39)	F1100-C-RS*	ZB509 (pg. 56)	F1340-C-Y-Q-1*	Z548	(pg. 60) F1370-17-4
Z415-K (pg. 34)	F1100-C-AS*	ZN509 (pg. 56)	F1340-C-Y-Q-1*	ZN548	(pg. 60) F1370-17-1
Z415-M (pg. 33)	F1100-C-5-3-TFB*	Z511 (pg. 54)	F1330C-4	ZN548	(pg. 60) F1370-17-1
Z415-N (pg. 38)	F1100-C-N*	ZB511 (pg. 54)	F1330C-1	Z550	(pg. 53) F1320-C-Y-14-4*
Z415-O (pg. 37)	F1100-C-FT6*	ZN511 (pg. 54)	F1330C-1	ZB550	(pg. 53) F1320-C-Y-14-1*
Z415-P (pg. 42)	F1100-C-WD*	Z512 (pg. 54)	F1340-Y-4	ZN550	(pg. 53) F1320-C-Y-14-1*
Z415-S (CAN) (pg. 34)	F1100-C-DD*	ZN512 (pg. 54)	F1340-Y-1	Z551	(pg. 52) F1240
Z415-S (USA) (pg. 39)	F1100-C-S*	Z512-T (pg. 62)	F1440-Y-14-4	ZB551	(pg. 52) F1240-1
Z415-SC (pg. 40)	F1100-C-SD6*	Z513 (pg. 61)	F1430C-5-4	Z533	(pg. 53) F1320-14
Z415-SH (pg. 40)	F1000-C-SHG*	ZB513 (pg. 61)	F1430C-5-1	Z554	(pg. 53) F1320-C-TFB-4*
Z415-SL (pg. 44)	F1100-C-ZS*	ZN513 (pg. 61)	F1430C-5-1	ZB554	(pg. 53) F1320-C-TFB-1*
Z415-SZ (pg. 33)	F1100-C*	Z516 (pg. 54)	F1340-C-14-4*	ZN554	(pg. 53) F1320-C-TFB-1*
Z415-T (pg. 41)	F1000-C-T*	Z517 (pg. 54)	F1330C-33-4	Z555	(pg. 52) F1300-C-4*
ZN415-B (pg. 33)	F1100-C-5-1*	ZB517 (pg. 54)	F1330C-33-1	ZN555	(pg. 52) F1300-C-1*
ZN415-BL (pg. 43)	F1100-C-Z5-1*	ZN517 (pg. 54)	F1330C-33-1	Z556 (CAN)	(pg. 53) F1300-C-4*
ZN415-C (pg. 37)	F1000-C-HG-3*	Z520 (pg. 53)	F1320-C-4*	Z556 (USA)	(pg. 53) F1320-C-Y-14-4*
ZN415-D (pg. 41)	F1000-C-VD-3*	Z520-T (pg. 61)	F1420-C-4*	ZN556 (CAN)	(pg. 53) F1300-C-1*
ZN415-E (pg. 35)	F1100-C-EF-1*	Z521 (pg. 54)	F1340-4	ZN556 (USA)	(pg. 53) F1320-C-Y-14*
ZN415-G (pg. 38)	F1100-C-K-1*	Z521-T (pg. 62)	F1440-4	Z560	(pg. 61) F1420
ZN415-H (pg. 36)	F1100-C-FC7-1*	ZB521 (pg. 54)	F1340-1	Z566	(pg. 78) F1860
ZN415-I (pg. 36)	F1100-C-ER-1*	ZB521-T (pg. 62)	F1440-1	Z566-GT	(pg. 78) F1860-16-4
ZN415-J (pg. 39)	F1100-C-RS-1*	ZN521 (pg. 54)	F1340-1	ZB566	(pg. 78) F1860-1
ZN415-K (pg. 34)	F1100-C-AS-1*	ZN521-T (pg. 62)	F1440-1	ZB566-GT	(pg. 78) F1860-16-1
ZN415-M (pg. 33)	F1100-C-5-3-TFB*	Z525 (pg. 53)	F1320-C-14-4*	ZN566	(pg. 78) F1860-1
ZN415-N (pg. 38)	F1100-C-N-1*	ZN525 (pg. 53)	F1320-C-14-1*	ZN566-GT	(pg. 78) F1860-16-1
ZN415-O (pg. 37)	F1100-C-FT6-1*	Z525-T (pg. 61)	F1420-C-Y-4*	Z568	(pg. 78) F1870
ZN415-P (pg. 42)	F1100-C-WD-3*	Z526 (pg. 54)	F1340-14-4	Z568-GT	(pg. 78) F1870-16-4
ZN415-S (pg. 39)	F1100-C-S-1*	ZN526 (pg. 54)	F1340-14-1	ZB568	(pg. 78) F1870-1
ZN415-SC (pg. 40)	F1100-C-SD6-3*	Z526-T (pg. 62)	F1440-Y-14-4	ZB568-GT	(pg. 78) F1870-16-1
ZN415-SH (pg. 40)	F1000-C-SHG-3*	Z529 (pg. 53)	F1320-25-1	ZN568	(pg. 78) F1870-1
ZN415-SL (pg. 44)	F1100-C-ZS-1*	ZB529 (pg. 53)	F1320-25-1	ZN568-GT	(pg. 78) F1870-16-1
ZN415-T (pg. 41)	F1000-C-T-3*	ZN529 (pg. 53)	F1320-25-1	Z572	(pg. 75) F1720
ZN415-M (pg. 33)	F1100-C-5-1-TFB*	Z530 (pg. 53)	F1320-Y-14-Z-4-5	ZB572	(pg. 75) F1720-1
ZN415-Y (pg. 43)	F1000-C-XS-1*	ZB530 (pg. 53)	F1320-Y-14-Z-1-5	ZN572	(pg. 75) F1720-1
ZX415-A (pg. 33)	F1100-C-5-4*	ZN530 (pg. 53)	F1320-Y-14-Z-1-5	Z573	(pg. 46) RS48-NH-1
ZS415-B (pg. 32)	F1000-C*	Z531 (pg. 53)	F1320-C-Z-4*	Z574	(pg. 46) RS412-NH
ZS415-S (pg. 39)	F1000-C-S*	ZB531 (pg. 53)	F1320-C-Z-1*	ZB574	(pg. 46) RS412-NH-1
ZX415-Y8 (pg. 43)	F1100-C-XS8-4*	ZN531 (pg. 53)	F1320-C-Z-1*	ZN574	(pg. 46) RS412-NH-1
ZXN415-A (pg. 43)	F1100-C-XSG-1*	Z532 (pg. 54)	F1340-14-5-Z-4	Z575	(pg. 75) F1760-FL-4-22
ZXN415-H (pg. 43)	F1100-C-XS6-1*	ZB532 (pg. 54)	F1340-14-5-Z-1	ZB575	(pg. 75) F1760-FL-1-22
Z420 (pg. 51)	F1210C	ZN532 (pg. 54)	F1340-14-5-Z-1	ZN575	(pg. 75) F1760-FL-1-22
Z450 (pg. 48)	F1120-C*	Z533 (pg. 68)	F1530	Z576	(pg. 75) F1760-FL-4
Z450-B (pg. 48)	F1120-C*	ZB533 (pg. 68)	F1530-1	ZB576	(pg. 75) F1760-FL-3
ZB450-B (pg. 48)	F1120-C-1*	ZN533 (pg. 68)	F1530-1	ZN576	(pg. 75) F1760-FL-3
ZN450-B (pg. 48)	F1120-C-1*	Z534 (CAN) (pg. 54)	F1340-4	Z585	(pg. 61) F1430-C-Y-4-5*
Z451 (pg. 48)	F1120-C*	ZN534 (CAN) (pg. 54)	F1340-1	ZB585	(pg. 62) F1440-Y-14-4
Z453 (pg. 48)	F1120-C*	ZB534 (CAN) (pg. 54)	F1340-1	ZN585	(pg. 62) F1440-Y-14-4
Z453-B (pg. 48)	F1120-C*	Z534 (USA) (pg. 69)	F1540-4	Z586	(pg. 75) F1760-FL
ZB453-B (pg. 48)	F1120-C-1*	ZB534 (USA) (pg. 69)	F1540-1	ZN586	(pg. 75) F1760-FL-3
ZN453-B (pg. 48)	F1120-C-1*	ZN534 (USA) (pg. 69)	F1540-1	Z587	(pg. 62) F1440-Y-4
Z455 (pg. 48)	F1130C	Z535 (pg. 68)	F1510-80	Z609	(pg. 61) F1420-C-Y-14-4*
Z455-B (pg. 48)	F1130C	Z536 (CAN) (pg. 53)	F1320-C-14-4*	ZB609	(pg. 61) F1420-C-Y-14-1*
ZB455-B (pg. 48)	F1130C-1	ZN536 (CAN) (pg. 53)	F1320-C-14-1*	ZN609	(pg. 61) F1420-C-Y-14-1*
ZN455-B (pg. 48)	F1130C-1	Z536 (USA) (pg. 69)	F1550	Z610	(pg. 62) F1440-C-Y-5-4*
Z456 (pg. 48)	F1130C	ZB536 (USA) (pg. 69)	F1550-1	ZB610	(pg. 62) F1440-C-Y-5-1*
Z456-B (pg. 48)	F1130C	ZN536 (USA) (pg. 69)	F1550-1	ZN610	(pg. 62) F1440-C-Y-5-1*
ZB456-B (pg. 48)	F1130C-1	Z537 (pg. 69)	F1550-16	Z610-H	(pg. 62) F1440-Y-4
ZN456-B (pg. 48)	F1130C-1	ZB537 (pg. 69)	F1550-16-1	ZN610-H	(pg. 62) F1440-Y-1
Z460B (pg. 44)	F1100-90	ZN537 (pg. 69)	F1550-16-1	Z610-H-ADJ	(pg. 62) F1440-C*
Z461 (pg. 47)	S5-1 with MI-HUB-42	Z538 (CAN) (pg. 53)	F1320-C-4*	ZN610-H-ADJ	(pg. 62) F1440-C-1*
Z499B (see CLPB)	All Star Cover	ZN538 (CAN) (pg. 53)	F1320-C-1*	Z611	(pg. 61) F1430C-Y-4
Z499S (see CLPB)	All Star Cover	Z538 (USA) (pg. 57)	F1350-C-TFB-4*	ZB611	(pg. 61) F1430C-Y-1
Z503 (pg. 59)	F1360-Y	ZB538 (USA) (pg. 57)	F1350-C-TFB-1*	ZN611	(pg. 61) F1430C-Y-1
ZB503 (pg. 59)	F1360-Y-1	ZN538 (USA) (pg. 57)	F1350-C-TFB-1*	Z624	(pg. 72) F1620-C-4
ZN503 (pg. 59)	F1360-Y-1	Z539 (pg. 57)	F1350-C-4-5*	ZB624	(pg. 72) F1620-C-4
Z504 (pg. 56)	F1340-Y-Q-14-4	ZB539 (pg. 57)	F1350-C-1-5*	ZN624	(pg. 72) F1620-C-1
ZN504 (pg. 56)	F1340-Y-Q-14-1	ZN539 (pg. 57)	F1350-C-1-5*	Z625	(pg. 72) F1600-C*
Z504-T (pg. 63)	F1440-Y-Q-14-4	Z540 (pg. 55)	F1340-C-TFB-4*	ZB625	(pg. 72) F1600-C*
Z505 (pg. 54)	F1340-Y-14-4	ZB540 (pg. 55)	F1340-C-TFB-1*	ZN625	(pg. 72) F1600-C*
ZN505 (pg. 62)	F1440-Y-14-4	ZN540 (pg. 55)	F1340-C-TFB-1*	ZAL625-HY	(pg. 68) F1510-80
Z505-T (pg. 54)	F1340-Y-14-1	Z541 (pg. 54)	F1340-C-Y-14-5-4*	Z626	(pg. 174) C1200-C-R*
Z506 (pg. 56)	F1340-Y-Q-14-90-4	ZB541 (pg. 54)	F1340-C-Y-14-1-5*	ZB626	(pg. 174) C1200-C-R-1*
Z507 (pg. 52)	F1300-C-Y-4*	ZN541 (pg. 54)	F1340-C-Y-14-1-5*	ZN626	(pg. 174) C1200-C-R-1*
ZB507 (pg. 52)	F1300-C-Y-1*	Z543 (pg. 60)	F1370-C-Y-14-5-4*	Z627	(pg. 72) F1620-C
ZN507 (pg. 52)	F1300-C-Y-1*	ZB543 (pg. 60)	F1370-C-Y-14-5-1*	ZB627	(pg. 72) F1620-C-1*
Z508 (pg. 53)	F1320-C-Y-4*	ZN543 (pg. 60)	F1370-C-Y-14-5-1*	ZN627	(pg. 72) F1620-C-1*
ZB508 (pg. 53)	F1320-C-Y-1*	Z544 (pg. 59)	F1360-Y-5	Z629	(pg. 282) BV1210
ZN508 (pg. 53)	F1320-C-Y-1*	Z545 (pg. 59)	F1360-C-Y-14-4*	ZB629	(pg. 282) BV1210-1

ZN629 (pg. 282)	BV1210-1	-IG	Integral grate	-21	Z792 (pg. 85)	T1200-F-4
Z645 (pg. 70)	F1560	-J	Aux. inlet	-J	ZAB792 (pg. 85)	T1200-F-4-3
ZB645 (pg. 70)	F1560-3	-J1	1 Aux. inlet 1-1/2" or 2"	-J1	ZANB792 (pg. 85)	T1200-F-4-3
ZN645 (pg. 70)	F1560-3	-J2	2 Aux. inlets 1-1/2" or 2"	J2	ZARB792 (pg. 85)	T1200-F-4-3
Z662 (pg. 65)	F1460-C-Y-5-4*	-J3	3 Aux. inlets 1-1/2" or 2". -J3		Z792-F or -L (pg. 85)	T1200-F-4
ZB662 (pg. 65)	F1460-C-Y-5*	-J4	4 Aux. inlets 1-1/2" or 2". -J4		ZAB792-F or -L (pg. 85)	T1200-F-4-3
Z662-HF (pg. 65)	F1460-C-Y-5*	-J5	4 Aux. inlets 1-1/2" or 2". -J5		ZANB792-F or -LT (pg. 85)	1200-F-4-3
Z664 (pg. 86)	T1320-FL-4	-K	Anchor flange	-FL	Z793 (pg. 85)	T1200-4
ZB664 (pg. 86)	T1320-FL-3	-KC	Anch. fl. with memb	Cl.-FLC	Z793-F or -L (pg. 85)	T1200-F-4
ZN664 (pg. 86)	T1320-FL-3	-L	Locking device	-6	Z794 (pg. 85)	T1200-4
Z665 (pg. 86)	T1350-FL-4	-LG	Less grate	"X"	ZAB794 (pg. 85)	T1200-4-3
ZB665 (pg. 86)	T1350-FL-3	-LV	Less backwater valve	"X"	ZANB794 (pg. 85)	T1200-4-3
ZN665 (pg. 86)	T1350-FL-3	-LY	Less bucket	"X"	ZARB794 (pg. 85)	T1200-4-3
Z667 (pg. 86)	T1320-FL-4	-M	Side outlet adaptor	"X"	Z794-F or -L (pg. 85)	T1200-F-4
ZB667 (pg. 86)	T1320-FL-3	-NE	Spark proof Non-conductive top	"X"	ZAB794-F or -L (pg. 85)	T1200-F-4-3
ZN667 (pg. 86)	T1320-FL-3	-OF	6" x 3" x 1" funnel	-J	ZANB794-F or -L (pg. 85)	T1200-F-4-3
Z668 (pg. 75)	F1760-FL	-P	Trap primer tapping	-7	Z796 (pg. 85)	T1200-F2
Z670 (pg. 78)	F1840-42	-PD	Promenade deck drain	"X"	ZF799-75 (pg. 70)	F1570A-4
Z673 (pg. 71)	F1580-FLC-4-5	-PH	3/8" Dia. Open	Std	ZF799-75-AF (pg. 70)	F1570-4
Z675 (pg. 62)	F1440-5-4				ZF799-76 (pg. 70)	F1570A-4-SIT
Z676 (pg. 62)	F1440-4				ZF799-76-AF (pg. 70)	F1570A-4-SIT
ZB676 (pg. 62)	F1440-1					
ZN676 (pg. 62)	F1440-1					
Z679 (pg. 73)	F1640					
ZB679 (pg. 73)	F1640-1					
ZN679 (pg. 73)	F1640-1					
Z690 (pg. 60)	F1370-18					
Z730 (pg. 49)	F1140C					
ZB730 (pg. 49)	F1140C-9-1					
ZN730 (pg. 49)	F1140C-9-1					
Z742 (pg. 49)	F1140C					
Z753 (pg. 283)	BY1290					
Z761 (pg. 187)	C1600-M					

FLOOR AND AREA DRAIN OPTIONAL VARIATIONS

PREFIXES	SUFFIXES
Z	Cl with cast iron top
ZANB	NB body w/ NB top
ZARB	PB body w/ NB top
ZB	Cl body w/ PB top
ZN	Cl body w/ NB top
ZN	Cl body w/ SS top
-A	Aux. vent connection
-AA	Acid resistant epoxy
-AR	Acid resistant epoxy
-B	Backwater valve
-BP	Vandal proof
-BS	SS scr. over dome
-BT	Bell trap bucket
-C	Membrane clamp
-CI	Cast iron grate
-CP	Chrome plated top
-D	Dome grate
-DB	Bottom dome strainer
-DC	Less Dura-Coated int
-DF	Ductile iron grate
-DG	Ductile iron grate
-DP	Decorative polished top
-DS	Ductile iron solid cover
-DX	Extended wide flange
-E	1" Top extension
-EF	3/16" Exterior frame
-ES	12" Extension section
-F	Extension frame
-FC	Ext. frame and collar
-FG	Free set grate
-FY	Free standing bucket
-FS	Floating slab
-G	All galvanized
-GG	Galvanized grate
-GT	Top grate
-H	(Z-504) Hinged grate
-HD	Heavy duty slotted grate
-HL	Hinged locking grate
-HP	Heel-proof grate
-HT	Square, hinged grate

FLOOR AND AREA DRAIN OPTIONAL VARIATIONS CON'T

ZURN	MIFAB
-PS	Perforated standpipe
-R	Sump receiver
-RD6	6" Dia. 304 SS top
-RD7	7" Dia. 304 SS top
-RD8	8" Dia. 304 SS top
-RD10	10" Dia. 304 SS top
-S	Secondary strainer
-SB	Shallow drain body
-SC	Solid cover
-SC	Secondary clamp collar (Z627)
-SB	Shallow body
-SD	Longer standpipe
-SG	Solid gasktd cover
-SH	Four securing holes
-SNB	Solid nickel bronze grate
-SQ6	6" Sq. 304 SS top
-SQ8	8" Sq. 304 SS top
-SS	SS mesh screen dome
-SSM	SS mesh scr. over dome
-ST	Solid top
-SW	Spanner wrench
-T	Square top
-TG	Tractor grate
-TS	Top sec. with sl. screws
-U	Extension adapter
-V	Backwater valve
-VP	Vandal proof
-W	Water closure plug
-WB	Water control box
-WS	Wide slotted grate
-X	Squeeze in bw valve
-XJ	Expansion joint
-Y	Sediment bucket
-YA	Aluminum sed. bucket
-4	4" Diameter funnel
-90	Side outlet body

Includes "-C" membrane clamp in areas with waterproof membrane. As a recommended alternate, use F1100 in non membrane areas, delete "-C" membrane clamp.

TRENCH DRAINS

ZURN	MIFAB
Z780 (pg. 85)	T1000
Z782 (pg. 85)	T1100-4
Z782-F or -L (pg. 85)	T1100-F-4
Z784 (pg. 85)	T1200-4-3
ZAB784 (pg. 85)	T1200-4-3
ZANB784 (pg. 85)	T1200-4-3
ZARB784 (pg. 85)	T1200-4-3
Z784-F or -L (pg. 85)	T1200-F-4-3
ZAB784-F or -L (pg. 85)	T1200-F-4-3
ZANB784-F or -L (pg. 85)	T1200-F-4-3

TRENCH DRAIN OPTIONAL VARIATIONS

ZURN PREFIXES	MIFAB SUFFIXES
Z	Cl grate w/steel frame
ZAB	PB grate and frame
ZANB	Pol.NB grate & SS Fr
ZARB	Bronze grate & frame

ZURN SUFFIXES	MIFAB SUFFIXES
-DG	DI slotted grate
-G	Galvanized grate
-HP	Heel proof grate
-LC	Cl long. slotted gr
-LD	DI long. slotted gr
-TS	Top sec. w/slot. Screws
-VP	Vandal proof top

TRAPS AND PRIMERS

ZURN	MIFAB
Z1000 (pg. 286)	MI-950
Z1005 (pg. 187)	C1600
Z1012 (pg. 187)	C1600
Z1019 (pg. 286)	MI-950-F
ZAB1019 (pg. 286)	MI-950-F-1
ZANB1019 (pg. 286)	MI-950-F-1
Z1020 (pg. 293)	MI-100
Z1021 (pg. 295)	MI-750
Z1022-XL (pg. 292)	MI-TSP
Z1022.5SF (pg. 292)	MI-TSP-1
Z1022.5IP (pg. 292)	MI-TSP-2
Z1022.5SFU (pg. 292)	MI-TSP-3
Z1022.5IPU (pg. 292)	MI-TSP-3
Z1023 (pg. 294)	MI-600-50
Z1024 (pg. 286)	MI-CAG
Z1024-1 (pg. 287)	MI-CAG-10T
Z1024-2 (pg. 287)	MI-CAG-10T
Z1024-3 (pg. 287)	MI-CAG-10T
Z1024-4 (pg. 287)	MI-CAG-15T
Z1024-5 (pg. 287)	MI-CAG-15T
Z1025 (pg. 287)	MI-CAG
Z1025-2 (pg. 287)	MI-CAG-20NH
Z1025-3 (pg. 287)	MI-CAG-30NH
Z1030 (pg. 285)	MI-830
Z1032	"X"
Z1033 (pg. 285)	MI-800
Z1034 (pg. 285)	MI-800
Z1035 (pg. 79)	F1900
Z1035-Q (pg. 79)	F1910
Z1036 (pg. 80)	F1920
Z1040 (pg. 285)	MI-850
Z1042 (pg. 285)	MI-860
Z1043 (pg. 285)	MI-860

CROSS REFERENCE

TRAP AND PRIMERS OPTIONAL VARIATIONS

ZURN		MIFAB
-AR	Acid resistant epoxy	-11
-C	Membrane clamp	-C
-CP	Chrome plated	-49
-DS	Dome strainer	-20
-DU2	2 outlet unit	MI-DU
-DU3	3 outlet unit	MI-DU
-DU4	4 outlet unit	MI-DU
-FC	Adjustable floor CO	Std.
-FL	Flushing connection	-G
-F6	6" funnel	-F6
-G	Galvanized	-13
-LC	Less cleanout & plug	"X"
-P	Trap primer connection	-7
-V	Backwater valve	-8
-3	3/4" female conn	"X"
-3	3/4" T.P. Conn	-3/4"
-7	7" long adapter	"X"

BACKWATER VALVES

ZURN		MIFAB
Z1088	(pg. 284)	BV1300
Z1090	(pg. 281)	BV1000
Z1091	(pg. 283)	BV1280
Z1095	(pg. 281)	BV1000
Z1095-15	(pg. 281)	BV1000
Z1099	(pg. 282)	BV1260

BACKWATER VALVES OPTIONAL VARIATIONS

ZURN		MIFAB
-BC	Bolted cover	Std
-BV	Bronze flapper valve	Std
-G	Galvanized cast iron	-13
-WH	Wheel handle	-WH
-X	Nickel bronze	-1
-12	12" extension	-12
-24	12" extension	-24

"X" Contact MIFAB

GREASE INTERCEPTORS

ZURN		MIFAB
Z1160	(see CLPB)	MCL-G
Z1160-100	(see CLPB)	MCL-G-0
Z1160-200	(see CLPB)	MCL-G-1
Z1160-300	(see CLPB)	MCL-G-2
Z1160-400	(see CLPB)	MCL-G-3
Z1160-500	(see CLPB)	MCL-G-4
Z1160-600	(see CLPB)	MCL-G-5
Z1160-700	(see CLPB)	MCL-G-6
Z1160-800	(see CLPB)	MCL-G-7
Z1165	(pg. 205)	MI-G w/ MI-SOLID
Z1170	(pg. 205)	MI-G
Z1170-100	(pg. 205)	MI-G-0
Z1170-200	(pg. 205)	MI-G-1
Z1170-300	(pg. 205)	MI-G-2
Z1170-400	(pg. 205)	MI-G-3
Z1170-500	(pg. 205)	MI-G-4
Z1170-600	(pg. 205)	MI-G-5
Z1170-700	(pg. 205)	MI-G-6
Z1170-UN	(pg. 201)	MI-G-HLA
Z1170-900	(pg. 206)	XL-MI-G-0
ZS1170	(pg. 207)	MI-G-SS
ZS1170-100	(pg. 207)	MI-G-0-SS
ZS1170-200	(pg. 207)	MI-G-1-SS
ZS1170-300	(pg. 207)	MI-G-2-SS
ZS1170-400	(pg. 207)	MI-G-3-SS
ZS1170-500	(pg. 207)	MI-G-4-SS
ZS1170-600	(pg. 207)	MI-G-5-SS
ZS1170-700	(pg. 207)	MI-G-6-SS
ZS1170-800	(pg. 207)	MI-G-7-SS
ZS1170-900	(pg. 206)	XL-MI-G-0-SS
Z1171	(pg. 205)	MI-G-L
Z1171-500	(pg. 205)	MI-G-L-20

Z1171-700	(pg. 205)	MI-G-L-35
Z1171-800	(pg. 205)	MI-G-L-50
Z1171-TD	(pg. 208)	MI-G-L-SDH
Z1171-TD-500	(pg. 208)	MI-G-L-SDH-20
Z1171-TD-700	(pg. 208)	MI-G-L-SDH-35
Z1171-TD-800	(pg. 208)	MI-G-L-SDH-50
Z1172	(pg. 206)	XL-MI-G
Z1172-900	(pg. 206)	XL-MI-G-0
Z1172-1000	(pg. 206)	XL-MI-G-1
Z1172-1100	(pg. 206)	XL-MI-G-2
Z1172-1200	(pg. 206)	XL-MI-G-3
Z1172-1300	(pg. 206)	XL-MI-G-4
Z1172-1400	(pg. 206)	XL-MI-G-5
Z1172-1500	(pg. 206)	XL-MI-G-6
Z1172-1600	(pg. 206)	XL-MI-G-7
Z1172-1700	(pg. 206)	XL-MI-G-8
Z1172-1800	(pg. 206)	XL-MI-G-8
Z1172-UN	(pg. 206)	XL-MI-G-HLA
Z1173	(pg. 207)	MI-G-SD
Z1173-200	(pg. 207)	MI-G-SD-1
Z1173-300	(pg. 207)	MI-G-SD-2
Z1173-400	(pg. 207)	MI-G-SD-3
Z1173-500	(pg. 207)	MI-G-SD-4
Z1173-600	(pg. 207)	MI-G-SD-5
Z1173-700	(pg. 207)	MI-G-SD-6
Z1173-800	(pg. 207)	MI-G-SD-7
Z1173-900	(pg. 207)	MI-G-SD-8
Z1173-TD	(pg. 208)	MI-G-SDH
Z1173-TD-200	(pg. 208)	MI-G-SDH-1
Z1173-TD-300	(pg. 208)	MI-G-SDH-2
Z1173-TD-400	(pg. 208)	MI-G-SDH-3
Z1173-TD-500	(pg. 208)	MI-G-SDH-4
Z1173-TD-600	(pg. 208)	MI-G-SDH-5
Z1173-TD-700	(pg. 208)	MI-G-SDH-6
Z1173-TD-800	(pg. 208)	MI-G-SDH-7
Z1173-TD-900	(pg. 208)	MI-G-SDH-8
Z1174	(pg. 205)	MI-G-DS w/MI-SOLID
Z1174-100	(pg. 205)	MI-G-O-DS w/MI-SOLID
Z1174-200	(pg. 205)	MI-G-1-DS w/MI-SOLID
Z1174-300	(pg. 205)	MI-G-2-DS w/MI-SOLID
Z1174-400	(pg. 205)	MI-G-3-DS w/MI-SOLID
Z1174-500	(pg. 205)	MI-G-4-DS w/MI-SOLID
Z1174-600	(pg. 205)	MI-G-5-DS w/MI-SOLID
Z1174-700	(pg. 205)	MI-G-6-DS w/MI-SOLID
Z1174-800	(pg. 205)	MI-G-7-DS w/MI-SOLID

GREASE INTERCEPTOR OPTIONAL VARIATIONS

ZURN		MIFAB
-AL	Aluminum cover	-AL
-CC	8" Cleanout cover	-Standard
-DI	Dual high-low inlet	-DI
-E	ARE coated extension	-C
-EP	Enzyme port in cover	-Std
-HD	Heavy duty cover	-HD
-K	Anchor flange	-FL
-KC	Anchor fl. with cl. Collar	-FLM
-L	Angle type flow control	"X"
-R	Recessing receiver	MI-CS/MI-CSD
-RE	Reces. receiver encl. type	MI-CS-EN/MI-CSD-EN
-T	Cover recessed for tile	-TL
-75	Sediment bucket	-SB

SOLID INTERCEPTORS

ZURN		MIFAB
Z1175	(pg. 212)	MI-HAIR
ZAB1175	(pg. 212)	MI-HAIR-2
Z1176	(pg. 212)	MI-HAIR
ZAB1176	(pg. 212)	MI-HAIR-2
Z1180	(pg. 212)	MI-SOLID-S
ZA1180	(pg. 212)	MI-SOLID-S-CP
ZSS1180	(pg. 212)	MI-SOLID-S-SS
Z1181	(pg. 212)	MI-SOLID-L
Z1182	(pg. 213)	MI-SOLID-SA
ZS1182	(pg. 213)	MI-SOLID-SA
Z1183	(pg. 213)	MI-SOLID-TA
Z1183-100	(pg. 213)	MI-SOLID-TA-0
Z1183-200	(pg. 213)	MI-SOLID-TA-1

Z1183-300	(pg. 213)	MI-SOLID-TA-2
Z1183-400	(pg. 213)	MI-SOLID-TA-3
Z1183-500	(pg. 213)	MI-SOLID-TA-4
Z1183-600	(pg. 213)	MI-SOLID-TA-5
Z1183-700	(pg. 213)	MI-SOLID-TA-6
Z1183-800	(pg. 213)	MI-SOLID-TA-7
Z1183-900	(pg. 213)	MI-SOLID-TA-8
Z1183-DF	(pg. 213)	MI-SOLID-TA
Z1183-FC	(pg. 213)	MI-SOLID-TA
Z1183-100	(pg. 213)	MI-SOLID-TA-SS-0
ZS1183-200	(pg. 213)	MI-SOLID-TA-SS-1
ZS1183-300	(pg. 213)	MI-SOLID-TA-SS-2
ZS1183-400	(pg. 213)	MI-SOLID-TA-SS-3
ZS1183-500	(pg. 213)	MI-SOLID-TA-SS-4
ZS1183-600	(pg. 213)	MI-SOLID-TA-SS-5
ZS1183-700	(pg. 213)	MI-SOLID-TA-SS-6
ZS1183-800	(pg. 213)	MI-SOLID-TA-SS-7
ZS1183-900	(pg. 213)	MI-SOLID-TA-SS-8
Z1184	(pg. 212)	MI-SOLID-LB
ZA1184	(pg. 212)	MI-SOLID-LB
Z1185	(pg. 216)	MI-LINT
Z1185-3	(pg. 216)	MI-LINT-1
Z1185-7	(pg. 216)	MI-LINT-3
Z1185-10	(pg. 216)	MI-LINT-4
Z1185-20	(pg. 216)	MI-LINT-6
Z1185-30	(pg. 216)	MI-LINT-7
Z1185-40	(pg. 216)	MI-LINT-8
Z1185-50	(pg. 216)	MI-LINT-9
Z1187-SI	(pg. 214)	MI-OS-DI
Z1188-ST-400	(pg. 211)	MI-O-HU-12
Z1188-ST-450	(pg. 211)	MI-O-HU-13
Z1189	(pg. 212)	MI-OS
Z1189-12	(pg. 212)	MI-OS-1
Z1192	(pg. 218)	MI-G-AD
Z1192-400	(pg. 218)	MI-G-AD-3
Z1192-500	(pg. 218)	MI-G-AD-4
Z1192-600	(pg. 218)	MI-G-AD-5
Z1192-700	(pg. 218)	MI-G-AD-6
Z1194	(pg. 201)	-HLA
Z1199	(pg. 218)	MI-G-AD

SOLID INTERCEPTOR OPTIONAL VARIATIONS

ZURN		MIFAB
-CP	Chrome plated	-CP
-CS	Custom screen	-CS
-RS	Repl. perf. Scr. for buc	-RS
-SS	SS perf. screen	-SSM
-Y	Replacement bucket assembly	-SB
-Y	YR.Replacement SS basket	-SSB

OIL INTERCEPTORS

ZURN		MIFAB
Z1186	(pg. 210)	MI-O
Z1186-300	(pg. 210)	MI-O-A
Z1186-400	(pg. 210)	MI-O-B
Z1186-500	(pg. 210)	MI-O-C
Z1186-600	(pg. 210)	MI-O-1
Z1186-700	(pg. 210)	MI-O-2
Z1186-800	(pg. 210)	MI-O-3
Z1186-ST	(pg. 211)	MI-O-HU
Z1186-ST-300	(pg. 211)	MI-O-HU-A
Z1186-ST-400	(pg. 211)	MI-O-HU-B
Z1186-ST-500	(pg. 211)	MI-O-HU-C
Z1186-ST-600	(pg. 211)	MI-O-HU-1
Z1186-ST-700	(pg. 211)	MI-O-HU-2
Z1186-ST-800	(pg. 211)	MI-O-HU-3
Z1188	(pg. 210)	MI-O
Z1188-75	(pg. 210)	MI-O-4
Z1188-100	(pg. 210)	MI-O-5
Z1188-125	(pg. 210)	MI-O-6
Z1188-150	(pg. 210)	MI-O-7
Z1188-200	(pg. 210)	MI-O-8
Z1188-250	(pg. 210)	MI-O-9
Z1188-300	(pg. 210)	MI-O-10
Z1188-350	(pg. 210)	MI-O-11
Z1188-400	(pg. 210)	MI-O-12
Z1188-450	(pg. 210)	MI-O-13
Z1188-500	(pg. 210)	MI-O-14

CROSS REFERENCE

Z1188-ST	(pg. 211)	MI-O-HU
Z1188-ST-75	(pg. 211)	MI-O-HU-4
Z1188-ST-100	(pg. 211)	MI-O-HU-5
Z1188-ST-125	(pg. 211)	MI-O-HU-6
Z1188-ST-150	(pg. 211)	MI-O-HU-7
Z1188-ST-200	(pg. 211)	MI-O-HU-8
Z1188-ST-250	(pg. 211)	MI-O-HU-9
Z1188-ST-300	(pg. 211)	MI-O-HU-10
Z1188-ST-350	(pg. 211)	MI-O-HU-11
Z1188-ST-400	(pg. 211)	MI-O-HU-12
Z1188-ST-450	(pg. 211)	MI-O-HU-13
Z1188-ST-500	(pg. 211)	MI-O-HU-14
Z1189	(pg. 212)	MI-OS
Z1189-12	(pg. 212)	MI-OS-1
Z1189-60	(pg. 212)	MI-OS-2
Z1189-100	(pg. 212)	MI-OS-3
Z1189-200	(pg. 212)	MI-OS-4
Z1183-DF	(pg. 213)	MI-SOLID-TA
Z1188-ST-350	(pg. 211)	MI-O-HU-11
Z1188-ST-400	(pg. 211)	MI-O-HU-12
Z1188-ST-450	(pg. 211)	MI-O-HU-13
Z1188-ST-500	(pg. 211)	MI-O-HU-14
Z1189	(pg. 212)	MI-OS
Z1189-12	(pg. 212)	MI-OS-1
Z1192	(pg. 218)	MI-G-AD
Z1192-400	(pg. 218)	MI-G-AD-3
Z1192-500	(pg. 218)	MI-G-AD-4
Z1192-600	(pg. 218)	MI-G-AD-5
Z1192-700	(pg. 218)	MI-G-AD-6
Z1192-800	(pg. 218)	MI-G-AD-7
Z1194	(pg. 201)	-HLA
Z1196	(pg. 220)	MI-E-O
Z1196-300	(pg. 220)	MI-E-O-A
Z1196-400	(pg. 220)	MI-E-O-B
Z1196-500	(pg. 220)	MI-E-O-C
Z1196-600	(pg. 220)	MI-E-O-1
Z1196-700	(pg. 220)	MI-E-O-2
Z1196-800	(pg. 220)	MI-E-O-3
Z1198	(pg. 220)	MI-E-O
Z1198-75	(pg. 220)	MI-E-O-4
Z1198-100	(pg. 220)	MI-E-O-5
Z1198-125	(pg. 220)	MI-E-O-6
Z1198-150	(pg. 220)	MI-E-O-7
Z1198-200	(pg. 220)	MI-E-O-8
Z1198-250	(pg. 220)	MI-E-O-9
Z1198-300	(pg. 220)	MI-E-O-10
Z1198-ST	(pg. 211)	MI-O-HU-HLA
Z1199	(pg. 218)	MI-G-AD

OIL INTERCEPTOR OPTIONAL VARIATIONS

ZURN	MIFAB
-AR	Acid rest. coated finish Std
-E	Acid res. coated ext -C
-HD	HD traffic cover -HD
-HT	Holding tank -HT
-K+	Anchor flange -FL
-KC	Anch. flange w/clamp -FLM
-SI	Solids Interceptor MI-SOLID
-LS	Less Solids Interceptor "X"
-RP	Rigid draw off pipe "X"

SAND INTERCEPTORS

ZURN	MIFAB
Z1187	MI-SAND
Z1187-300	MI-SAND-1
Z1187-400	MI-SAND-2
Z1187-500	MI-SAND-3
Z1187-600	MI-SAND-4
Z1187-700	MI-SAND-5
Z1187-800	MI-SAND-6
Z1187-1000	MI-SAND-7
Z1187-SI	MI-SAND-TA
Z1187-SI-20	MI-SAND-TA-1
Z1187-SI-50	MI-SAND-TA-2
Z1187-SI-150	MI-SAND-TA-3
Z1187-SI-250	MI-SAND-TA-4
Z1187-SI-500	MI-SAND-TA-5

SAND INTERCEPTORS OPTIONAL VARIATIONS

ZURN	MIFAB
-AR	Acid rest finish Std
-DG	Ductile iron grate Std
-E	6" Extension -C
-HD	HD reinforced cover -HD
-K	Anchor flange -FL
-K	Anch. fl. W/clamp -FLM
-NH	NH inlet and outlet Std
-VP	Vandal proof screws -

FIXTURE CARRIERS

ZURN	MIFAB
Z1203	MC-10
Z1203-HD4	MC-10D-HS
Z1203-HD5	"X"
Z1203-HL4	MC-10L-HS
Z1203-HL5	"X"
Z1203-HR4	MC-10R-HS
Z1203-HR5	"X"
Z1203-N-X	MC-10
Z1203-ND4	MC-10D
Z1203-N-XB	MC-10-HDX
Z1203-NL4	MC-10L
Z1203-N-XH	MC-10-HD-750
Z1203-NR4	MC-10R
ZE1203	MC-10-27-37

"X" Contact MIFAB

ZE1203-HL4	(pg. 237)	MC-10L-27-37-HS
ZE1203-HR4	(pg. 237)	MC-10R-27-37-HS
ZE1203-HD4	(pg. 237)	MC-10D-27-37-HS
ZE1203-NL4	(pg. 236)	MC-10L-27-37
ZE1203-NR4	(pg. 236)	MC-10R-27-37
ZE1203-ND4	(pg. 236)	MC-10D-27-37
ZF1203-N	(pg. 232)	MC-10
ZN1203-N4	(pg. 232)	MC-10
ZN1203-ND4	(pg. 232)	MC-10D
Z1204	(pg. 240)	MC-12*
Z1204-H4	(pg. 241)	MC-12-HS*
Z1204-H5		"X"
Z1204-H6		"X"
Z1204-HD4	(pg. 241)	MC-12D-HS*
Z1204-HD5		"X"
Z1204-HD6		"X"
Z1204-1HD4	(pg. 243)	MC-13D-HS
Z1204-1HD54		"X"
Z1204-1HD55		"X"
Z1204-1HD64		"X"
Z1204-1HD65		"X"
Z1204-1HL4	(pg. 243)	MC-13L-HS
Z1204-1HL54		"X"
Z1204-1HL55		"X"
Z1204-1HL64		"X"
Z1204-1HL65		"X"
Z1204-1HR4	(pg. 243)	MC-13R-HS
Z1204-1HR54		"X"
Z1204-1HR55		"X"
Z1204-1HR64		"X"
Z1204-1HR65		"X"
Z1204-2H4	(pg. 243)	MC-13-2-HS
Z1204-2H54		"X"
Z1204-2H55		"X"
Z1204-2H64		"X"
Z1204-2H65		"X"
Z1204-2HD4	(pg. 243)	MC-13D-2-HS
Z1204-2HD54		"X"
Z1204-2HD55		"X"
Z1204-2HD64		"X"
Z1204-2HD65		"X"
Z1204-N4	(pg. 240)	MC-12*
Z1204-N5		"X"
Z1204-N-X	(pg. 240)	MC-12*
Z1204-ND4	(pg. 240)	MC-12D*
Z1204-N-XB	(pg. 240)	MC-12-HDX
Z1204-N-XH	(pg. 240)	MC-12-HD-750
Z1204-1NL4	(pg. 242)	MC-13L

Z1204-1NL43	(pg. 242)	MC-13L-1x3
Z1204-1NR43	(pg. 242)	MC-13R-1x3
Z1204-1NR4	(pg. 242)	MC-13R
Z1204-1NL54		"X"
Z1204-1NR54		"X"
Z1204-1NL55		"X"
Z1204-1NR55		"X"
Z1204-1NL64		"X"
Z1204-1NR64		"X"
Z1204-1NL65		"X"
Z1204-1NR65		"X"
Z1204-1ND4	(pg. 242)	MC-13D
Z1204-1ND43	(pg. 242)	MC-13D-1x3
Z1204-1ND54		"X"
Z1204-1ND55		"X"
Z1204-2N4	(pg. 242)	MC-13-2
Z1204-2N43	(pg. 242)	MC-13-2-1x3
Z1204-2N54		"X"
Z1204-2N55		"X"
Z1204-2N64		"X"
Z1204-2N65		"X"
Z1204-2ND4	(pg. 242)	MC-13D-2
Z1204-2ND43	(pg. 242)	MC-13D-2-1x3
Z1204-2ND54		"X"
ZF1204-N	(pg. 242)	MC-13
ZN1204-N4	(pg. 242)	MC-13
ZN1204-ND4	(pg. 242)	MC-13D
Z1207	(pg. 234)	MC-10-EXT
Z1207-ND4	(pg. 234)	MC-10D-EXT
Z1207-NL4	(pg. 234)	MC-10L-EXT
Z1207-NR4	(pg. 234)	MC-10R-EXT
Z1208	(pg. 244)	MC-14
Z1208-H42	(pg. 245)	MC-14-4-V2-HS
Z1208-H44	(pg. 245)	MC-14-4-V4-HS
Z1208-N32	(pg. 244)	MC-14-3-V2
Z1208-N42	(pg. 244)	MC-14-4-V2
Z1208-N44	(pg. 244)	MC-14-4-V4
Z1209	(pg. 246)	MC-15
Z1209-ND4	(pg. 246)	MC-15D
Z1209-NL4	(pg. 246)	MC-15L
Z1209-NR5	(pg. 246)	MC-15R
Z1209-HD4	(pg. 247)	MC-15D-HS
Z1209-HL4	(pg. 247)	MC-15L-HS
Z1209-HR4	(pg. 247)	MC-15R-HS
ZN1209-N4	(pg. 246)	MC-15
ZN1209-ND4	(pg. 246)	MC-15D
Z1210	(pg. 230)	Shift and Lift
Z1212	(pg. 248)	MC-21
Z1212-B	(pg. 248)	MC-22
Z1213	(pg. 260)	MC-62-3-V2
Z1214	(pg. 249)	MC-26
Z1215	(pg. 249)	MC-27
Z1216	(pg. 249)	MC-28

WATER CLOSET CARRIER PREFIXES

ZURN	MIFAB
Z	Dura coated system with ZZ coupling Std
ZQ	Coupling system for cutting to required length after testing Std

WATER CLOSET CARRIER SUFFIXES

ZURN	MIFAB
A	Aux. support assembly -10
-AV	2" no hub vent connection -31
-B	Blowout type fixt. support Std
-CC	Corrosion resistant 6" long cast iron coupling -G
-CL	Nipple len. great. than 12" "X"
-CV	2" NH center vent conn "X"
-D	Double (back to back) -D
-F	Floor mtd. outlet cl. Conn MC-21
-FO	Main fitting only "X"
-F2	Z-1208 fitting w/ 2" vent MC-62-4-V2
-F4	Z-1208 fitting w/ 4" vent MC-62-4-V4
-FX	3" foot ext. assembly "X"
-G	Galvanized cast iron -17
-H	Hub & spigot stack conn -HS
-J	45 degree aux. inlet -23

CROSS REFERENCE

-JC	2" Auxiliary inlet	-27
-JJ	Two 2" auxiliary inlets	-31
-JL	2" left hand aux. inlet	-26
-JR	2" right hand aux. inlet	-25
-JS	2" aux. inlet stack side	-23
-JV	2" aux. inlet, vent side	-24
-M	Aux. foot support for P dimension 10" - 18"	-10
-P	3" pl. fitting supporting system	"X"
-PA	Adjustable coupling conn for penal fixture	"X"
-PB	Coupling connection for penal fixture	"X"
-PC	Coupling conn. with 4" cleanout for penal fixtures	"X"
-PN	NH coup. Conn. with 4" cleanout for penal fixtures	"X"
-T	Threaded stack conn	"X"
-VL	Left hand vent connection	"X"
-VP	Vandal proof trim	-14
-W	Adap. ass. for women's ur	-15
-XH	Extra HD, 500lb carrier	-HD
-X3	3" extension	"X"
-X4	4" extension	Specify
Y	Foot support system	-10
-W	Adap. ass. for womans ur	-15
-XH	Extra HD, 500lb carrier	-HD
-X4	4"extension	"X"
-Y	Food support system	-10
-29	Mechanical test cap ass	-13
-45	Fin. Fr. -siphon jet closet	-1
-45B	Finishing fr. - blowout clos	-1
-50	Flush valve supply support	-20
-57	4" neo-seal clos. gask. Kit	-O1
-60	Wrench for vp screws	"X"
-61	Adj. wrench for ZZ coup	-19
-74	Bowl saver washer	"X"
-79	Parapelligic rough-in	"X"

LAVATORY, URINAL AND SINK CARRIERS

ZURN		MIFAB
Z1217	(pg. 260)	MC-62-4-V2
Z1218	(pg. 260)	MC-61-T
ZX1220-BM3	(pg. 260)	MC-62-3-V2
ZX1220-BM4	(pg. 260)	MC-62-4-V2
Z1221	(pg. 250)	MC-31
Z1221-D	(pg. 250)	MC-31D
Z1222	(pg. 250)	MC-32
Z1222-D	(pg. 250)	MC-32D
Z1223	(pg. 251)	MC-33
Z1224	(pg. 250)	MC-31
Z1224-D	(pg. 250)	MC-31D
Z1225	(pg. 250)	MC-32
Z1225-BL	(pg. 251)	MC-33
Z1225-D	(pg. 250)	MC-32D
Z1229	(pg. 251)	MC-34D
Z1231	(pg. 254)	MC-41
Z1231-EZ	(pg. 253)	MC-41-TR
Z1231-D	(pg. 255)	MC-41D
Z1231-EZR	(pg. 253)	MC-41-TR
Z1231-EZ-D	(pg. 253)	MC-41D-TR
Z1231-EZR-D	(pg. 253)	MC-41D-TR
Z1236	(pg. 254)	MC-40
Z1236-D	(pg. 254)	MC-40D
Z1251	(pg. 259)	MC-54
Z1253	(pg. 259)	MC-53
Z1254	(pg. 258)	MC-51
Z1255	(pg. 259)	MC-55
Z1256	(pg. 260)	MC-56
Z1257	(pg. 260)	MC-56-LP
Z1258	(pg. 260)	MC-56
Z1259	(pg. 252)	MC-36
Z1259-BP	(pg. 252)	MC-37
Z1259-D	(pg. 252)	MC-38D
Z1259-DB	(pg. 252)	MC-39D
Z1259-SP	(pg. 252)	MC-39D
Z1259-2	(pg. 252)	MC-36-2

LAVATORY, URINAL AND SINK CARRIERS OPTIONAL VARIATIONS

ZURN PREFIX		SUFFIX		MIFAB
Z	Dura coated cast iron	Std.		
ZURN				
-AL	Adaptor lug			-88
-B	Blow out fixture support			Std.
-BL	Bi-Level cooler support			MC-33
-BP	Bottom body plate with bearing jacks			Std.
-BR	Bracket support valve plate			-H
-BS	Bar support valve plate			-F
-CC	Cast iron support up to 7"			-CI
-CL	Cast iron coupling over 7"			"X"
-CU	Floor to ceiling upright			-B
-D	Back to back system			-D
-DB	Back to back top & bottom plates with bearing jacks			Std.
-E2	Chrome plated concealed arm escutcheons 2" long			-E2
-E4	Chrome plated & conc Arm escutchems 4" long			-E4
-E6	Chrome plated & concealed arm escutcheons 6" long			-E6
-F2	Z1208 fitting with 2" vent			Std.
-F4	Z1208 fitting with 4" vent			Std.
-FP	Top, front, back plate			Std.
-G	Galvanized			-17
-L	Stud or sleeve length - greater than standard			"X"
L2	Less bearing plate ass			"X"
-SL	Stud length over 6"			-A
-VP	Vandal proof trim			-14
-WS	Wall support valve plate			-G
-W6	6" wide support plate			"X"
-XH	Extra HD 500 lb carrier			-HD
-X3	3" extension			"X"
-X4	4" extension			"X"
-Y	Foot support system			-10
-ZR	Tubular sup. for long studs			-R
-1	Longer than standard urinal / sink lavatory			-W
-2	Bearing plate assembly			Std.
-5	Corner lavatory support			-C
-6	Cast Iron coupling up to 6"			-CI
-29	Mechanical test cap			-13
-58	Flush valve sup. for urinals			-20
-79	Paraplegic Rough-in			-WC

RESIDENTIAL WATER CLOSET SUPPORT SYSTEM

ZURN		MIFAB
Z1280	(pg. 248)	MC-24
Z1280-N3-2	(pg. 248)	MC-24
Z1280-N4-2	(pg. 248)	MC-24
Z1280-N4	(pg. 248)	MC-24
Z1282-H4	(pg. 248)	MC-24
Z1282-H4-2	(pg. 248)	MC-24
Z1282-HD-4	(pg. 248)	MC-24
Z1283-P3	(pg. 248)	MC-24
Z1284-N4	(pg. 248)	MC-21N
Z1285	(pg. 248)	MC-24
Z1290	(pg. 261)	MC-70

RESIDENTIAL WATER CLOSET OPTIONAL VARIATIONS

PREFIXES		SUFFIXES		MIFAB
-Z	dura coated plate sys	Std.		
ZURN				
-CL	Coup. len. Great. than 4"			"X"
-HT	Hangar type clos. adp			"X"
-X4	4" foot extension			"X"
-Y	Foot support system			-10

HYDRANTS

ZURN		MIFAB
Z1300	(pg. 271)	MHY-20
Z1305	(pg. 271)	MHY-25
Z1310	(pg. 271)	MHY-10

HYDRANTS CON'T

ZURN		MIFAB
Z1315	(pg. 271)	MHY-15
Z1320	(pg. 271)	MHY-26
Z1320-C	(pg. 271)	MHY-26
Z1320-EZ	(pg. 275)	MHY-26-RECT
Z1321	(pg. 271)	MHY-16
Z1322-EZ	(pg. 271)	MHY-26-RB
Z1322	(see CLPB)	HY-2000
Z1325	(pg. 273)	MHY-45
Z1327	(pg. 273)	MHY-45
Z1327	(pg. 273)	MHY-45
Z1330	(pg. 273)	MHY-35
Z1332-EZ	(pg. 272)	MHY-35-RB
Z1333	(pg. 272)	MHY-30
Z1333-C-BFP	(pg. 272)	MHY-30-52
Z1334-C	(pg. 272)	MHY-30
Z1334-C-BFP	(pg. 272)	MHY-30-52
Z1335	(pg. 272)	MHY-35
Z1341	(pg. 279)	MHY-90
Z1341-BFP	(pg. 279)	MHY-90-52
Z1342	(pg. 280)	MHY-95
Z1342-BFP	(pg. 280)	MHY-95-52
Z1344	(see CLPB)	HY-1000
Z1345	(see CLPB)	HY-1000
Z1346	(see CLPB)	HY-1000
Z1347-BFP	(see CLPB)	HY-1000
Z1349	(pg. 274)	MHY-50
Z1350	(pg. 274)	MHY-55
Z1350-EZ	(pg. 274)	MHY-55-RB
Z1360	(pg. 277)	MHY-60
Z1361	(pg. 277)	MHY-60
Z1365	(pg. 277)	MHY-61
Z1370	(pg. 277)	MHY-60-HSB
Z1375	(pg. 277)	MHY-60
Z1385	(pg. 278)	MHY-65
Z1388	(pg. 276)	MHY-58
Z1390	(pg. 278)	MHY-66
Z1395	(pg. 278)	MHY-68
Z1397	(pg. 278)	MHY-68

HYDRANT OPTIONAL VARIATIONS

ZURN		MIFAB
-AC	Al. casing guard	-42
-AN	Angled hose conn	"X"
-BC	Bronze casing	Std.
-C	Cast iron box	-50
-CL	Cylinder key lock	-K
-DP1	1/2" Drain port in box	-9
-DP14	1/4" Drain port in box	-10
-DP38	3/8" Drain port in box	-11
-DU	Comb. 3/4" female and 1" male pipe thread conn.	"X"
-HD	Heavy duty cover	"X"
-K	Anchor Flange	-FL
-KC	Anchor Flange with clamp.	-FLM
-LK	Loose key	MHY-9004
-NB	Polished NB box	-1
-PB	Polished bronze box	-1
-PL	Plain rough bronze box	-7
-PX	1/2" pex tubing connection	-PX
-RC	Rough chrome finish	-49
-RK	Hydrant parts repair kit	MHY
-SB	Statuary bronze face	-1
-SBD	Stat. Br. face - dark finish	-1
-SBL	Stat. Br. face - light finish	-1
-SBM	Stat. Br. face - med. finish	-1
-SS	SS box and cover	-3
-VB	3/4" adaptor vb	Std.
-WC	Wall clamp	-WC
-WH	Wheel handle	MHY-9002

-WR	Water cast onto cover	"X"	ZANB1462	(pg. 178)	C1400-S-1	-X	Round top recessed for tile	-T
-1"	1" hose connection	-O	Z1463	(pg. 177)	C1300-R	-Z	Round top recessed for	-UR
-1	3/4" IP str.Fem. Inl. adap	"X"	ZAB1463	(pg. 177)	C1300-R-1			
-3	3/4" solder fem. inlet adap	-5	ZANB1463	(pg. 177)	C1300-R-1			
-4	Wall clamp	-WC	Z1464	(pg. 74)	F1670			
-5	3/4" adaptor with vb	-8	ZS1464	(pg. 74)	F1670			
-6	Less polished bronze face "X"		ZS1467	(pg. 188)	MI-VB			
-7	Plain bronze box	-1	Z1468	(pg. 179)	C1430-RD			
-8	Less dura coated CI box	-50	ZAB1468	(pg. 179)	C1430-RD			
-10	Polished NB box	-1	ZS1468	(pg. 179)	C1430-RD			
-11	Statuary bronze face	-1	Z1469	(pg. 179)	C1400-RD			
-12	Cylinder key lock	-K	ZSS1469	(pg. 179)	C1400-RD			
-13	3/4" IP 90 degree inlet elbow with union nut	-6	ZAB1469	(pg. 179)	C1400-RD			
			ZS1469	(pg. 179)	C1400-RD			
-15	SS box and cover	-3	Z1470	(pg. 179)	C1430			
-17	1/4" drain port in box	-9	ZARB1470	(pg. 179)	C1430			
-18	Wheel handle	MHY-9002	Z1471	(pg. 287)	MI-GRILL			
-20	Aluminum casing guard	-42	ZAB1471	(pg. 287)	MI-GRILL			
-21	3/8" drain port in box	-10	ZANB1471	(pg. 287)	MI-GRILL			
-22	1/2" drain port in box	-11	Z1472	(pg. 287)	MI-GRILL			
-34EL	3/4" 90 deg. solder inl	Elb.Std	ZAB1472	(pg. 287)	MI-GRILL			
-34FIP	3/4" Fem. pipe thr. Conn	"X"	ZANB1472	(pg. 287)	MI-GRILL			
-34FS	3/4" Fem. solder inl. Conn	Std.	Z1473	(pg. 155)	R1930			
-34MIP3/4"	male pipe thr. conn	"X"	Z1474	(pg. 178)	C1300-MF			
-34UN	3/4" IP 90 deg. inlet elbow	-6	ZB1474	(pg. 178)	C1300-MF-3			
			ZN1474	(pg. 178)	C1300-MF-3			
			Z1475 "X"				
			Z1602	(pg. 168)	C1100-R			
			ZN1602	(pg. 168)	C1100-R-1			
			ZXN1612	(pg. 172)	C1100-XR-1			
			Z1615	(pg. 182)	C1450			
			Z1616	(pg. 182)	C1450			
			Z1666	(pg. 180)	C1440			
			Z1666-1	(pg. 181)	C1440-RD			

CLEANOUTS

ZURN	MIFAB
Z1400	C1100-R
Z1400-K	C1100-R
ZN1400	C1100-R-1
Z1400-BZ	C1100-R
Z1400-SZ	C1100-S
Z1402	C1230
ZB1402	C1230-1
ZN1402	C1230-1
Z1404	C230-TS-1
ZB1404	C230-TS-1
ZN1404	C230-TS-1
Z1406	C1100-XR
ZB1406	C1100-XR-1
ZN1406	C1100-XR-1
Z1440	C1450
Z1441	C1450-RD
ZB1441	C1450-RD
Z1443	C1450-S
ZB1443	C1450-S
ZN1443	C1450-S
Z1444	C1450-R
ZN1444	C1450-R-1
Z1445	C1460
Z1446	C1460-RD
ZB1446	C1460-RD
Z1447	C1460-S
ZB1447	C1460-S
ZN1447	C1460-S
Z1448	C1460 w/C1300-R
ZB1448	C1460 w/C1300-R-1
ZN1448	C1460 w/C1300-R-1
Z1449	C1230
Z1454	C1100-C-R*
ZB1454	C1100-C-R-1*
ZN1454	C1100-C-R-1*
Z1455	C1100-C-R-Z*
ZB1455	C1100-C-R-1*
ZN1455	C1100-C-R-1*
Z1456	C1500
ZAB1456	C1500-1
ZANB1456	C1500-1
Z1457	C1310
ZAB1457	C1310
ZANB1457	C1310
Z1460	C1400-S
ZAB1460	C1400-S-1
ZANB1460	C1400-S-1
Z1461	C1400-S
ZAB1461	C1400-S-1
ZANB1461	C1400-S-1
Z1462	C1400-S
ZAB1462	C1400-S-1

CLEANOUT OPTIONAL VARIATIONS

PREFIXES

-N	W/ internal cleanout	C1230
Z	Cast iron body and top	-4
ZB	Polished bronze top	-1
ZN	Nickel bronze top	-1
ZS	304 stainless steel top	-3
ZAB	Polished bronze top	-1
ZANB	Nickel bronze top	-1

SUFFIXES

-A	Raised head plug	-A
-AR	Acid resistant epoxy	-11
-BP	Bronze plug	-34B
-C	Membrane clamp	-C
-CF	Carpet flange cover	-RFC
-CH	Cleanout Acc. Housing	"X"
-CM	Carpet marker	-RC
-CP	Chrome plated	-49
-DC	Ductile iron	-4
-DX	Extended wide flange	-Z
-G	All galvanized	-13
-HC	Hinged cover	"X"
-HD	Heavy duty top	-X
-HH	Handle hole	"X"
-IC	Inside caulk connection	X
-IN	Internal cleanout	"X"
-K	Anchor flange	-FL
-KC	Anchor fl. and clamp	-FLC
-LC	Less pipe clamp with mounting holes in flange	"X"
-LM	Less internal mixing valve assembly	-LM
-NH	No hub outlet	Std.
-NL	Push on outlet	P
-PW	Plug wrench	"X"
-SC	Scoriated cover	Std.
-SG	Gasketed cover	Std.
-SL	Longer screw	-87
-SM	Special marking stamped on top	-95
-ST	Smooth top	"X"
-SW	Spanner wrench	H-1040
-T	Square top	-T
-TX	Square top recessed for tile	-TS
-VP	Vandal proof	-6

"X" Contact MIFAB

WATER HAMMER ARRESTORS

ZURN	MIFAB
Z1700	WHB
Z1700-100	WHB-A
Z1700-200	WHB-B
Z1700-300	WHB-C
Z1700-400	WHB-D
Z1700-500	WHB-E
Z1700-600	WHB-F
Z1705	MWH
Z1705-A	MWH-A
Z1705-B	MWH-B
Z1705-C	MWH-C
Z1705-D	MWH-D
Z1705-E	MWH-E
Z1705-F	MWH-F
Z1712	WHS

STAINLESS STEEL DRAINS

ZURN	MIFAB
Z1715	R1200-28-M
ZC1715	R1200-28-M
ZM1715	R1200-29-M
Z1717	R1300T-Z
Z1719	F1000-8-3-28-Z
Z1720	F1880
Z1721	F1890
Z1723	RS48-3-28-NH
Z1724	F-3
Z1724-4	F4-3
Z1724-6	F6-3
ZC1724-4	F4-3
ZC1724-6	F6-3
ZM1724	F-3-29
Z1725	G-3
ZC1725	G-3
ZM1725	G-3-29
Z1726	F1000-3-28
ZC1726	F1000-3-28
ZM1726	F1000-3-29
Z1727	F1000-S-3-28
ZC1727	F1000-S-3-28
ZM1727	F1000-S-3-29
Z1730	F1000-8-3-28
ZC1730	F1000-8-3-28
ZM1730	F1000-8-3-29
Z1731	F1000-8-3-28
ZC1731	F1000-8-3-28
ZM1731	F1000-8-3-29
Z1732	F1000-8-3-28
ZC1732	F1000-8-3-28
ZM1732	F1000-8-3-29
Z1735	F1340-28-3
ZC1735	F1340-28-3
ZM1735	F1340-29-3
Z1736	F1340-28-3
ZC1736	F1340-28-3
ZM1736	F1340-29-3
Z1737 to Z1740 "X"
Z1745	(pg. 171) C1000-T6-3-28

"X" Contact MIFAB

STAINLESS STEEL DRAIN OPTIONAL VARIATIONS

ZURN	MIFAB	
PREFIXES		
Z	Type 304 SS	-28
ZC	Type A-27 carbon steel	"X"
ZM	Type 316 SS	-29
SUFFIXES		
-C	Galv. deck clamp	-C-13
-BW	Butt welded	"X"

-D	Dome grate	-20
-DB	SS dome strainer	-20-28
-DP	Roof deck plate	-BDP
-DX	Extended wide flange	-Z
-E	Galv. extension	-15-13
-FG	Flush grate	Std.
-HD	XHD top frame and grate	"X"
-HP	Heel proof grate	Std.
-IP	Female threaded outlet	T
-J	Auxiliary inlet	"X"
-K	Anchor flange	-FL
-KC	Anchor fl. with clamp	-FLC
-P	1/2" Trap primer conn	-7
-R	Galv.sump receiver	-B-13
-RD5	6" dia. stainless steel top	-5-3
-RD7	7" dia. stainless steel top	-7-3
-RD8	8" dia. stainless steel top	-8-3
-RD10	10" dia. stainless steel top	-10-3
-SQ5	5" square stainless steel top	-S5-3
-SQ8	8" square stainless steel top	-S8-3
-SC	Solid secured cover	"X"
-SF	Satin finish top	"X"
-SG	Solid gasketed cover	"X"
-SP	SS cleanout plug	-34-28
-TS	Top secured with slotted screws	-6
-V	Bronze backwater valve	"X"
-VP	Vandal proof	-6
-Y	SS Sediment bucket	-5-28
-YM	Fabricated mesh bucket	"X"
-30	Bronze closure plug	-34B
-31	Plastic closure plug	-34
-33	Type 304 SS plug	-34-28
-34	Bronze closure plug with 3/4" test plug	"X"
-90	90 degree side outlet	-90

FLOOR SINKS

ZURN	(pg. 110)	MIFAB
Z1749	(pg. 110)	FS1920-FL
ZM1749	(pg. 110)	FS1920-FL-29
Z1750	(pg. 110)	FS1920-FL
ZM1750	(pg. 110)	FS1920-FL-29
Z1751	(pg. 110)	FS1930-FL
ZM1751	(pg. 110)	FS1930-FL-29
Z1752	(pg. 110)	FS1940-FL
ZM1752	(pg. 110)	FS1940-FL-29
Z1753	(pg. 110)	FS1920-FL
ZS1762	(see TDSS)	P5000
Z1762	(see TDSS)	P5000
Z1763	(see TDSS)	P5000
ZS1763	(see TDSS)	P5000

Z1755	(pg. 110)
Z1761	(see TDSS)
Z1800-6B	(see TDSS)
Z1800-8B	(see TDSS)
Z1800-8S	(see TDSS)
Z1800-12B	(see TDSS)
Z1800-12S	(see TDSS)
Z1810-6B	(see TDSS)
Z1810-8B	(see TDSS)
Z1810-8S	(see TDSS)
Z1810-12B	(see TDSS)
Z1810-12S	(see TDSS)
Z1820-8B	(see TDSS)
Z1820-12B	(see TDSS)
Z1820-12S	(see TDSS)
Z1830-8B	(see TDSS)
Z1830-8S	(see TDSS)
Z1830-12B	(see TDSS)
Z1830-12S	(see TDSS)
Z1840-6B	(see TDSS)
Z1840-6S	(see TDSS)
Z1840-8B	(see TDSS)
Z1840-8S	(see TDSS)
Z1900	(pg. 103)
ZN1900	(pg. 103)
Z1900-RL	(pg. 112)
Z1901-RL	(pg. 112)
Z1902-RL	(pg. 112)
Z1903	(pg. 111)
Z1901	(pg. 104)
ZN1901	(pg. 104)
Z1902	(pg. 105)
ZN1902	(pg. 105)
Z1910	(pg. 101)
ZN1910	(pg. 101)
Z1910-RL	(pg. 112)
Z1920	(pg. 108)
Z1926	(pg. 108)
Z1930	(pg. 102)
ZN1930	(pg. 102)
Z1940 "X"
Z1950	(pg. 107)
ZN1950	(pg. 107)
Z1960	(pg. 106)
ZN1960	(pg. 106)
Z1970	(pg. 111)
ZA1970	(pg. 111)
Z1982	(pg. 58)
Z1995	(pg. 109)
ZN1995	(pg. 109)

FS1920-FL
P5000
P3060
P3080
P2080-PD
P3020-PD
P3120
P3060-P
P3080-PD
P2080-PD
P3020-PD
P3120
P3080-PD-SO
P2080-PD-SO
P3020-PD-SO
P3120-SO
P3080
P2080-PD
P3020-PD
P3120
P7060
P7060-S
P7080
P7080-S
FS1720
FS1720-1
FS1980
FS1990
FS2000
FS1960
FS1730
FS1730-1
FS1740
FS1740-1
FS1520
FS1520-1
FS1970
FS1770
FS1770-FL
FS1530
FS1530-1
..... "X"
FS1760
FS1760-1
FS1750
FS1750-1
FS1950
FS1950
F1350-Y-36-3
FS1790
FS1790-1

FLOOR SINK OPTIONAL VARIATIONS

ZURN PREFIXES		MIFAB
Z	Type 304 Stainless steel	-28
Z	CI body, A.R.E. Interior	"X"
ZM	Type 316 Stainless steel	-29

ZURN SUFFIXES		MIFAB
-C	Membrane clamp	-C
-DX	Dextotex flange	-Z
-HD	Extra heavy duty grate	"X"
-HP	Heel proof grate	"X"
-IP	Female threaded outlet	T
-K	Anchor flange	-FL
-KC	Anchor flange with clamp-FLC	"X"
-LBT	Less bell trap	"X"
-LD	Less dome bottom strainer	"X"
-LS	Less secondary strainer	"X"
-LY	Less sediment bucket	"X"
-P	1/2" Trap primer conn	-7
-S	Secondary strainer	"X"
-SR	1/2" thick sanitary rim	"X"
-T	Square frame + round gr	"X"
-VP	Vandal proof	-6
-Y	Sediment bucket	-5
-YS	Suspended sediment buck	"X"
-1	Less grate	-22
-2	1/2 grate	-150
-3	3/4 grate	-175
-4	Full grate with center open	"X"
-5	Grate with 4" funnel	-F4
-6	Grate with 6" funnel	-F6
-7	Grate with 6"x3"x1" funn	-J
-8	Grate with 4"x 9" funnel	-G
-9	Angle frame and grate	"X"
-11	Vandal proof	-6
-12	Depressed alum. Grate	"X"
-15	Solid cover	"X"
-16	1/2 solid cover	"X"
-17	3/4 solid cover	"X"
-18	Solid cover with center op	"X"
-19	Full hinged grate	-9
-23	Aluminum bucket	Std.
-25	White A.R.E. bucket	"X"
-31	SS mesh liner for bucket	"X"
-32	Aluminum dome strainer	Std.
-33	White A.R.E. anti-splash	"X"
	Bottom dome strainer	
-34	N.B. anti-splash	"X"
	bottom dome strainer	

"X" Contact MIFAB

CROSS REFERENCE

MIFAB SUFFIX LISTING

SUFFIX	DESCRIPTION		
01	Neoprene bowl gasket (MC-10-PBG)	-11	Acid resistant epoxy coating
-1	Nickel bronze (drains and cleanouts)	-11	1/2" drain port in box (hydrants)
-1	Tiling frame (carriers) (MC-10-1-PTFK)	-12	Galvanized metal dome (roof drains)
-2	Polished brass	-12	Galvanized grate and frame (floor and area drains) (MC-10-PN12-31)
-3	Stainless steel (Type 304) (drains)	-12	12" tapered thread ABS nipple (carriers)
-3	Rear anchor support (carriers)	-12	Wheel handle (hydrants) (HY-9003)
-4	Ductile iron	-12A	Galvanized body and membrane clamp (roof drains)
-5	Sediment bucket	-12B	Grate painted black
-5	3/4" female solder adapter (hydrants)	-13	Galvanized body (floor and area drains)
-6	Security screws (floor and area drains, cleanouts)	-13	Galvanized body, membrane clamp and dome (roof drains)
-6	Vandal proof dome (roof drains)(H-1029)	-13	Test plug for custom and cast iron nipples (carriers)
-6	3/4" IPS 90 degree elbow and union nut (hydrants)	-14	Flat strainer (drains)
-7	Trap seal primer tapping	-14	Vandal proof finish trim (carriers) (MC-10-PFH-14)
-8	Backwater valve (drains)(BV1250 Series)	-15	Extension
-8	3/4" adapter vacuum breaker (hydrants) (HY-9005-CP)	-16	Square top assembly
-9	Hinged grate (drains)	-17	with trap and cleanout (MI-OS Series)
-9	1/4" drain port in box (hydrants)	-17	All galvanized (carriers)
-10	Decorative polished top (10 piece minimum) (drains)	-18	with trap and oil cone and cleanout (MI-OS Series)
-10	Auxiliary support (carriers) (MC-10-AFS)	-19	Nipple wrench (carriers) (MC-10-PCW)
-10	3/8" drain port in box (hydrants)	-20	Secondary dome strainer (drains) (FD-9600 Series)