

2020

ACCESS DOORS CATALOG

ACCESS DOORS



UNIVERSAL

-

DRYWALL BEAD

-

FIRE RATED

LIT-043

TABLE OF CONTENTS

	DISCOUNT		DISCOUNT
UA - Universal.....	2	MI-SAD - Medium Security.....	10
MDW - Drywall Bead.....	3	MI-SADH - High Security.....	10
CAD - 5/8" Recess for Drywall	3	MI-FVP - Flush Valve Panel.....	11
CAD-DW - 5/8" Recess for Drywall with Drywall Bead.....	4	MI-SF - Surface	11
CAD-PL - 5/8" Recess for Drywall with Plaster Lathe	4	MI-VB, MI-VB-SM - Valve Boxes	12
CAD-FL - 5/8" Recess in Frame, Door Flush with Frame	5	PA - Plastic.....	13
CAD-FL-PL - 5/8" Recess in Frame, Door Flush with Frame.....	6	FHA, FHG - Floor Access	13
CAD-FR - 1 1/2" Recess for Drywall	6	RHA, RHG - Roof Hatches	14
MPFR - Insulated, Fire Rated	7	Locks and Latches - Illustrated Locks	
MFRU - Uninsulated, Fire Rated.....	8	Available.....	14
MPFR-DW - Insulated, Fire Rated with Drywall Bead.....	9	WID - Exterior Access	15
		SL - Seamless Access Panels.....	16-18
		Cross Reference	19

TERMS AND WARRANTIES

WHOLESALE DISCOUNT: Contact MIFAB® or your local representative for your applicable discount structure.

FREIGHT ALLOWANCE: Ex Works, MIFAB's Chicago, Illinois Factory or Manufacturer Representative's warehouse with full motor freight allowed on shipments of \$3,500.00 Net or more, within the continental U.S.A. and Canada, except Alaska, Hawaii and Puerto Rico. MIFAB reserves the right to choose the carrier and route of shipment. Alaska: Ex Works, Seattle, WA. Hawaii: Freight allowed on shipments of \$3,500.00 or more only when shipped from West Coast, U.S. Puerto Rico: Ex Works, Miami, Florida. There is no allowance for United Parcel Service, Federal Express or Shipment by air service. Full motor freight is allowed on shipments of \$3,500.00 Net or more, within the continental U.S.A. and Canada for any combination of BEECO, Counterline, No Hub Coupling, Trench Drain, Access Door and Trap Seal Primer products. Shipping dates are estimates and time of delivery is not the essence of the sale of the contract. Therefore, under no circumstances will MIFAB® have any responsibility on account of any delays in manufacture, transportation, or otherwise. Additional freight services such as construction site delivery, lift gate delivery service, re-consigned freight or notification charges, are not included in full freight allowance terms, and will result in additional freight charges. Note: there is no freight allowance for the SL Series of seamless access panels. All orders of the SL Series panels are freight extra.

QUOTATION TERMS: List Price and discount protected for 30 days from date issued by MIFAB®. Orders received within this period must be released for shipment within 30 days from date of purchase order, otherwise, prices will be those that are in effect at the time of shipment.

PAYMENT TERMS: Terms of payment are Net 30 days from the date of the invoice. All pricing in United States currency except for sales to Canadian customers which are priced in Canadian dollars. The Buyer shall pay all sales, consumers, and / or any other applicable taxes. Past due accounts will be subject to a 2% per month service charge from the date of the invoice. If any proceedings be instructed by or against Buyer under any bankruptcy or insolvency law, or if Buyer shall fail to make timely payment on this or any other order, or if, in MIFAB's judgment, Buyer's financial situation justifies such action, MIFAB® may, at its election, require payment in advance or cancel the order as to any unshipped item and require payment of its reasonable cancellation charges. If Buyer delays completion of manufacture, MIFAB® may elect to require payment according to percentage of completion. Equipment held for Buyer shall be at Buyer's risk and expense. In all cases, regardless of partial payment, title to the Products shall remain with MIFAB® until payment for the Products (including any notes given therefore) has been made in full. Should legal action be necessary to enforce payment of an unpaid invoice, the Buyer will assume full responsibility for any court costs and reasonable attorney fees. All orders subject to credit check and approval prior to shipment. Confirmed irrevocable letter of credit or cash in advance of shipment is required for accounts without an established line of credit. Minimum invoice amount is \$100.00. MIFAB® reserves the right to apply a minimum order charge to equal \$100.00. MIFAB's Accounting Department must be notified of potential pricing errors within 30 days of the invoice date. Any terms and conditions stated on Buyer's orders which are inconsistent with MIFAB's quotation and Terms and Warranties shall be of no effect.

RETURNED GOODS RESTOCKING CHARGE: Standard product may be returned within a one year period only with written permission from MIFAB®. All products in catalog are not considered Standard. Standard product to be determined by MIFAB®. Returned goods are subject to a 25% restocking charge, plus cost of reconditioning, if necessary, to make material saleable. Material must be returned to MIFAB® freight prepaid only after written permission from MIFAB® to accept the returned material. Buyer must provide copy of the original invoice on which the material was charged. The original outgoing freight cost to ship the order will be deducted from the credit. Credit allowance will be in the form of merchandise credit only-not cash credit which must be used within 12 months of the date of issue. The value of a return must total \$100.00 to qualify for credit allowance. No credit will be allowed for auxiliary tappings, discontinued, or made to order items. Products designated non stock and / or that have been specially made (require a sign off drawing by MIFAB®) are not subject to return or cancellation.

LIMITED WARRANTY: MIFAB® warrants each product against defects in material and workmanship for a period of one year from the date of original shipment. In the event of such defects within the warranty period, MIFAB® will, at its option, replace or recondition the product without charge. This shall constitute the exclusive remedy for breach of warranty, and MIFAB® shall not be responsible for any incidental or consequential damages, including, without limitation, damages or other costs resulting from labor charges, delays, vandalism, negligence, fouling caused by foreign material, damage from adverse water conditions, chemicals, or any other circumstances over which MIFAB® has no control. This warranty shall be invalidated by any abuse, misuse, misapplication or improper installation of the product.

MIFAB® MAKES NO OTHER WARRANTIES EXPRESSED OR IMPLIED AS PROVIDED IN THIS LIMITED WARRANTY.

ILLUSTRATIONS OR TYPICAL INSTALLATIONS: The typical installations for various products in each product section are intended to illustrate the products and their options. Under no circumstances are they to be construed as recommended installation procedures. Consult local codes and project specifications for proper installation instructions.
























ALL SALES SUBJECT TO MIFAB's TERMS AND WARRANTIES.

NOTE: Prices and terms are subject to change without notice and supersede all previous quotations. The right is reserved to change or modify product design or construction without prior notice and without incurring any obligation to make similar changes and modifications to product previously or subsequently sold. Contact MIFAB® for any clarification.

CONTENTS © MIFAB® INC. Copyright 2020

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

PICTORIAL INDEX

 <p>SERIES UA UNIVERSAL ACCESS DOOR (PAGE 2)</p>	 <p>SERIES MDW DRYWALL BEAD ACCESS DOOR (PAGE 3)</p>	 <p>SERIES CAD CEILING OR WALL ACCESS DOOR (PAGE 3)</p>	 <p>SERIES CAD-DW CEILING OR WALL ACCESS DOOR WITH DRYWALL BEAD (PAGE 4)</p>
 <p>SERIES CAD-PL CEILING OR WALL ACCESS DOOR, PLASTER FINISH (PAGE 4)</p>	 <p>SERIES CAD-FL CEILING OR WALL ACCESS DOOR, FLUSH DOOR WITH FRAME (PAGE 5)</p>	 <p>SERIES CAD-FL-PL CEILING OR WALL ACCESS DOOR, FLUSH DOOR WITH FRAME, PLASTER FINISH (PAGE 6)</p>	 <p>SERIES CAD-FR CEILING OR WALL ACCESS DOOR, FIRE RESISTANT (PAGE 6)</p>
 <p>SERIES MPFR INSULATED FIRE RATED ACCESS DOOR (PAGE 7)</p>	 <p>SERIES MFRU UNINSULATED FIRE RATED ACCESS DOOR (PAGE 8)</p>	 <p>SERIES MPFR-DW INSULATED FIRE RATED ACCESS DOOR WITH DRYWALL BEAD FRAME (PAGE 9)</p>	 <p>SERIES MI-SAD MEDIUM SECURITY ACCESS DOOR (PAGE 10)</p>
 <p>SERIES MI-SADH HIGH SECURITY ACCESS DOOR (PAGE 10)</p>	 <p>SERIES MI-FVP FLUSH VALVE PANEL (PAGE 11)</p>	 <p>SERIES MI-SF SURFACE ACCESS DOOR (PAGE 11)</p>	 <p>SERIES MI-VB, MI-VB-SM VALVE BOX (PAGE 12)</p>
 <p>MI-VB-SM WITH OPTIONAL CUT OUT OF DOOR TO ALLOW FOR GLASS OR PLASTIC WINDOW BY OTHERS. (PAGE 12)</p>	 <p>SERIES PA PLASTIC ACCESS DOOR (PAGE 13)</p>	 <p>SERIES FHA, FHG FLOOR ACCESS DOOR (PAGE 13)</p>	 <p>SERIES RHA, RHG ROOF HATCH (PAGE 14)</p>
 <p>LOCKS AND LATCHES (PAGE 14)</p>	 <p>SERIES WID EXTERIOR ACCESS DOOR/ WALK-IN DOOR (PAGE 15)</p>	 <p>SERIES SL SEAMLESS ACCESS PANELS (PAGES 16-18)</p>	<p><i>"MIFAB access doors are always readily available and easy to install. That's why I only use MIFAB access doors. I use hundreds of MIFAB doors each year."</i></p> <p>– Laine West, Owner, WWF Contractors, Rancho Cordova, CA</p>

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.

sales@mifab.com Canada Toll Free: 1-800-387-3880

SERIES UA UNIVERSAL ACCESS DOOR



DESCRIPTION

The MIFAB® UA is a multi-purpose access door. It is designed for flush installation into drywall, block or tile, walls and ceilings. The door features rounded safety corners, concealed hinge, flush with frame fit, a unique white finish, and a 3/8" turn back in the door panel for extra rigidity and safety.

SPECIFICATIONS

Material: UA Series is 16 gage satin coat steel door and 16 gage satin coat steel frame. The UASS Stainless Steel Series is 16 gage #304 stainless steel door and frame. Aluminum doors are available as an option up to the 24" x 24" (610 x 610) size. The door and frame is 16 gage, Type 5052-32 aluminum.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Flush to frame. Turned back around edges for extra rigidity.

Frame: The frame has pre-punched mounting holes for simple installation.

Hinge: Concealed pivot pins.

Latch: Standard – Flush mounted, screwdriver operated cam. Optional – Allen key, cylinder key, paddle latch, or Vandal resistant (lock only) latch. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.

UA OPTIONAL VARIATIONS

SUFFIX	DESCRIPTION	LIST PRICE, EACH
-A	Allen key lock	\$21.00
-AL	Aluminum material	Use Stainless Steel List Price for same size door
-C	Cylinder key lock	\$28.00
-PL	Paddle latch	\$69.00
-VP	Vandal resistant (lock only)	\$69.00
-WR	Water resistant	\$110.00



"The MIFAB access doors were delivered as promised the next day. No problems reported from the field. My guys say they like the availability and the cardboard packaging they come in."

– Anthony Upton, Allcom Plumbing, Inc.,
Yuba City, CA

A-B Door Size

C-D Overall Dimensions - Door Size - Plus 2 1/8"

E-F Wall Opening - Door Size - Plus 3/8"



Note: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
6" x 6"	6 3/8" x 6 3/8"	1.90	1	UA0606	\$44.00	UASS0606	\$91.00
8" x 8"	8 3/8" x 8 3/8"	2.80	1	UA0808	\$45.00	UASS0808	\$104.00
8" x 12"	8 3/8" x 12 3/8"	3.80	1	UA0812	\$51.00	UASS0812	\$120.00
10" x 10"	10 3/8" x 10 3/8"	3.80	1	UA1010	\$53.00	UASS1010	\$128.00
12" x 12"	12 3/8" x 12 3/8"	5.00	1	UA1212	\$54.00	UASS1212	\$143.00
12" x 16"	12 3/8" x 16 3/8"	6.40	1	UA1216	\$65.00	UASS1216	\$167.00
12" x 18"	12 3/8" x 18 3/8"	7.10	1	UA1218	\$78.00	UASS1218	\$183.00
12" x 24"	12 3/8" x 24 3/8"	9.30	2	UA1224	\$96.00	UASS1224	\$211.00
14" x 14"	14 3/8" x 14 3/8"	6.40	1	UA1414	\$69.00	UASS1414	\$173.00
14" x 20"	14 3/8" x 20 3/8"	9.00	2	UA1420	\$98.00	UASS1420	\$239.00
14" x 24"	14 3/8" x 24 3/8"	12.00	3	UA1424	\$107.00	UASS1424	\$323.00
15" x 15"	15 3/8" x 15 3/8"	7.10	1	UA1515	\$78.00	UASS1515	\$188.00
16" x 16"	16 3/8" x 16 3/8"	7.90	1	UA1616	\$82.00	UASS1616	\$213.00
16" x 20"	16 3/8" x 20 3/8"	9.70	2	UA1620	\$98.00	UASS1620	\$230.00
16" x 24"	16 3/8" x 24 3/8"	11.40	2	UA1624	\$109.00	UASS1624	\$251.00
18" x 18"	18 3/8" x 18 3/8"	9.80	3	UA1818	\$97.00	UASS1818	\$244.00
18" x 24"	18 3/8" x 24 3/8"	12.70	5	UA1824	\$122.00	UASS1824	\$313.00
18" x 36"	18 3/8" x 36 3/8"	18.50	5	UA1836	\$176.00	UASS1836	\$418.00
20" x 20"	20 3/8" x 20 3/8"	11.70	3	UA2020	\$118.00	UASS2020	\$331.00
20" x 24"	20 3/8" x 24 3/8"	13.80	3	UA2024	\$132.00	UASS2024	\$340.00
20" x 30"	20 3/8" x 30 3/8"	16.90	5	UA2030	\$154.00	UASS2030	\$408.00
22" x 22"	22 3/8" x 22 3/8"	13.70	3	UA2222	\$129.00	UASS2222	\$374.00
22" x 30"	22 3/8" x 30 3/8"	18.20	5	UA2230	\$180.00	UASS2230	\$439.00
24" x 24"	24 3/8" x 24 3/8"	15.90	3	UA2424	\$134.00	UASS2424	\$399.00
24" x 30"	24 3/8" x 30 3/8"	19.60	5	UA2430	\$191.00	UASS2430	\$456.00
24" x 36"	24 3/8" x 36 3/8"	23.20	6	UA2436	\$200.00	UASS2436	\$503.00
24" x 48"	24 3/8" x 48 3/8"	28.00	7	UA2448	\$229.00	UASS2448	\$589.00
30" x 30"	30 3/8" x 30 3/8"	23.50	7	UA3030	\$218.00	UASS3030	\$524.00
32" x 32"	32 3/8" x 32 3/8"	26.40	5	UA3232	\$218.00	UASS3232	\$568.00
36" x 36"	36 3/8" x 36 3/8"	32.70	8	UA3636	\$257.00	UASS3636	\$693.00
36" x 48"	36 3/8" x 48 3/8"	43.00	5	UA3648	\$266.00	UASS3648	\$731.00
48" x 48"	48 3/8" x 48 3/8"	46.00	5	UA4848	\$280.00	UASS4848	\$771.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

SERIES MDW DRYWALL BEAD ACCESS DOOR

DESCRIPTION

The MIFAB® MDW access door is designed for installation after the drywall has been applied and when a concealed outer flange is required. The outer frame has a galvanized drywall taping bead. Drywall cement can be applied over the beading at the same time as the wallboard joints and corners. Only the door is visible. It has a unique white finish.

SPECIFICATIONS

Material: MDW Series is 16 gage satin coat steel door and 16 gage satin coat steel frame. The MDWSS Stainless Steel Series is 16 gage #304 stainless steel door and frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Flush to frame. Turned back around edges for extra rigidity.

Frame: Drywall taping bead on all sides.

Hinge: Concealed pivot pins.

Latch: Standard – Flush mounted, screwdriver operated cam. Optional – Allen key, cylinder key, paddle latch, or Vandal resistant (lock only) latch. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.



"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8"	8 3/8" x 8 3/8"	3.5	1	MDW0808	\$71.00	MDWSS0808	\$190.00
10" x 10"	10 3/8" x 10 3/8"	4.5	1	MDW1010	\$71.00	MDWSS1010	\$228.00
12" x 12"	12 3/8" x 12 3/8"	6.0	1	MDW1212	\$76.00	MDWSS1212	\$266.00
14" x 14"	14 3/8" x 14 3/8"	7.0	1	MDW1414	\$85.00	MDWSS1414	\$296.00
16" x 16"	16 3/8" x 16 3/8"	8.0	1	MDW1616	\$96.00	MDWSS1616	\$323.00
18" x 18"	18 3/8" x 18 3/8"	12.0	3	MDW1818	\$112.00	MDWSS1818	\$399.00
22" x 22"	22 3/8" x 22 3/8"	14.0	3	MDW2222	\$164.00	MDWSS2222	\$532.00
24" x 24"	24 3/8" x 24 3/8"	17.5	3	MDW2424	\$189.00	MDWSS2424	\$589.00
24" x 36"	24 3/8" x 36 3/8"	21	5	MDW2436	\$253.00	MDWSS2436	\$639.00
30" x 30"	30 3/8" x 30 3/8"	22	5	MDW3030	\$276.00	MDWSS3030	\$666.00
36" x 36"	36 3/8" x 36 3/8"	32	5	MDW3636	\$327.00	MDWSS3636	\$880.00

MDW OPTIONAL VARIATIONS		
SUFFIX	DESCRIPTION	LIST PRICE, EACH
-A	Allen key lock	\$21.00
-C	Cylinder key lock	\$28.00
-PL	Paddle latch	\$69.00
-VP	Vandal resistant (lock only)	\$69.00
-WR	Water resistant	\$110.00

NOTE: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

SERIES CAD CEILING OR WALL ACCESS DOOR

DESCRIPTION

The MIFAB® CAD recessed access door is designed for use in acoustical, drywall or tiled surfaces. The door panel is recessed 5/8" (15) to allow the insertion of various types of material.

SPECIFICATIONS

Material: CAD Series is 16 gage satin coat steel door and 16 gage satin coat steel frame. The CADSS Stainless Steel Series is 16 gage #304 stainless steel door and frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Recessed 5/8" (15) door pan to accept tile, drywall or other finishing materials.

Frame: Flush to surface.

Hinge: Concealed pivot pins.

Latch: Standard – Flush mounted, screwdriver operated cam. Optional – Allen key, cylinder key, or Vandal resistant (lock only) latch. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.



"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8"	8 3/16" x 8 3/16"	4.5	1	CAD0808	\$71.00	CADSS0808	\$217.00
12" x 12"	12 3/16" x 12 3/16"	7.0	1	CAD1212	\$82.00	CADSS1212	\$253.00
12" x 24"	12 3/16" x 24 3/16"	12.0	2	CAD1224	\$127.00	CADSS1224	\$377.00
14" x 14"	14 3/16" x 14 3/16"	9.0	2	CAD1414	\$108.00	CADSS1414	\$322.00
16" x 16"	16 3/16" x 16 3/16"	10.5	2	CAD1616	\$127.00	CADSS1616	\$365.00
18" x 18"	18 3/16" x 18 3/16"	12.0	3	CAD1818	\$165.00	CADSS1818	\$377.00
24" x 24"	24 3/16" x 24 3/16"	18.5	4	CAD2424	\$165.00	CADSS2424	\$486.00
24" x 36"	24 3/16" x 36 3/16"	22.0	5	CAD2436	\$217.00	CADSS2436	\$645.00

CAD OPTIONAL VARIATIONS		
SUFFIX	DESCRIPTION	LIST PRICE, EACH
-A	Allen key lock	\$21.00
-C	Cylinder key lock	\$28.00
-VP	Vandal resistant (lock only)	\$69.00

NOTE: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.

sales@mifab.com Canada Toll Free: 1-800-387-3880

SERIES CAD-DW CEILING OR WALL ACCESS DOOR WITH DRYWALL BEAD



DESCRIPTION

The MIFAB® CAD-DW recessed access door is designed for use in acoustical, drywall or tiled surfaces. The door panel is recessed 5/8" (15) to allow the insertion of various types of material. It has a unique white finish. The outer frame has a galvanized drywall taping bead. Drywall cement can be applied over the beading at the same time as the wallboard joints and corners. It has a unique white finish.

SPECIFICATIONS

Material: CAD-DW Series is 16 gage satin coat steel door and 16 gage satin coat steel frame. The CAD-DWSS is 16 gage #304 stainless steel door and frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Recessed 5/8" (15) door pan to accept tile, drywall or other finishing materials.

Frame: Drywall corner bead on all sides.

Hinge: Concealed pivot pins.

Latch: Standard – Flush mounted, screwdriver operated cam. Optional – Allen key, cylinder key, or Vandal resistant (lock only) latch. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.

"We purchase MIFAB Access Doors because they are readily available and competitively priced."

– Ronald Wheelless, Manager,
Mid South Plumbing and
Electrical Supply, Jonesboro, AR

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.


CAD-DW OPTIONAL VARIATIONS

SUFFIX	DESCRIPTION	LIST PRICE, EACH
-A	Allen key lock	\$21.00
-C	Cylinder key lock	\$27.00
-VP	Vandal resistant (lock only)	\$69.00
-WR	Water resistant	\$110.00

NOTE: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8"	8 3/16" x 8 3/16"	5.0	1	CAD-DW0808	\$109.00	CAD-DWSS0808	\$329.00
12" x 12"	12 3/16" x 12 3/16"	7.5	1	CAD-DW1212	\$126.00	CAD-DWSS1212	\$382.00
12" x 24"	12 3/16" x 24 3/16"	13.0	2	CAD-DW1224	\$165.00	CAD-DWSS1224	\$505.00
14" x 14"	14 3/16" x 14 3/16"	9.5	2	CAD-DW1414	\$146.00	CAD-DWSS1414	\$443.00
16" x 16"	16 3/16" x 16 3/16"	11.5	2	CAD-DW1616	\$167.00	CAD-DWSS1616	\$505.00
18" x 18"	18 3/16" x 18 3/16"	13.0	3	CAD-DW1818	\$177.00	CAD-DWSS1818	\$538.00
24" x 24"	24 3/16" x 24 3/16"	19.5	4	CAD-DW2424	\$208.00	CAD-DWSS2424	\$631.00
24" x 36"	24 3/16" x 36 3/16"	23.0	5	CAD-DW2436	\$271.00	CAD-DWSS2436	\$820.00

SERIES CAD-PL CEILING OR WALL ACCESS DOOR, PLASTER FINISH



DESCRIPTION

The MIFAB® CAD-PL recessed access door is designed for use in acoustic plaster walls and ceilings. The door panel is recessed 5/8" (15) and is lined with a self-furring metal lath to allow the insertion of plaster within the door panel. A 2 3/4" (70) wide metal lath extends from the perimeter of the frame. Only the thickness of the door and frame edges are exposed. It has a unique white finish.

SPECIFICATIONS

Material: CAD-PL Series is 16 gage satin coat steel door and 16 gage satin coat steel frame. The CAD-PLSS Stainless Steel Series is 16 gage #304 stainless steel door and frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Recessed 5/8" (15) door pan with self-furring metal lath to accept plaster.

Frame: Mounting flange is 1 1/8" (28) wide and recessed 5/8" (15) from the door and lined with a 2 3/4" (70) wide self-furring metal lath.

Hinge: Concealed pivot pins.

Latch: Standard – Flush mounted, screwdriver operated cam. Optional – Allen key, cylinder key, or Vandal resistant (lock only) latch. All of MIFAB's cylinder key lock are keyed alike.

Packaging: Individual pack.

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

CAD-PL OPTIONAL VARIATIONS

SUFFIX	DESCRIPTION	LIST PRICE, EACH
-A	Allen key lock	\$21.00
-C	Cylinder key lock	\$28.00
-VP	Vandal resistant (lock only)	\$69.00

NOTE: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
12" x 12"	12 3/16" x 12 3/16"	8.5	1	CAD-PL1212	\$151.00	CAD-PLSS1212	\$460.00
12" x 24"	12 3/16" x 24 3/16"	15.0	1	CAD-PL1224	\$243.00	CAD-PLSS1224	\$738.00
18" x 18"	18 3/16" x 18 3/16"	15.0	2	CAD-PL1818	\$243.00	CAD-PLSS1818	\$738.00
24" x 24"	24 3/16" x 24 3/16"	23.0	4	CAD-PL2424	\$289.00	CAD-PLSS2424	\$884.00
24" x 36"	24 3/16" x 36 3/16"	27.0	5	CAD-PL2436	\$426.00	CAD-PLSS2436	\$1,292.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

SERIES CAD-FL CEILING OR WALL ACCESS DOOR, FLUSH DOOR WITH FRAME

DESCRIPTION

The MIFAB® CAD-FL access door is designed for flush installation in drywall or plaster surfaces. The door panel is flush with the frame. When installed flush with the wall or ceiling, only the door panel is exposed. A mounting bracket is recessed 5/8" (15) from the door. It has a unique white finish.

SPECIFICATIONS

Material: CAD-FL Series is a 16 gage satin coat door and a 16 gage satin coat frame. The CAD-FLSS Stainless Steel Series is 16 gage #304 stainless steel door and frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Flush to frame. Turned back around edges for extra rigidity.

Frame: Flush to surface. Mounting flange is 1 1/8" (28) wide and recessed 5/8" (15) from the door.

Hinge: Concealed pivot pins.

Latch: Standard – Flush mounted, screwdriver operated cam. Optional – Allen key, cylinder key, paddle latch, or Vandal resistant (lock only) latch. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.



"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8"	8 3/16" x 8 3/16"	4.0	1	CAD-FL0808	\$72.00	CAD-FLSS0808	\$141.00
8" x 12"	8 3/16" x 12 3/16"	5.0	1	CAD-FL0812	\$84.00	CAD-FLSS0812	\$171.00
10" x 10"	10 3/16" x 10 3/16"	5.5	1	CAD-FL1010	\$87.00	CAD-FLSS1010	\$179.00
12" x 12"	12 3/16" x 12 3/16"	6.0	1	CAD-FL1212	\$95.00	CAD-FLSS1212	\$188.00
12" x 16"	12 3/16" x 16 3/16"	7.0	1	CAD-FL1216	\$106.00	CAD-FLSS1216	\$213.00
12" x 18"	12 3/16" x 18 3/16"	8.0	1	CAD-FL1218	\$111.00	CAD-FLSS1218	\$256.00
12" x 24"	12 3/16" x 24 3/16"	11.4	3	CAD-FL1224	\$143.00	CAD-FLSS1224	\$340.00
14" x 14"	14 3/16" x 14 3/16"	7.8	1	CAD-FL1414	\$122.00	CAD-FLSS1414	\$245.00
16" x 16"	16 3/16" x 16 3/16"	9.6	1	CAD-FL1616	\$118.00	CAD-FLSS1616	\$266.00
16" x 20"	16 3/16" x 20 3/16"	11.4	1	CAD-FL1620	\$143.00	CAD-FLSS1620	\$340.00
18" x 18"	18 3/16" x 18 3/16"	11.4	3	CAD-FL1818	\$149.00	CAD-FLSS1818	\$408.00
18" x 24"	18 3/16" x 24 3/16"	15.9	3	CAD-FL1824	\$207.00	CAD-FLSS1824	\$465.00
20" x 24"	20 3/16" x 24 3/16"	17.0	3	CAD-FL2024	\$230.00	CAD-FLSS2024	\$522.00
20" x 30"	20 3/16" x 30 3/16"	19.0	5	CAD-FL2030	\$267.00	CAD-FLSS2030	\$617.00
24" x 24"	24 3/16" x 24 3/16"	18.3	3	CAD-FL2424	\$257.00	CAD-FLSS2424	\$542.00
24" x 30"	24 3/16" x 30 3/16"	20.0	5	CAD-FL2430	\$292.00	CAD-FLSS2430	\$655.00
24" x 36"	24 3/16" x 36 3/16"	24.5	5	CAD-FL2436	\$338.00	CAD-FLSS2436	\$712.00
30" x 30"	30 3/16" x 30 3/16"	24.5	5	CAD-FL3030	\$341.00	CAD-FLSS3030	\$731.00
36" x 36"	36 3/16" x 36 3/16"	28.0	5	CAD-FL3636	\$404.00	CAD-FLSS3636	\$845.00

CAD-FL OPTIONAL VARIATIONS

SUFFIX	DESCRIPTION	LIST PRICE, EACH
-A	Allen key lock	\$21.00
-C	Cylinder key lock	\$28.00
-PL	Paddle latch	\$69.00
-VP	Vandal resistant (lock only)	\$69.00

NOTE: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.

sales@mifab.com Canada Toll Free: 1-800-387-3880

SERIES CAD-FL-PL CEILING OR WALL ACCESS DOOR, FLUSH DOOR WITH FRAME, PLASTER FINISH

DESCRIPTION

The MIFAB® CAD-FL-PL recessed access door is designed for flush installation in drywall or plaster surfaces. The door panel is flush with the frame. When installed flush with the wall or ceiling, only the door panel is exposed. A 2 3/4" (70) wide metal lath on all sides provides a rigid frame. A mounting bracket is recessed 5/8" (15) from the door. It has a unique white finish.

SPECIFICATIONS

Material: CAD-FL-PL Series is a 16 gage satin coat door and a 16 gage satin coat frame.

The CAD-FL-PLSS Stainless Steel Series is 16 gage #304 stainless steel door and frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Flush to frame. Turned back around edges for extra rigidity.

Frame: Mounting flange is 1 1/8" (28) wide and recessed 5/8" (15) from the door. A 2 3/4" (70) wide self furring metal lath lines the flange.

Hinge: Concealed pivot pins.

Latch: Standard – Flush mounted, screwdriver operated cam. Optional – Allen key, cylinder key, paddle latch, or Vandal resistant (lock only) latch. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.



"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8"	8 3/16" x 8 3/16"	4.0	1	CAD-FL-PL0808	\$69.00	CAD-FL-PLSS0808	\$141.00
8" x 12"	8 3/16" x 12 3/16"	5.0	1	CAD-FL-PL0812	\$78.00	CAD-FL-PLSS0812	\$171.00
10" x 10"	10 3/16" x 10 3/16"	5.5	1	CAD-FL-PL1010	\$83.00	CAD-FL-PLSS1010	\$179.00
12" x 12"	12 3/16" x 12 3/16"	6.0	1	CAD-FL-PL1212	\$87.00	CAD-FL-PLSS1212	\$190.00
12" x 16"	12 3/16" x 16 3/16"	7.0	1	CAD-FL-PL1216	\$101.00	CAD-FL-PLSS1216	\$207.00
12" x 18"	12 3/16" x 18 3/16"	8.0	1	CAD-FL-PL1218	\$111.00	CAD-FL-PLSS1218	\$244.00
12" x 24"	12 3/16" x 24 3/16"	11.4	3	CAD-FL-PL1224	\$133.00	CAD-FL-PLSS1224	\$279.00
14" x 14"	14 3/16" x 14 3/16"	7.8	1	CAD-FL-PL1414	\$108.00	CAD-FL-PLSS1414	\$258.00
16" x 16"	16 3/16" x 16 3/16"	9.6	1	CAD-FL-PL1616	\$121.00	CAD-FL-PLSS1616	\$266.00
16" x 20"	16 3/16" x 20 3/16"	11.4	1	CAD-FL-PL1620	\$139.00	CAD-FL-PLSS1620	\$342.00
18" x 18"	18 3/16" x 18 3/16"	11.4	3	CAD-FL-PL1818	\$140.00	CAD-FL-PLSS1818	\$418.00
18" x 24"	18 3/16" x 24 3/16"	15.9	3	CAD-FL-PL1824	\$189.00	CAD-FL-PLSS1824	\$456.00
20" x 24"	20 3/16" x 24 3/16"	17.0	3	CAD-FL-PL2024	\$217.00	CAD-FL-PLSS2024	\$475.00
20" x 30"	20 3/16" x 30 3/16"	19.0	5	CAD-FL-PL2030	\$275.00	CAD-FL-PLSS2030	\$513.00
24" x 24"	24 3/16" x 24 3/16"	18.3	3	CAD-FL-PL2424	\$264.00	CAD-FL-PLSS2424	\$532.00
24" x 30"	24 3/16" x 30 3/16"	20.0	5	CAD-FL-PL2430	\$335.00	CAD-FL-PLSS2430	\$627.00
24" x 36"	24 3/16" x 36 3/16"	24.5	5	CAD-FL-PL2436	\$385.00	CAD-FL-PLSS2436	\$721.00
30" x 30"	30 3/16" x 30 3/16"	24.5	5	CAD-FL-PL3030	\$394.00	CAD-FL-PLSS3030	\$731.00
36" x 36"	36 3/16" x 36 3/16"	28.0	5	CAD-FL-PL3636	\$423.00	CAD-FL-PLSS3636	\$826.00

SERIES CAD-FR CEILING OR WALL ACCESS DOOR, FIRE RESISTANT



DESCRIPTION

The MIFAB CAD-FR fire resistant access door is designed for use in a suspended drywall ceiling. The CAD-FR is not fire rated. However, the combination of steel and fire rated tile supplied by others may maintain the fire resistant quality of the ceiling assembly. The door panel is recessed 1 1/2" to accommodate dual layered ceiling tile. Consult local Fire Codes for each application.

SPECIFICATIONS

Material: CAD-FR Series is 16 gage satin coat steel door and 16 gage satin coat steel frame. The CAD-FRSS stainless steel Series is 16 gage # 304 stainless steel door and frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Recessed 1 1/2" (38) door panel to accept tile, drywall or finishing materials.

Frame: Flush to surface. Mounting flange is 1 1/8" (28) wide and recessed 5/8" (16) from the door.

Hinge: Concealed pivot pins

Latch: Standard – Flush Mounted, screwdriver operated cam. Optional – Allen key, cylinder key, or Vandal resistant (lock only) latch. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.

CAD-FR OPTIONAL VARIATIONS			"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
SUFFIX	DESCRIPTION	LIST PRICE, EACH								
-A	Allen key lock	\$21.00	12" x 12"	12 1/2" x 12 1/2"	7.3	1	CAD-FR1212	\$142.00	CAD-FRSS1212	\$430.00
-C	Cylinder key lock	\$28.00	18" x 18"	18 1/2" x 18 1/2"	12.5	1	CAD-FR1818	\$162.00	CAD-FRSS1818	\$493.00
-VP	Vandal resistant (lock only)	\$69.00	24" x 24"	24 1/2" x 24 1/2"	21.8	3	CAD-FR2424	\$208.00	CAD-FRSS2424	\$635.00
			22" x 30"	22 1/2" x 30 1/2"	26.0	4	CAD-FR2230	\$240.00	CAD-FRSS2230	\$733.00

NOTE: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

SERIES MPFR INSULATED FIRE RATED ACCESS DOOR

DESCRIPTION

The MIFAB® MPFR fire rated access door is approved by Underwriters Laboratories Inc., for 1 1/2 hours, "B" label in walls and is approved by Warnock Hersey for 2 hours in ceilings and 3 hours in walls. The door meets ANSI-UL 10B standards. The same door can be used in walls and ceilings. Tests were conducted using mild steel and Type 304 stainless steel.

SPECIFICATIONS

Material: MPFR Series is 16 gage satin coat steel front door with 20 gage backliner and 16 gage satin coat steel frame. The MPFRSS Stainless Steel Series is 16 gage #304 stainless steel front door with 20 gage backliner and 16 gage #304 stainless steel frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Flush to frame. Self-closing. Can be opened from the inside or back of the door with MIFAB's unique thumb turn latch.

Frame: Four piece welded frame with masonry mounting straps.

Hinge: Concealed pivot pins.

Spring: Heavy duty. An extra spring is provided with every door greater than 14" x 14" (356 x 356) for ceiling installation. Both springs must be attached to the door to ensure that the door will close when installed in the ceiling.

Latch: Standard – Flush mounted, interchangeable turn ring operator and key operator latch. Optional - cylinder key lock. All of MIFAB's cylinder key locks are keyed alike.

Fire Rating: Underwriters Laboratories "B" label. 1 1/2 hours for walls. Warnock Hersey: 1 hour combustible ceilings and walls, 2 hour non-combustible ceilings, and 3 hour non-combustible walls. Ceiling fire ratings are up to and including the 24" x 36" (610 x 914) size.

Insulation: Roxul Rockboard 80. 2" (50) thick and fire retardant.

Packaging: Individual pack.



* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

"B" x "A"	WALL OPEN-ING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8"	8 1/2" x 8 1/2"	10.0	1	MPFR0808	\$229.00	MPFRSS0808	\$686.00
10" x 10"	10 1/2" x 10 1/2"	12.0	1	MPFR1010	\$233.00	MPFRSS1010	\$699.00
12" x 12"	12 1/2" x 12 1/2"	14.0	1	MPFR1212	\$238.00	MPFRSS1212	\$712.00
12" x 18"	12 1/2" x 18 1/2"	16.0	1	MPFR1218	\$302.00	MPFRSS1218	\$885.00
12" x 24"	12 1/2" x 24 1/2"	19.0	1	MPFR1224	\$316.00	MPFRSS1224	\$868.00
14" x 14"	14 1/2" x 14 1/2"	15.5	1	MPFR1414	\$257.00	MPFRSS1414	\$771.00
16" x 16"	16 1/2" x 16 1/2"	16.5	1	MPFR1616	\$296.00	MPFRSS1616	\$885.00
18" x 18"	18 1/2" x 18 1/2"	19.0	1	MPFR1818	\$308.00	MPFRSS1818	\$925.00
20" x 20"	20 1/2" x 20 1/2"	24.0	1	MPFR2020	\$321.00	MPFRSS2020	\$964.00
22" x 22"	22 1/2" x 22 1/2"	28.0	1	MPFR2222	\$438.00	MPFRSS2222	\$974.00
22" x 30"	22 1/2" x 30 1/2"	35.0	2	MPFR2230	\$551.00	MPFRSS2230	\$1,415.00
24" x 24"	24 1/2" x 24 1/2"	30.0	1	MPFR2424	\$435.00	MPFRSS2424	\$1,087.00
24" x 36"	24 1/2" x 36 1/2"	46.0	2	MPFR2436	\$653.00	MPFRSS2436	\$1,431.00
24" x 48"	24 1/2" x 48 1/2"	65.0	2	MPFR2448	\$822.00	MPFRSS2448	\$1,598.00
30" x 30"	30 1/2" x 30 1/2"	45.0	1	MPFR3030	\$684.00	MPFRSS3030	\$1,355.00
32" x 32"	32 1/2" x 32 1/2"	47.0	1	MPFR3232	\$822.00	MPFRSS3232	\$1,950.00
36" x 36"	36 1/2" x 36 1/2"	60.0	2	MPFR3636	\$956.00	MPFRSS3636	\$2,145.00
36" x 48"	36 1/2" x 48 1/2"	80.0	2	MPFR3648	\$1,095.00	MPFRSS3648	\$2,879.00

The access door construction design (lock and hinge) cannot be changed without affecting the Warnock Hersey and cUL approvals.

Warnock Hersey




California State Fire Marshall Approval #3330-1535:00

MPFR OPTIONAL VARIATIONS

SUFFIX	DESCRIPTION	LIST PRICE, EACH
-C	Cylinder key lock	\$28.00

Note: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

Note: Custom sized MPFR Series of access doors cannot exceed 1,728 square inches with the fire rated approval.




"We rely on MIFAB's Access Doors for all of our multi-family work. Their fast service, consistent quality and broad product mix let's us get fire rated to standard doors fast and on budget."

— Lawrence Tognetti, Manager, Lovazzano Mechanical, Menlo Park, CA



Key Operator



Turn Ring Operator

A-B Door Size C-D Overall Dimensions - Door Size - Plus 2 5/8" (67) E Wall Opening - Door Size - Plus 1/2" (13) (Allow an extra 1/4" (6) clearance for latch housing on "D" side.)

The Key Operator and Turn Ring Operator keys are shipped with every MPFR fire rated access door. If additional keys are required, please order them by Part # KEY-TRO

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.

sales@mifab.com Canada Toll Free: 1-800-387-3880

SERIES MFRU

UNINSULATED FIRE RATED ACCESS DOOR



DESCRIPTION

The MIFAB® MFRU uninsulated fire rated access door is approved by Underwriters Laboratories Inc., for 1 1/2 hours, "B" label in walls. The door meets ANSI-UL 10B standards. It has a unique white finish.

SPECIFICATIONS

Material: MFRU Series is 16 gage satin coat steel door and frame. The MFRUSS Stainless Steel Series is 16 gage #304 stainless steel door and frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Flush to frame. Self-closing. Can be opened from the inside or back of the door with MIFAB's unique thumb turn latch.

Frame: Four piece welded frame with masonry mounting straps.

Hinge: Concealed pivot pins.

Spring: Heavy duty.

Latch: Standard - Flush mounted, interchangeable turn ring operator and key operator latch.

Optional - cylinder key lock. All of MIFAB's cylinder key locks are keyed alike.

Fire Rating: Underwriters Laboratories "B" label. 1 1/2 hour for walls. Insulation not required.

Packaging: Individual pack.

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

"I really like the MIFAB universal multi-purpose access doors. I use these for all my concealed shut off valves, water hammer arrestors, hub drains in walls, and sometimes Studor vents. They work well for all my applications."

— Christopher T. Ramos, Plumbing Designer, Kraemer Consulting Engineers, Phoenix, AZ

"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8"	8 1/2" x 8 1/2"	9.0	1	MFRU0808	\$165.00	MFRUSS0808	\$333.00
10" x 10"	10 1/2" x 10 1/2"	10.0	1	MFRU1010	\$169.00	MFRUSS1010	\$342.00
12" x 12"	12 1/2" x 12 1/2"	12.5	1	MFRU1212	\$172.00	MFRUSS1212	\$352.00
12" x 18"	12 1/2" x 18 1/2"	14.5	1	MFRU1218	\$180.00	MFRUSS1218	\$371.00
12" x 24"	12 1/2" x 24 1/2"	17.0	1	MFRU1224	\$191.00	MFRUSS1224	\$390.00
14" x 14"	14 1/2" x 14 1/2"	14.0	1	MFRU1414	\$200.00	MFRUSS1414	\$380.00
16" x 16"	16 1/2" x 16 1/2"	15.0	1	MFRU1616	\$212.00	MFRUSS1616	\$418.00
18" x 18"	18 1/2" x 18 1/2"	19.0	1	MFRU1818	\$223.00	MFRUSS1818	\$427.00
20" x 20"	20 1/2" x 20 1/2"	24.0	1	MFRU2020	\$232.00	MFRUSS2020	\$465.00
22" x 22"	22 1/2" x 22 1/2"	21.5	1	MFRU2222	\$259.00	MFRUSS2222	\$522.00
22" x 30"	22 1/2" x 30 1/2"	31.5	1	MFRU2230	\$327.00	MFRUSS2230	\$599.00
24" x 24"	24 1/2" x 24 1/2"	27.0	1	MFRU2424	\$276.00	MFRUSS2424	\$542.00
24" x 36"	24 1/2" x 36 1/2"	41.5	2	MFRU2436	\$372.00	MFRUSS2436	\$693.00
24" x 48"	24 1/2" x 48 1/2"	58.5	2	MFRU2448	\$432.00	MFRUSS2448	\$921.00
30" x 30"	30 1/2" x 30 1/2"	40.5	2	MFRU3030	\$381.00	MFRUSS3030	\$855.00
32" x 32"	32 1/2" x 32 1/2"	42.5	2	MFRU3232	\$390.00	MFRUSS3232	\$855.00
36" x 36"	36 1/2" x 36 1/2"	54.0	2	MFRU3636	\$499.00	MFRUSS3636	\$988.00
36" x 48"	36 1/2" x 48 1/2"	72.5	2	MFRU3648	\$581.00	MFRUSS3648	\$1,064.00

The access door construction design (lock and hinge) cannot be changed without affecting the Warnock Hersey and cUL approvals.




California State Fire Marshall Approval #3330-1535:00

MFRU OPTIONAL VARIATIONS

SUFFIX	DESCRIPTION	LIST PRICE, EACH
-C	Cylinder key lock	\$28.00

Note: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.


Note: Custom sized MFRU Series of access doors cannot exceed 1,728 square inches with the fire rated approval.



A-B Door Size C-D Overall Dimensions - Door Size - Plus 2 5/8\" (67) E Wall Opening - Door Size - Plus 1/2\" (13) (Allow an extra 1/4\" (6) clearance for latch housing on "D" side.)



Key Operator



Turn Ring Operator

The Key Operator and Turn Ring Operator keys are shipped with every MFRU fire rated access door. If additional keys are required, please order them by Part # KEY-TRO

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

SERIES MPFR-DW INSULATED FIRE RATED ACCESS DOOR WITH DRYWALL BEAD FRAME

DESCRIPTION

The MIFAB® MPFR-DW fire rated access door is approved by Underwriters Laboratories Inc., for 1 1/2 hours, "B" label in walls and is approved by Warnock Hersey for 2 hours in ceilings and 3 hours in walls. It meets ANSI-UL 10B standards. The same door can be used in walls and ceilings. Tests were conducted using mild steel and Type 304 stainless steel. The MPFR-DW incorporates a drywall bead type of frame for a concealed frame application.

SPECIFICATIONS

Material: MPFR-DW Series is 16 gage satin coat steel front door with 20 gage backliner and 16 gage satin coat steel frame. The MPFR-DWSS Stainless Steel Series is 16 gage #304 stainless steel front door with 20 gage backliner and 16 gage #304 stainless steel frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Flush to frame. Self-closing. Can be opened from the inside or back of the door with MIFAB's unique thumb-turn latch.

Frame: Four piece welded frame with masonry mounting straps and drywall bead frame for concealed drywall applications.

Hinge: Concealed pivot pins.

Spring: Heavy duty. An extra spring is provided with every door greater than 14" x 14" (356 x 356) for ceiling installation. Both springs must be attached to the door to ensure that the door will close when installed in the ceiling.

Latch: Standard - Flush mounted, interchangeable turn-ring operator and key-operator latch. Optional - cylinder key lock. All of MIFAB's cylinder key locks are keyed alike.

Fire Rating: Underwriters Laboratories "B" label. 1½ hours for walls. Warnock Hersey: 1 hour combustible ceilings and walls, 2 hour non-combustible ceilings and 3 hour noncombustible walls. Ceiling fire ratings are up to and including the 24" x 36" (610 x 914) size.

Insulation: Roxul Rockboard 80. 2" (50) thick and fire retardant.

Packaging: Individual pack.



* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8"	8 1/2" x 8 1/2"	10.0	1	MPFR-DW0808	\$334.00	MPFR-DWSS0808	\$784.00
10" x 10"	10 1/2" x 10 1/2"	12.0	1	MPFR-DW1010	\$334.00	MPFR-DWSS1010	\$798.00
12" x 12"	12 1/2" x 12 1/2"	14.0	1	MPFR-DW1212	\$342.00	MPFR-DWSS1212	\$812.00
12" x 18"	12 1/2" x 18 1/2"	16.0	1	MPFR-DW1218	\$423.00	MPFR-DWSS1218	\$985.00
12" x 24"	12 1/2" x 24 1/2"	19.0	1	MPFR-DW1224	\$450.00	MPFR-DWSS1224	\$967.00
14" x 14"	14 1/2" x 14 1/2"	15.5	1	MPFR-DW1414	\$363.00	MPFR-DWSS1414	\$870.00
16" x 16"	16 1/2" x 16 1/2"	16.5	1	MPFR-DW1616	\$423.00	MPFR-DWSS1616	\$985.00
18" x 18"	18 1/2" x 18 1/2"	19.0	1	MPFR-DW1818	\$441.00	MPFR-DWSS1818	\$1,023.00
20" x 20"	20 1/2" x 20 1/2"	24.0	1	MPFR-DW2020	\$504.00	MPFR-DWSS2020	\$1,063.00
22" x 22"	22 1/2" x 22 1/2"	28.0	1	MPFR-DW2222	\$574.00	MPFR-DWSS2222	\$1,074.00
22" x 30"	22 1/2" x 30 1/2"	35.0	2	MPFR-DW2230	\$855.00	MPFR-DWSS2230	\$1,476.00
24" x 24"	24 1/2" x 24 1/2"	30.0	1	MPFR-DW2424	\$655.00	MPFR-DWSS2424	\$1,128.00
24" x 36"	24 1/2" x 36 1/2"	46.0	2	MPFR-DW2436	\$956.00	MPFR-DWSS2436	\$1,529.00
24" x 48"	24 1/2" x 48 1/2"	65.0	2	MPFR-DW2448	\$1,116.00	MPFR-DWSS2448	\$1,696.00
30" x 30"	30 1/2" x 30 1/2"	45.0	1	MPFR-DW3030	\$956.00	MPFR-DWSS3030	\$1,453.00
32" x 32"	32 1/2" x 32 1/2"	47.0	1	MPFR-DW3232	\$1,025.00	MPFR-DWSS3232	\$2,049.00
36" x 36"	36 1/2" x 36 1/2"	60.0	2	MPFR-DW3636	\$1,116.00	MPFR-DWSS3636	\$2,243.00
36" x 48"	36 1/2" x 48 1/2"	80.0	2	MPFR-DW3648	\$1,222.00	MPFR-DWSS3648	\$2,977.00

The access door construction design (lock and hinge) cannot be changed without affecting the Warnock Hersey and cUL approvals.

Warnock Hersey




California State
Fire Marshall
Approval #
3330-1535:00

MPFR-DW OPTIONAL VARIATIONS

SUFFIX	DESCRIPTION	LIST PRICE, EACH
-C	Cylinder key lock	\$28.00

Note: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.


Note: Custom sized MPFR-DW Series of access doors cannot exceed 1,728 square inches with the fire rated approval.



A-B Door Size C-D Overall Dimensions - Door Size - Plus 2 5/8" (67) E Wall Opening - Door Size - Plus 1/2" (13) (Allow an extra 1/4" (6) clearance for latch housing on "D" side.)



Key Operator



Turn Ring Operator

The Key Operator and Turn Ring Operator keys are shipped with every MPFR-DW fire rated access door. If additional keys are required, please order them by Part # KEY-TRO

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.

sales@mifab.com Canada Toll Free: 1-800-387-3880

SERIES MI-SAD MEDIUM SECURITY ACCESS DOOR



DESCRIPTION

The MIFAB® MI-SAD medium security access door is designed for drywall, masonry, or concrete construction, providing the security required in today's schools, hospitals, hotels, and correctional institutions. It has a unique white finish.

SPECIFICATIONS

Material: MI-SAD Series is 12 gage steel door and 3/16" angle steel frame. The MI-SADSS Stainless Steel Series is 12 gage #304 stainless steel door and 3/16" (4) angle stainless steel frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Flush to frame.

Frame: 3/16" (4) x 1 1/2" (38) x 1 1/2" (38) angle steel, angle welded with joints ground smooth. The frame has pre-punched 3/16" (4) mounting holes for easy installation.

Hinge: Two heavy duty butt hinges welded to the door and frame.

Latch: Standard - Cylinder key lock. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

"MIFAB access doors are high quality and competitively priced and my Rep has local inventory which makes it very easy to get product when we need it!"

— Cindy Snyder, Project Manager/Partner, City Commercial Plumbing, Lake Balboa, CA

"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8"	8-1/2" x 8-1/2"	10.0	1	MI-SAD0808	\$131.00	MI-SADSS0808	\$333.00
10" x 10"	10-1/2" x 10-1/2"	11.0	1	MI-SAD1010	\$137.00	MI-SADSS1010	\$348.00
12" x 12"	12-1/2" x 12-1/2"	17.0	1	MI-SAD1212	\$140.00	MI-SADSS1212	\$356.00
14" x 14"	14-1/2" x 14-1/2"	20.0	1	MI-SAD1414	\$143.00	MI-SADSS1414	\$365.00
16" x 16"	16-1/2" x 16-1/2"	24.0	1	MI-SAD1616	\$151.00	MI-SADSS1616	\$385.00
18" x 18"	18-1/2" x 18-1/2"	28.0	1	MI-SAD1818	\$167.00	MI-SADSS1818	\$427.00
18" x 24"	18-1/2" x 24-1/2"	34.0	1	MI-SAD1824	\$185.00	MI-SADSS1824	\$473.00
22" x 22"	22-1/2" x 22-1/2"	37.0	1	MI-SAD2222	\$192.00	MI-SADSS2222	\$490.00
24" x 24"	24-1/2" x 24-1/2"	41.0	1	MI-SAD2424	\$196.00	MI-SADSS2424	\$501.00
24" x 30"	24-1/2" x 30-1/2"	50.0	1	MI-SAD2430	\$218.00	MI-SADSS2430	\$555.00
24" x 36"	24-1/2" x 36-1/2"	56.0	2	MI-SAD2436	\$236.00	MI-SADSS2436	\$603.00
30" x 30"	30-1/2" x 30-1/2"	60.0	2	MI-SAD3030	\$308.00	MI-SADSS3030	\$787.00
36" x 36"	36-1/2" x 36-1/2"	75.0	2	MI-SAD3636	\$381.00	MI-SADSS3636	\$973.00

SERIES MI-SADH HIGH SECURITY ACCESS DOOR



DESCRIPTION

The MIFAB® MI-SADH high security access door is designed to provide security access, with the strength and durability to endure abusive and vandal-prone conditions, common in many institutions. It has a unique white finish.

SPECIFICATIONS

Material: MI-SADH Series is 10 gage steel door and 1/4" angle steel frame. The MI-SADHSS Stainless Steel Series is 10 gage #304 stainless steel door and 1/4" (6) angle stainless steel frame.

Finish: Steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Flush to frame.

Frame: 1/4" x 2" x 2" (6 x 50 x 50) angle steel, angle welded with joints ground smooth. The frame has pre-punched 1/4" (6) mounting holes for easy installation.

Hinge: Two heavy duty butt hinges welded to the door and frame.

Latch: Standard - Best Lock #1E7D4-C228-RP3-626 with key. Optional - locks provided by others.

Packaging: Individual pack.

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

"B" x "A"	WALL OPENING	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
12" x 12"	12-1/2" x 12-1/2"	22.0	1	MI-SADH1212	\$2,167.00	MI-SADHSS1212	\$3,101.00
16" x 16"	16-1/2" x 16-1/2"	31.0	1	MI-SADH1616	\$2,278.00	MI-SADHSS1616	\$3,319.00
18" x 18"	18-1/2" x 18-1/2"	37.0	1	MI-SADH1818	\$2,300.00	MI-SADHSS1818	\$3,775.00
24" x 24"	24-1/2" x 24-1/2"	55.0	1	MI-SADH2424	\$2,378.00	MI-SADHSS2424	\$4,230.00
24" x 36"	24-1/2" x 36-1/2"	73.5	2	MI-SADH2436	\$2,427.00	MI-SADHSS2436	\$5,033.00
24" x 48"	24-1/2" x 48-1/2"	88.0	2	MI-SADH2448	\$2,647.00	MI-SADHSS2448	\$5,397.00
36" x 36"	36-1/2" x 36-1/2"	97.5	2	MI-SADH3636	\$2,740.00	MI-SADHSS3636	\$6,034.00
36" x 48"	36-1/2" x 48-1/2"	120.0	2	MI-SADH3648	\$2,784.00	MI-SADHSS3648	\$8,132.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

SERIES MI-FVP FLUSH VALVE PANEL

DESCRIPTION

The MIFAB® MI-FVP flush valve panel is designed for back supply toilets and urinals where the flush valve is built into the wall. This panel allows easy access to service the flush valve by maintenance personnel. The panel provides protection to the flush valve from vandalism.

SPECIFICATIONS

Material: MI-FVP Series is 16 gage satin coat steel door and 16 gage satin coat steel frame. The MI-FVPSS Stainless Steel Series is 16 gage #304 stainless steel door and frame.


Finish: Steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Has a 1½" (38) diameter hole in the center of the panel for the flush valve pushbutton. Optional - solid door with no hole in the middle - Suffix "-NH".

Frame: Two piece construction with 5/16" x 11/16" (8 x 17.5) OBL Slots for easy installation.

Latch: Four 1/4" (6) - 20 x 1" (25) tamper resistant stainless steel Torx screws.

Packaging: Individual pack.



* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

"B" x "A"	DOOR SIZE	WALL OPENING	SHIPPING WEIGHT (Lbs.)	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
MI-FVP-1	12" x 12"	10 1/2" x 10 1/2"	6.0	MI-FVP1212	\$134.00	MI-FVPSS1212	\$464.00
MI-FVP-2	13" x 17"	11 1/2" x 15 1/2"	7.0	MI-FVP1317	\$171.00	MI-FVPSS1317	\$623.00

SERIES MI-SF SURFACE ACCESS DOOR

DESCRIPTION

The MIFAB® MI-SF surface access door is designed for surface installation on drywall, masonry, or thin-coat plaster. The door is attached to the frame with a continuous piano hinge allowing 175 degree opening. It has a unique white finish.

SPECIFICATIONS

Material: MI-SF Series is 16 gage steel door and frame. The MI-SFSS Stainless Steel Series is 16 gage #304 stainless steel door and frame.

Finish: Satin coat steel doors have a primed white finish. Stainless steel doors have a #4 brush satin finish.

Door: Flush to frame. One 1/4" (6) hole in each corner. A 3/8" (9) wide outer perimeter space of the frame is bent on a fifteen degree angle toward the wall.

Hinge: Continuous piano hinge. 175 degree opening.

Latch: Standard – Flush mounted, screwdriver operated cam. Optional – Allen key, cylinder key, or Vandal resistant (lock only) latch. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.



* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

"B" x "A"	SHIP WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8"	2.5	1	MI-SF0808	\$55.00	MI-SFSS0808	\$171.00
10" x 10"	3.5	1	MI-SF1010	\$60.00	MI-SFSS1010	\$187.00
12" x 12"	4.0	1	MI-SF1212	\$75.00	MI-SFSS1212	\$232.00
14" x 14"	6.0	1	MI-SF1414	\$88.00	MI-SFSS1414	\$277.00
16" x 16"	8.0	1	MI-SF1616	\$110.00	MI-SFSS1616	\$340.00
18" x 18"	9.5	3	MI-SF1818	\$134.00	MI-SFSS1818	\$422.00
22" x 22"	13.5	3	MI-SF2222	\$167.00	MI-SFSS2222	\$522.00
24" x 24"	16.0	3	MI-SF2424	\$190.00	MI-SFSS2424	\$596.00

MI-SF OPTIONAL VARIATIONS

SUFFIX	DESCRIPTION	LIST PRICE, EACH
-A	Allen key lock	\$21.00
-C	Cylinder key lock	\$29.00
-VP	Vandal resistant (lock only)	\$69.00

NOTE: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.

sales@mifab.com Canada Toll Free: 1-800-387-3880

SERIES MI-VB, MI-VB-SM VALVE BOX



DESCRIPTION

The MIFAB® MI-VB valve box is designed to provide easy access to all types of valves and controls that are concealed in the wall and need to be protected by a fully enclosed box. The MIFAB® MI-VB-SM valve box is designed to provide easy access to all types of valves and controls that extend outside of the finished wall and need to be protected by a fully enclosed box. The depth of all valve boxes can be customized to meet any rough in requirements.

SPECIFICATIONS

Material: MI-VB Series is a 16 gage satin coat steel door and frame and a 20 gage satin coat steel box. The MI-VB-SM is 16 gage stain coat steel door and box. The MI-VBSS is a 16 gage #304 stainless steel door and frame with a 20 gage #304 stainless steel box. The MI-VB-SMSS

is a 16 gage #304 stainless steel door and box.

Finish: All Satin Coat VB's have a primed white finish. MI-VBSS has a #4 brush satin finish on door and frame and a 2B finish on the box. MI-VB-SMSS has a #4 brush satin finish on door as well as the box.

Door: MI-VB Series - flush to frame. Turned back around edges for extra rigidity. MI-VB-SM Series - overlaps box, providing a tight secure fit. Optional - opening cut out of door to allow for glass or plastic window to be installed - window material supplied by others.

Frame: MI-VB Series - pre-punched mounting holes for simple installation. It is welded to the box.

Hinge: Concealed pivot pins.

Latch: Standard - Flush mounted, screwdriver operated cam. Optional - Allen key, cylinder key, or paddle latch. All of MIFAB's cylinder key locks are keyed alike.

Packaging: Individual pack.



MI-VB-SM with optional cut out of door to allow for glass or plastic window by others.

(Illustrated) (Suffix -CO)

MI-VB, MI-VB-SM OPTIONAL VARIATIONS

SUFFIX	DESCRIPTION	LIST PRICE, EACH
-A	Allen key lock	\$21.00
-C	Cylinder key lock	\$29.00
-PL	Paddle latch	\$69.00
-VP	Vandal resistant (lock only)	\$69.00
-WR	Water resistant	\$110.00

NOTE: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified.

* Custom sized access doors are available. Contact your local MIFAB® representative for a quotation for any size access door you need.

MI-VB SERIES (RECESSED)

"B" x "A"	DOOR SIZE	SHIPPING WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8" x 4"	8" x 8" x 4"	10.0	1	MI-VB080804	\$228.00	MI-VBSS080804	\$478.00
8" x 8" x 6"	8" x 8" x 6"	12.0	1	MI-VB080806	\$247.00	MI-VBSS080806	\$538.00
8" x 8" x 8"	8" x 8" x 8"	14.0	1	MI-VB080808	\$269.00	MI-VBSS080808	\$601.00
12" x 12" x 4"	12" x 12" x 4"	18.0	1	MI-VB121204	\$285.00	MI-VBSS121204	\$617.00
12" x 12" x 6"	12" x 12" x 6"	20.0	1	MI-VB121206	\$305.00	MI-VBSS121206	\$657.00
12" x 12" x 8"	12" x 12" x 8"	24.0	1	MI-VB121208	\$318.00	MI-VBSS121208	\$710.00
14" x 14" x 4"	14" x 14" x 4"	26.0	1	MI-VB141404	\$352.00	MI-VBSS141404	\$776.00
14" x 14" x 6"	14" x 14" x 6"	28.0	1	MI-VB141406	\$372.00	MI-VBSS141406	\$796.00
14" x 14" x 8"	14" x 14" x 8"	30.0	1	MI-VB141408	\$396.00	MI-VBSS141408	\$833.00
16" x 16" x 4"	16" x 16" x 4"	32.0	1	MI-VB161604	\$424.00	MI-VBSS161604	\$933.00
16" x 16" x 6"	16" x 16" x 6"	34.0	1	MI-VB161606	\$445.00	MI-VBSS161606	\$980.00
16" x 16" x 8"	16" x 16" x 8"	36.0	1	MI-VB161608	\$470.00	MI-VBSS161608	\$1,034.00

MI-VB-SM SERIES (SURFACE MOUNTED)

"B" x "A"	DOOR SIZE	SHIPPING WEIGHT (Lbs.)	LATCHES	MILD STEEL MODEL #	LIST PRICE MILD STEEL	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL
8" x 8" x 4"	8" x 8" x 4"	10.0	1	MI-VB-SM080804	\$228.00	MI-VB-SMSS080804	\$478.00
8" x 8" x 6"	8" x 8" x 6"	12.0	1	MI-VB-SM080806	\$247.00	MI-VB-SMSS080806	\$538.00
8" x 8" x 8"	8" x 8" x 8"	14.0	1	MI-VB-SM080808	\$269.00	MI-VB-SMSS080808	\$601.00
12" x 12" x 4"	12" x 12" x 4"	18.0	1	MI-VB-SM121204	\$285.00	MI-VB-SMSS121204	\$617.00
12" x 12" x 6"	12" x 12" x 6"	20.0	1	MI-VB-SM121206	\$305.00	MI-VB-SMSS121206	\$657.00
12" x 12" x 8"	12" x 12" x 8"	24.0	1	MI-VB-SM121208	\$318.00	MI-VB-SMSS121208	\$710.00
14" x 14" x 4"	14" x 14" x 4"	26.0	1	MI-VB-SM141404	\$352.00	MI-VB-SMSS141404	\$776.00
14" x 14" x 6"	14" x 14" x 6"	28.0	1	MI-VB-SM141406	\$372.00	MI-VB-SMSS141406	\$796.00
14" x 14" x 8"	14" x 14" x 8"	30.0	1	MI-VB-SM141408	\$396.00	MI-VB-SMSS141408	\$833.00
16" x 16" x 4"	16" x 16" x 4"	32.0	1	MI-VB-SM161604	\$424.00	MI-VB-SMSS161604	\$933.00
16" x 16" x 6"	16" x 16" x 6"	34.0	1	MI-VB-SM161606	\$445.00	MI-VB-SMSS161606	\$980.00
16" x 16" x 8"	16" x 16" x 8"	36.0	1	MI-VB-SM161608	\$470.00	MI-VB-SMSS161608	\$1,034.00

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

SERIES PA PLASTIC ACCESS DOOR

DESCRIPTION

The MIFAB® PA plastic access door is designed to provide easy access to plumbing and cables behind walls and ceilings. The door is removable from the frame and fits tightly with snap latches. The white finish can be painted or wallpapered or left as is to match the surrounding environment. This door should not be installed near any existing or potential source of excessive heat or open flame.

SPECIFICATIONS

Material: PA Series is made of 1/8" (3) thick high impact styrene plastic with U.V. stabilizers to prevent fading and corrosion.

Finish: White.

Door: Flush to frame - rounded safety corners. Two pull tabs on the back of the door allow door to be pulled back into the frame from behind walls and ceilings.

Frame: One piece outside flange that is 1 1/2" (38) wide with a 5/8" deep mounting flange.

Latch: Snap latches allow door to fit tightly into frame.

Packaging: 8" x 8" (203 x 203) and 14" x 14" (356 x 356) doors are packed 15 per carton and the 14" x 29" (356 x 736) doors are packed 5 per carton.



MODEL #	PA SERIES	WALL OPENING	SHIPPING WEIGHT (Lbs.) (UNIT)	SHIPPING WEIGHT (Lbs.) (CARTON)	LIST PRICE, EACH
PA0808	8" x 8"	7 7/8" x 7 7/8"	0.75	14	\$41.00
PA1414	14" x 14"	13 7/8" x 13 7/8"	1.75	30	\$45.00
PA1429	14" x 29"	13 7/8" x 28 7/8"	2.90	17	\$99.00

SERIES FHA, FHG FLOOR ACCESS DOOR

DESCRIPTION

The MIFAB Series FHA and FHG floor access doors are for interior and exterior use where easy access is required. The angle frame construction with integral anchor flange is designed to be cast into concrete. They are available in either an acid resistant, powder epoxy coated steel finish (grey color) (FHG) or aluminum (FHA). Standard units withstand load bearing of 300 lbs. per square foot. They are designed for safety, durability and ease of operation.

SPECIFICATIONS

Material: FHG Series has a door made of 3/16" (5 mm) thick A36 diamond plate. FHA Series has a door made of 3/16" (5) thick structural grade aluminum diamond plate. Both doors can support 300 lbs. per square foot live load. Frame material is composite hot rolled steel angle frame.

Finish: FHG Series has an acid resistant, powder epoxy coated grey finish. FHA Series is an aluminum mill finish. Frame is finished with a bituminous coating.

Door: Flush to frame. Equipped with an automatically locking hold open arm that locks the door in the open position. Also available are 1/4" (6 mm) thick doors reinforced to meet a 10,000 lb. load rating. (without impact for the FHA Series)

Frame: Complete with a 1" (25 mm) anchor flange. All hardware is Type # 316 stainless steel.


Hinge: Tamper proof steel hinges with stainless steel pins.

Opening Device: Automatic locking hold open arm with red vinyl grip allows door to open 90 degrees.

Handle: Stainless steel recessed lift handle in the door.

Latch: The following lock options are available: padlock staple, Type # 316 stainless steel snap lock with removable handle, recessed hasp, Type # 316 stainless steel pentahead, keyed deadbolt lock or hasp and staple. The standard latch used is the compression lever latch (illustrated below).

Packaging: Individual pack.



"MIFAB's everyday access doors are high quality. They even have the ability to custom fabricate doors to my needs."

– Artie Maynard, Manager, Vrabell Plumbing, Gibsonia, PA

"B" x "A"	FLOOR OPENING	FHA SHIPPING WT. (Lbs.)	FHG SHIPPING WT. (Lbs.)	FHG MODEL #	FHG LIST PRICE	ALUMINUM MODEL #	FHA LIST PRICE (ALUMINUM)
24" x 24"	24-1/2" x 24-1/2"	42	90	FHG2424	\$1,608.00	FHA2424	\$1,874.00
24" x 30"	24-1/2" x 30-1/2"	49	105	FHG2430	\$1,847.00	FHA2430	\$2,164.00
24" x 36"	24-1/2" x 36-1/2"	55	120	FHG2436	\$1,940.00	FHA2436	\$2,468.00
30" x 30"	30-1/2" x 30-1/2"	56	122	FHG3030	\$2,196.00	FHA3030	\$3,945.00
30" x 36"	30-1/2" x 36-1/2"	64	138	FHG3036	\$2,256.00	FHA3036	\$4,195.00
30" x 48"	30-1/2" x 48-1/2"	78	172	FHG3048	\$2,869.00	FHA3048	\$4,632.00
36" x 36"	36-1/2" x 36-1/2"	72	156	FHG3636	\$3,045.00	FHA3636	\$4,945.00
36" x 48"	36-1/2" x 48-1/2"	89	194	FHG3648	\$3,319.00	FHA3648	\$5,422.00
42" x 42"	42-1/2" x 42-1/2"	90	196	FHG4242	\$3,189.00	FHA4242	\$5,021.00
48" x 48"	48-1/2" x 48-1/2"	108	240	FHG4848	\$3,946.00	FHA4848	\$5,403.00
48" x 72"	48-1/2" x 72-1/2"	150	332	FHG4872	\$6,531.00	FHA4872	\$7,956.00
60" x 60"	60-1/2" x 60-1/2"	155	340	FHG6060	\$8,055.00	FHA6060	\$9,465.00

To determine the floor opening for doors with a Recess Frame (Suffix -RF), add 6" to the "B" x "A" (Door Opening) dimensions in the above chart.

(Dimension) Denotes Millimetres. Note: The hinge is always furnished on the "A" or height (longer) dimension, unless otherwise specified. Example: the model number would be FHG4872 for a floor access door with the hinge on the longer (72") dimension. The model number would be FHG7248 for a floor access door with the hinge on the shorter (48") dimension..

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.

sales@mifab.com Canada Toll Free: 1-800-387-3880



Optional Accessories:

- Compression Spring Assist
- Skirting to Depth of Slab
- Fibreglass Insulation

SERIES RHA, RHG ROOF HATCH



Optional Accessories:

- Bolt-on Style Ladders
- Handrail Extensions
- Ship's Ladder Configurations with side rails
- Pop Up Safety Post

DESCRIPTION

The MIFAB Series RHA and RHG roof hatches are designed to provide convenient, economical access to the roofs of buildings. They are available in either prime coated galvanized steel (RHG) or aluminum (RHA). All hatches are designed with weather resistant gasketing to ensure long life, low maintenance and ease of operation. Roof hatches install easily over the roof opening and are secured from the base flange to the roof deck.

SPECIFICATIONS

Material: RHG cover is 14 gage galvanized steel and 20 gauge steel liner. RHA cover is .090" aluminum with a .050 aluminum liner. The inside of the cover is gasketed with a neoprene weather seal to provide a flush, tight, fit. Covers are insulated with 1" (25) of fibreboard and are designed to support a snow load of 40 lbs. per square foot. The frame for the RHG Series is 14 gage galvanized steel and the frame for the RHA Series is .090" aluminum.

Curb: Curbs are 12" (305) high with 4" (102) wide rounded corner flashing flange complete with 1" (25) fibreboard insulation.

Hinge: Formed steel hinges with stainless steel pins.

Finish: RHG Series is a primed white finish. RHA Series is an aluminum mill finish.

Opening: Hydraulic column operators allow cover to open and close easily.

Device: Cover is equipped with an automatic hold open arm with a red vinyl grip release that keeps the cover in an open position when needed, and allows for easy control when lowering the latch cover.

Handle: Self latching outside cadmium plated steel turn handle with inside lever handle allows cover to always latch securely.

Latch: Locking hasps are located both inside and outside of the cover. All hardware is cadmium plated steel.

"I buy MIFAB because of their large selection of access door options, competitive pricing, and high quality!"

— Adam Chew, Manager, Ferguson, Madison, WI


"B" x "A"	INSIDE FRAME DIM.	OUTSIDE FRAME DIM.	ROOF OPENING	SHIPPING WEIGHT RHG (Lbs.)	GALVANIZED MODEL #	RHG LIST PRICE (GALVANIZED)	SHIPPING WEIGHT RHA (Lbs.)	ALUMINUM MODEL #	RHA LIST PRICE (ALUMINUM)
24" x 24"	24" x 24"	31" x 31"	24" x 24"	125	RHG2424	\$1,670.00	60	RHA2424	\$1,702.00
24" x 30"	24" x 30"	31" x 37"	24" x 30"	130	RHG2430	\$1,763.00	65	RHA2430	\$1,794.00
24" x 36"	24" x 36"	31" x 43"	24" x 36"	135	RHG2436	\$1,824.00	70	RHA2436	\$1,846.00
30" x 30"	30" x 30"	37" x 37"	30" x 30"	145	RHG3030	\$1,896.00	80	RHA3030	\$2,182.00
30" x 36"	30" x 36"	37" x 43"	30" x 36"	155	RHG3036	\$2,067.00	85	RHA3036	\$2,310.00
30" x 54"	30" x 54"	37" x 61"	30" x 54"	225	RHG3054	\$2,258.00	135	RHA3054	\$2,512.00
30" x 96"	30" x 96"	37" x 103"	30" x 96"	335	RHG3096	\$4,364.00	245	RHA3096	\$5,460.00
36" x 36"	36" x 36"	43" x 43"	36" x 36"	200	RHG3636	\$2,696.00	110	RHA3636	\$6,078.00
36" x 48"	36" x 48"	43" x 55"	36" x 48"	430	RHG3648	\$4,012.00	270	RHA3648	\$6,565.00
48" x 48"	48" x 48"	55" x 55"	48" x 48"	430	RHG4848	\$4,342.00	305	RHA4848	\$7,051.00

LOCKS AND LATCHES



Mortise Prep Cylinder Lock - (MIFAB can cut an opening into the door panel to accept any lock requested by the customer.
Note: illustration is with lock and key but this is always provided by others.
\$152.00 List Price, each. For the MPFR Series, the lock must be installed by MIFAB during the production process. (It cannot be installed later.)

(Part # 1E7D4-C228-RP3-626)



Paddle Latch
 (Suffix -PL)
 (\$69.00 List Price, each)
 (Part # PADDLE-LATCH)



Vandal resistant (lock only)
 (Torx screw) (Suffix -VP)
 (\$69.00 List Price, each)
 Torx screwdriver is not included.

(Part # H-1031B)
 (List Price - \$83.00)



Allen Key Lock (Suffix -A)
 (\$21.00 List Price, each)
 (Part # ALLEN-LOCK)



Flat Head Screw Driver Operated Cam Latch (Standard)
 (Part # SCREW-DRIVER-LOCK)



(Part # CYL-KEY-LOCK)

Cylinder Lock and Key
 (Suffix -C)
 (All of MIFAB's cylinder key locks are keyed alike)
 (\$29.00 List Price, each)

(Part # for the key only is CYL-KEY. List Price for the key only is \$22.00)

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

SERIES WID EXTERIOR ACCESS DOOR/WALK-IN DOOR

WID Series with 1" Insulation Thickness

"B" x "A"	SHIPPING WEIGHT (Lbs.)	LATCHES	GALVANIZED MODEL #	GALVANIZED LIST PRICE	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL	INSULATION THICKNESS
12" x 12"	15.00	1	WID1.0-1212	\$594.00	WIDSS1.0-1212	\$1,112.00	1"
12" x 24"	23.00	2	WID1.0-1224	\$771.00	WIDSS1.0-1224	\$1,444.00	1"
14" x 14"	17.00	1	WID1.0-1414	\$643.00	WIDSS1.0-1414	\$1,205.00	1"
16" x 16"	18.50	1	WID1.0-1616	\$708.00	WIDSS1.0-1616	\$1,260.00	1"
16" x 20"	20.00	1	WID1.0-1620	\$771.00	WIDSS1.0-1620	\$1,444.00	1"
16" x 36"	32.00	1	WID1.0-1636	\$1,378.00	WIDSS1.0-1636	\$2,150.00	1"
18" x 18"	20.00	1	WID1.0-1818	\$771.00	WIDSS1.0-1818	\$1,444.00	1"
20" x 30"	31.00	2	WID1.0-2030	\$1,378.00	WIDSS1.0-2030	\$2,150.00	1"
22" x 30"	32.00	2	WID1.0-2230	\$1,378.00	WIDSS1.0-2230	\$2,150.00	1"
22" x 36"	36.00	2	WID1.0-2236	\$1,458.00	WIDSS1.0-2236	\$2,280.00	1"
24" x 24"	28.00	1	WID1.0-2424	\$1,088.00	WIDSS1.0-2424	\$1,700.00	1"
24" x 36"	40.00	2	WID1.0-2436	\$1,633.00	WIDSS1.0-2436	\$2,236.00	1"
30" x 30"	38.00	2	WID1.0-3030	\$1,588.00	WIDSS1.0-3030	\$2,226.00	1"
30" x 60"	85.00	2	WID1.0-3060	\$2,431.00	WIDSS1.0-3060	\$3,040.00	1"
36" x 36"	50.00	2	WID1.0-3636	\$2,077.00	WIDSS1.0-3636	\$2,573.00	1"
36" x 48"	81.00	2	WID1.0-3648	\$2,417.00	WIDSS1.0-3648	\$2,771.00	1"



DESCRIPTION

The MIFAB® WID exterior access doors are designed to provide convenient access to any exterior application, or anywhere that requires protection against air leakage and/or water penetration. WID doors are also designed to serve the custom air handling equipment manufacturers, as well as mechanical contractors who field assemble built-up air handling systems. All WID doors are manufactured with extruded aluminum flanged frames and door panel frames. Door panels are satin coat steel with optional stainless steel and aluminum sheet inserts. Door panels are insulated and gasketed. WID doors can be manufactured in custom sizes from 12" x 12" to 96" x 96". Consult the factory for larger applications.

SPECIFICATIONS

Flanged Frame: .080" extruded aluminum

Door Panel Frame: .060" extruded aluminum

Door Panels: 20 gauge satin coat steel, with optional stainless steel and aluminum sheet

Insulation: .75 PCF fiberglass

Handles: Dual Acting Handles for inside and out side operation

Gasket: Extruded EPDM draft seal gasket

Hinge: Zinc plated steel continuous type

Optional Viewport:

9" x 9" or 12" x 12"

Finish: Mill

Door Thickness:

1", 1½", 2" and 4" deep

Size Range:

12" x 12" thru 96" x 96"

Swing:

Out-Swing (std) and In-Swing option

Leakage Rated: 2.05 CFM, at a

test pressure of 12.0 inches of water

column. (WID 2.0)

WID Series with 1 1/2" Insulation Thickness

"B" x "A"	SHIPPING WEIGHT (Lbs.)	LATCHES	GALVANIZED MODEL #	GALVANIZED LIST PRICE	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL	INSULATION THICKNESS
12" x 12"	17.00	1	WID1.5-1212	\$712.00	WIDSS1.5-1212	\$1,336.00	1.5"
12" x 24"	25.00	2	WID1.5-1224	\$924.00	WIDSS1.5-1224	\$1,735.00	1.5"
14" x 14"	19.00	1	WID1.5-1414	\$771.00	WIDSS1.5-1414	\$1,447.00	1.5"
16" x 16"	20.00	1	WID1.5-1616	\$849.00	WIDSS1.5-1616	\$1,590.00	1.5"
16" x 20"	22.00	1	WID1.5-1620	\$924.00	WIDSS1.5-1620	\$1,735.00	1.5"
16" x 36"	35.00	1	WID1.5-1636	\$1,654.00	WIDSS1.5-1636	\$2,583.00	1.5"
18" x 18"	22.00	1	WID1.5-1818	\$924.00	WIDSS1.5-1818	\$1,735.00	1.5"
20" x 30"	34.00	2	WID1.5-2030	\$1,654.00	WIDSS1.5-2030	\$2,583.00	1.5"
22" x 30"	34.00	2	WID1.5-2230	\$1,654.00	WIDSS1.5-2230	\$2,583.00	1.5"
22" x 36"	40.00	2	WID1.5-2236	\$1,751.00	WIDSS1.5-2236	\$2,735.00	1.5"
24" x 24"	31.00	1	WID1.5-2424	\$1,305.00	WIDSS1.5-2424	\$2,039.00	1.5"
24" x 36"	44.00	2	WID1.5-2436	\$1,960.00	WIDSS1.5-2436	\$2,683.00	1.5"
30" x 30"	42.00	2	WID1.5-3030	\$1,905.00	WIDSS1.5-3030	\$2,672.00	1.5"
30" x 60"	90.00	2	WID1.5-3060	\$2,917.00	WIDSS1.5-3060	\$3,647.00	1.5"
36" x 36"	55.00	2	WID1.5-3636	\$2,493.00	WIDSS1.5-3636	\$3,088.00	1.5"
36" x 48"	90.00	2	WID1.5-3648	\$2,901.00	WIDSS1.5-3648	\$3,325.00	1.5"

WID Series with 2" Insulation Thickness

"B" x "A"	SHIPPING WEIGHT (Lbs.)	LATCHES	GALVANIZED MODEL #	GALVANIZED LIST PRICE	STAINLESS STEEL MODEL #	LIST PRICE STAINLESS STEEL	INSULATION THICKNESS
12" x 12"	19.00	1	WID2.0-1212	\$856.00	WIDSS2.0-1212	\$1,604.00	2"
12" x 24"	27.00	2	WID2.0-1224	\$1,109.00	WIDSS2.0-1224	\$2,081.00	2"
14" x 14"	21.00	1	WID2.0-1414	\$924.00	WIDSS2.0-1414	\$1,736.00	2"
16" x 16"	22.00	1	WID2.0-1616	\$1,016.00	WIDSS2.0-1616	\$1,907.00	2"
16" x 20"	24.00	1	WID2.0-1620	\$1,109.00	WIDSS2.0-1620	\$2,082.00	2"
16" x 36"	38.00	1	WID2.0-1636	\$1,985.00	WIDSS2.0-1636	\$3,101.00	2"
18" x 18"	24.00	1	WID2.0-1818	\$1,109.00	WIDSS2.0-1818	\$2,082.00	2"
20" x 30"	37.00	2	WID2.0-2030	\$1,985.00	WIDSS2.0-2030	\$2,249.00	2"
22" x 30"	37.00	2	WID2.0-2230	\$1,985.00	WIDSS2.0-2230	\$3,101.00	2"
22" x 36"	44.00	2	WID2.0-2236	\$2,101.00	WIDSS2.0-2236	\$3,282.00	2"
24" x 24"	34.00	1	WID2.0-2424	\$1,566.00	WIDSS2.0-2424	\$2,447.00	2"
24" x 36"	48.00	2	WID2.0-2436	\$2,352.00	WIDSS2.0-2436	\$2,871.00	2"
30" x 30"	45.00	2	WID2.0-3030	\$2,288.00	WIDSS2.0-3030	\$3,207.00	2"
30" x 60"	100.00	2	WID2.0-3060	\$3,501.00	WIDSS2.0-3060	\$4,376.00	2"
36" x 36"	60.00	2	WID2.0-3636	\$2,990.00	WIDSS2.0-3636	\$3,704.00	2"
36" x 48"	100.00	2	WID2.0-3648	\$3,482.00	WIDSS2.0-3648	\$3,991.00	2"

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.

sales@mifab.com Canada Toll Free: 1-800-387-3880

SERIES SL SEAMLESS ACCESS PANELS

CREATING SEAMLESS SOLUTIONS

Seamless™ Access Panels by MIFAB® are manufactured from GFRGIFRC & 70% post-consumer recycled glass, for a unique GREEN design-matrix designed to blend seamlessly into your walls and ceilings. They consist of a surround frame and either a drop-in door or hinged door. Available in twenty standard residential or commercial sizes, MIFAB® panels are perfect for jobs where access is required at regular intervals. Lightweight and easily textured, the panels can be used in both new and retrofit construction across unlimited applications. Their smart design to help contractors work smarter faster and better, the Seamless™ panels feature a tapered edge for tape joints and won't shrink, crack or sag. Seamless™ Access Panels provide an aesthetically pleasing solution for a more attractive interior.

PRODUCT FEATURES


- Tapered edge for tape joint
- Lightweight
- No shrinking, cracking, sagging or rusting
- Concealed hinge
- Moisture resistant
- Easily textured
- Single trade installation
- Blends seamlessly into surrounding drywall
- Reduce labor costs
- Zero mold & fungus growth

- Custom sizes available
- Round pop-out panels available
- Neoprene gasket available upon request



"We use MIFAB access doors because they are competitively priced and high quality."


– Bryan Lawlor, Manager, Allstar Plumbing, Glen Burnie, MD




CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

SERIES SL SEAMLESS ACCESS PANELS


GENERAL DRAWING POP-OUT OR HINGED



POP-OUT SPECIFICATION



HINGED SPECIFICATION



HOW TO INSTALL ACCESS PANELS



1. Frame the opening.



2. Mount Seamless™ surround with drywall screws.



3. Mounted frame.



4. Install drywall and place access panel in opening.



5. Tape and apply drywall compound.



6. Apply desired finish.

SEAMLESS PANELS TECHNICAL DATA

Shell Thickness	1/8" to 3/16"
Fastener Test Pull Out (wood stud)	525 lb avg.
Fastener Test Pull Out (metal stud)	215 lb avg.
Fastener Push Through Test	350 lb avg.
Fuel Contribution (ASTM E84-80)	0
Flame Spread (ASTM E84-80)	0
Smoke Index (ASTM E84-80)	0
Combustion (ASTM E84-80)	Non-combustible
Class A Non-Rated	-

Designed for both wall and ceiling applications, the hinged Seamless™ Panel by MIFAB® can be used where a locked door is needed but style must still be maintained. The hinged panel is great for use in ceiling applications where there is no space to push a door up, and in wall applications when access to plumbing and electrical is needed.

- The **Seamless™** Hinged Access Panel and Pop-out Panel consists of a frame door with concealed hinges and a cam or key lock.
- Round Pop-out Panel available in five sizes.
- Neoprene Gasket** available for all panels upon request.
- These panels require extra reinforcement and a crate or pallet to ship.
- Ships directly from the manufacturing plant in Concord, ON Canada.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.


MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.


sales@mifab.com Canada Toll Free: 1-800-387-3880

SERIES SL SEAMLESS ACCESS PANELS




POP-OUT - RADIUS CORNER

Model Number	Pop-Out Size	Rough Opening	Weight per/panel	List Price
SL0909-RC	9" x 9"	15" x 15"	6 lbs	\$198.00
SL1212-RC	12" x 12"	18" x 18"	8 lbs	\$208.00
SL1616-RC	16" x 16"	22" x 22"	10 lbs	\$227.00
SL1818-RC	18" x 18"	24" x 24"	11 lbs	\$231.00
SL2424-RC	24" x 24"	30" x 30"	16 lbs	\$246.00




POP-OUT - SQUARE CORNER

Model Number	Pop-Out Size	Rough Opening	Weight per/panel	List Price
SL0909-SC	9" x 9"	15" x 15"	6 lbs	\$198.00
SL1212-SC	12" x 12"	18" x 18"	8 lbs	\$208.00
SL1616-SC	16" x 16"	22" x 22"	10 lbs	\$227.00
SL1818-SC	18" x 18"	24" x 24"	11 lbs	\$231.00
SL2424-SC	24" x 24"	30" x 30"	16 lbs	\$246.00



POP-OUT - ROUND


Model Number	Pop-Out Size	Rough Opening	Weight per/panel	List Price
SL09-RD	9" diameter	15" x 15"	6 lbs	\$265.00
SL12-RD	12" diameter	18" x 18"	9 lbs	\$270.00
SL16-RD	16" diameter	22" x 22"	10 lbs	\$284.00
SL18-RD	18" diameter	24" x 24"	11 lbs	\$307.00
SL24-RD	24" diameter	30" x 30"	16 lbs	\$312.00



HINGED RADIUS CORNER- Comes with Cam-Latch

Model Number	Pop-Out Size	Rough Opening	Weight per/panel	List Price
SL0909-HG-RC	9" x 9"	15" x 15"	12 lbs	\$425.00
SL1212-HG-RC	12" x 12"	18" x 18"	15 lbs	\$435.00
SL1616-HG-RC	16" x 16"	22" x 22"	17 lbs	\$449.00
SL1818-HG-RC	18" x 18"	24" x 24"	18 lbs	\$458.00
SL2424-HG-RC	24" x 24"	30" x 30"	22 lbs	\$468.00

Specify Cam-Latch: Slotted S1, Keyed Alike K1



HINGED SQUARE CORNER- Comes with Cam-Latch

Model Number	Pop-Out Size	Rough Opening	Weight per/panel	List Price
SL0909-HG-SQ	9" x 9"	15" x 15"	12 lbs	\$425.00
SL1212-HG-SQ	12" x 12"	18" x 18"	15 lbs	\$435.00
SL1616-HG-SQ	16" x 16"	22" x 22"	17 lbs	\$449.00
SL1818-HG-SQ	18" x 18"	24" x 24"	18 lbs	\$458.00
SL2424-HG-SQ	24" x 24"	30" x 30"	22 lbs	\$468.00

Specify Cam-Latch: Slotted S1, Keyed Alike K1

Packaged ONE per/carton OEM KRAFT Box.

Neoprene Gasket available upon request on all model types addition charge.

Freight is extra on all seamless access door orders.

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.



Acudor to MIFAB		
Acudor	MIFAB	Page #
ADWT	Contact MIFAB	-
AF-VP	MI-FVP	11
AP-5010	CAD-PL	4
ARVB	MI-VB	12
ASVB	MI-VB-SM	12
AS-9000	Contact MIFAB	-
AT-5020	CAD-FR	6
BP58	Contact MIFAB	-
DW-5015	CAD-DW	4
DW-5040	MDW	3
DW-5058	CAD	3
ED-2002	EA	-
FA-150, FA-300	FHA, FHG	13
FA-H20	FHA, FHG	13
FB-5060	MFRU	8
FB-5060-DW	MPFR-DW	9
FC-300	Contact MIFAB	-
FC-H20	Contact MIFAB	-
FD-8060	Contact MIFAB	-
FRFD	Contact MIFAB	-
FT-8040	Contact MIFAB	-
FT-8050	Contact MIFAB	-
FT-8060	Contact MIFAB	-
FT-8080	Contact MIFAB	-
FT-8080-1	Contact MIFAB	-
FW-5050	MPFR	7
FW-5050-DW	MPFR-DW	9
FW-5050-UP	Contact MIFAB	-
FW-5060-TD	Contact MIFAB	-
G3000, A3000	RHA, RHG	14
GFRG	Contact MIFAB	-
LT-4000	Contact MIFAB	-
MS-7000	MI-SAD	10
PA-3000	PA	13
PS-5030	CAD-FL-PL	6
SD-6000	MI-SADH	10
SF-2000	MI-SF	11
UF-5000	UA	2
UF-5500	UA	2
WD-8000	WID	15
Babcock - Davis to MIFAB		
Babcock - Davis	MIFAB	Page #
B-DTK	Contact MIFAB	-
B-FDDH	Contact MIFAB	-
B-FDDP	Contact MIFAB	-
B-FDE	FHG	13
B-FDN	FHA	13
B-FDR	Contact MIFAB	-
B-FRD	Contact MIFAB	-
B-FRV	Contact MIFAB	-
B-HS	MI-SADH	10
B-IP	MPFR-PL	7
B-IT	MPFR	7
B-IW	MPFR-DW	9
B-LW	UA	2
B-MP	MI-SAD-PL	10
B-MT	MI-SAD	10
B-MW	MI-SAD-DW	10
B-NP	CAD-FL-PL	6
B-NT	UA	2
B-NW	MDW	3
B-PL	PA	13
B-RA	CAD	3
B-RHA, RHG	RHA, RHG	14
B-RHE	Contact MIFAB	-
B-RHL	Contact MIFAB	-
B-RHS	Contact MIFAB	-
B-RV	Contact MIFAB	-
B-RW	CAD-DW	4
B-RP	CAD-PL	4
B-ST	MPFR-C	7
B-SW	MPFR-C-DW	9
B-TS	MI-SADH	10
B-UP	MFRU-PL	8
B-UT	MFRU	8
B-UW	MFRU-DW	8
B-XT	WID	15
Cendrex to MIFAB		
Cendrex	MIFAB	Page #
AHA	CAD	3
AHA-GYP	CAD-DW	4
AHA-PLY	CAD-FL	5
AHD	UA	2
AHD-GYP	MDW	3
AHD-PLY	CAD-FL-PL	6
BTA, BTB	MI-VB	12

CTR	MI-SF	11
DRD	Contact MIFAB	-
GRG	Contact MIFAB	-
LHD	Contact MIFAB	-
LHD-180	Contact MIFAB	-
MDS	MI-SAD	10
PAL	Contact MIFAB	-
PFI	MPFR	7
PFI-GYP	MPFR-DW	9
PFI-PLY	MPFR-PL	7
PFN	MFRU	8
PFN-GYP	MFRU-DW	9
PFN-PLY	MFRU-PL	8
PFU	Contact MIFAB	-
PHS	MI-SADH	10
PPA	FHA	13
PPA-RE	Contact MIFAB	-
RMD	MI-SF	11
RPL	PA	13
SFM	MI-SF	11
TRH	RHG	14
Elmdor to MIFAB		
Elmdor	MIFAB	Page #
AP	CAD-PL	4
AT	CAD	3
CFR	CAD-FR	6
DW	UA	2
DWB	MDW	3
ED	WID	15
FR	MFRU	8
FRC	MPFR	7
ML	CAD-FL-PL	6
PW	CAD-FL	5
RAH	RHA, RHG	14
SF	MI-SF	11
SLA	MI-SADH	10
SLK	MI-SAD	10
S009 / S010	MI-FVP	11
VB	MI-VB	12
WSR	Contact MIFAB	-
JL to MIFAB		
JL	MIFAB	Page #
AAF	Contact MIFAB	-
AGF	Contact MIFAB	-
ATM	Contact MIFAB	-
CP	CAD-PL	4
CT	CAD	3
CTWB	CAD-DW	4
FD	MPFR	7
FDPW	MPFR-DW	9
FDSS	MPFR-SS	7
FDWB	MPFR-DW	9
FRC	CAD-FR	6
HGFD	MPFR	7
HSP	MI-SADH	10
PW	CAD-FL	5
PWE	CAD-FL-PL	6
RHA, RHG	RHA, RHG	14
SMT	MI-SF	11
SP	MI-SAD	10
TM	UA	2
TMS	UA-SS	2
WB	MDW	3
XPA	WID	15
XPA-PWE	WID	15
XPS	WID	15
Karp to MIFAB		
Karp	MIFAB	Page #
DSB-123SD	MI-SADH	10
DSB-123SD-MS	MI-SAD	10
DSB-214SM	MI-SF	11
DSC-210	CAD	3
DSC-210-PL	CAD-PL	4
DSC-214M	UA	2
DSC-214-PL	CAD-FL-PL	6
HA	PA	13
KAF	Contact MIFAB	-
KATR	CAD-FR	6
KDW	CAD-FL-PL	6
KFD-HD	FHA, FHG	13
KFD-SD	FHA, FHG	13
KRHA	RHA	14
KRHG	RHG	14
KRP-150FR	MPFR	7
KRP-250FR	MFRU	8
KRP-350FR	MPFR-DW	9
KRP-450FR	MPFR-DW	8

KRVB	MI-VB-SM	12
KSMB	MI-VB	12
KSTC	Contact MIFAB	-
KSTDW	Contact MIFAB	-
KSTE	Contact MIFAB	-
MC	UA	2
MX	WID	15
PF	UA	2
RDWPD	Contact MIFAB	-
RDW	CAD-DW	4
Larsen's to MIFAB		
Larsen's	MIFAB	Page #
L-APC	CAD-PL	4
L-CPA	CAD	3
L-DPFB	MPFR-C	7
L-DPH	MI-SADH	10
L-DPM	MI-SAD	10
L-DWC	MDW	3
L-DWR	CAD-DW	4
L-FRAP	MPFR	7
L-LCP	EA	-
L-MPG	UA	2
L-MPSS	UA-SS	2
L-PSW	CAD-FL-PL	6
L-XT	WID	15
VC	MI-VB	12
Milcor to MIFAB		
Milcor	MIFAB	Page #
AP (3206-)	CAD-PL	4
AT (3205-)	CAD	3
ATR (3204-)	CAD-FR	6
CF	Contact MIFAB	-
CT	Contact MIFAB	-
DW (3203-)	MDW	3
DWR	CAD-DW	4
FA, FC, FM	FHA, FHG	13
HS (3211-)	MI-SADH	10
K (3200-)	CAD-FL-PL	6
M (3202-)	UA	2
M-1	RHG	14
ME (3215-)	UA	2
NFR (3219-)	MFRU	8
RBS-1	RHG	14
RBS-1	RHG	14
RC	RHA	14
RCS-1	RHA	14
RD-1	RHA	14
UFR (3218-)	MPFR	7
3211	MI-SADH	10
3601	MI-VB	12
Nystrom to MIFAB		
Nystrom	MIFAB	Page #
DTK	Contact MIFAB	-
FDDH	Contact MIFAB	-
FDDP	Contact MIFAB	-
FDE	FHG	13
FDN	FHA	13
FDR	Contact MIFAB	-
FRD	Contact MIFAB	-
FRV	Contact MIFAB	-
HS	MI-SADH	10
IP	MPFR-PL	7
IT	MPFR	7
IW	MPFR-DW	9
LW	UA	2
MP	MI-SAD-PL	10
MT	MI-SAD	10
MW	MI-SAD-DW	10
NP	CAD-FL-PL	6
NT	UA	2
NW	MDW	3
PL	PA	13
RA	CAD	3
RHA, RHG	RHA, RHG	14
RHE	Contact MIFAB	-
RHL	Contact MIFAB	-
RHS	Contact MIFAB	-
RV	Contact MIFAB	-
RW	CAD-DW	4
RP	CAD-PL	4
ST	MPFR-C	7
SW	MPFR-C-DW	9
TS	MI-SADH	10
UP	MFRU-PL	8
UT	MFRU	8
UW	MFRU-DW	8
XT	WID	15

PPP to MIFAB		
PPP	MIFAB	Page #
D-88PC	UA0808	2
D-88SS	UASS0808	2
D-814PC	UA0814	2
D-814SS	UASS0814	2
D-1212PC	UA1212	2
D-1212SS	UASS1212	2
D-1416PC	UA1416	2
D-1416SS	UASS1416	2
D-1620PC	UA1620	2
D-1620SS	UASS1620	2
D-2030PC	UA2030	2
D-2030SS	UASS2030	2
D-2424PC	UA2424	2
D-2424SS	UASS2424	2
F-88PC	MFRU0808	8
F-88SS	MFRUSS0808	8
F-814PC	MFRU0814	8
F-814SS	MFRUSS0814	8
F-1212PC	MFRU1212	8
F-1212SS	MFRUSS1212	8
F-1416PC	MFRU1416	8
F-1416SS	MFRUSS1416	8
F-1620PC	MFRU1620	8
F-1620SS	MFRUSS1620	8
F-2030PC	MFRU2030	8
F-2030SS	MFRUSS2030	8
F-2424PC	MFRU2424	8
F-2424SS	MFRUSS2424	8
Williams to MIFAB		
Williams	MIFAB	Page #
WB-AHD-1400	UD	6
WB-AL-4000	Contact MIFAB	-
WB-AP-510	CAD-PL	4
WB-AT-600	CAD	3
WB-ATR-610	CAD-FR	6
WB-BASIC-300	UA	2
WB-DW-400	MDW	3
WB-EXT-1300	WID	15
WB-FR-400	MPFR	7
WB-FR-DW-820	MPFR-DW	9
WB-FR-PL-830	MPFR-PL	7
WB-FR-PL-840	MPFR-FL	7
WB-FR-PRE-700	MFRU	8
WB-FRB-900	MFRU	8
WB-FRC-50	MPFR	7
WB-FRU-810	MPFR	7
WB-GP-100	UA	2
WB-GY-3000	Contact MIFAB	-
WB-HG-SEC-1100	MI-SADH	10
WB-MAP	PA	13
WB-MD-SEC-1000	MI-SAD	10
WB-PL-500	CAD-FL-PL	6
WB-RP-110	MI-SF	11
WB-RDW-410	CAD-DW	4
WB-ROOF-HATCH	RHG	14
WB-SF-VC-FR	MI-VB	12
WB-SF-VC-S	MI-VB-SM	12
WB-SMP-120	MI-SF	11
WB-TB-1200	UA	2
WB-TYPE J + JD	FHG	13
WB-TYPE K + KD	FHA	13
WB-TYPE S + E	RHA	14
WB-TYPE T + TD	Contact MIFAB	-
WB-TYPE TER + TRD	Contact MIFAB	-
WB-TYPE Q	FHG	13
WB-UAD-200	UA	2
WB-WIN-1700	Contact MIFAB	-

"I like buying MIFAB access doors because they are easy to install and have a good design."

— Larry Fernandez, Manager,
Coburn's Supply, Houma, LA

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.


Visit www.mifab.com for the most recent product information.

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.

sales@mifab.com Canada Toll Free: 1-800-387-3880



MIFAB® BINDER AND PRICE BOOKS



COMPLETE MIFAB BINDER
(with all product booklets inside)
Lit # 001B



MPB-2019-USA
Lit # 067



NH-2019
Lit # 044




CLPB-2019
Lit # 048



BEECO-2019-07
Lit # 071



AD-2020-USA
Lit # 043



TSP-2017
Lit # 062



TD-2017
Lit # 046



TDSS-2016
Lit # 072



DB-2018
Lit # 070



CPORT-2019
Lit # 047



INT-2020
Lit # 095



HYDROMAX-2019
Lit # 082



FILCOTEN-2017
Lit # 076



ROOFGUARD-2018
Lit # 058

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Design and dimensions are subject to modification. Prices do not include applicable taxes.

Visit www.mifab.com for the most recent product information.

MIFAB®, Inc., 1321 West 119th Street, Chicago, Illinois 60643-5109, USA

Toll Free: 1-800-465-2736, Fax: 1-773-341-3049

All sales subject to MIFAB's® Terms and Warranties. Please refer to inside front cover.

sales@mifab.com Canada Toll Free: 1-800-387-3880

MIFAB ACCESS DOORS



UNIVERSAL
ACCESS DOOR



DRYWALL BEAD
ACCESS DOOR



CEILING OR WALL
ACCESS DOOR



INSULATED FIRE RATED
ACCESS DOOR

FOR THE MOST UP-TO-DATE SPEC
SHEETS VISIT WWW.MIFAB.COM