

Location: _____





BIG-OS

**Big Max® – 75 and 100 GPM
HDPE Oil / Sediment Interceptors**

Specification: MIFAB® Series BIG-_____-OS (indicate model) HDPE rotational molded oil / sediment interceptor with liquid holding capacity of _____ (indicate). Unit shall include: 3/8" uniform wall thickness, deep seal trap covered by Load Class "C" ductile iron top inlet grates, sediment bucket (1/4" diameter holes) within adjustable top assembly system, internal air relief by-pass and sample port access.

Function: Oil / sediment interceptors are required anywhere oil and sediment may be introduced to the public sewer system in applications such as: repair garages, oil change stations, car wash facilities, parking garages and facilities where oil and flammable liquid waste are produced as a result of manufacturing, storage, maintenance, repair or testing processes. Sediment and debris are collected inside of the internal sediment bucket. Regular maintenance is required to keep the interceptor functioning. Interceptor to be installed flush with the floor. Standard BIG-OS models are made with "special duty" load rated (over 10,000 lbs.) ductile iron top inlet grates. The optional -SI models are made with an 4" no hub inlet opposite the outlet.



Model No.	SLUDGE CAPACITY (LBS.)	Liquid Holding Capacity (Gallons)	B Width	Shipping Weight (Lbs.)
BIG-140-OS	750 Lbs. (105 Gallons)	140	33.50"	250
BIG-300-OS	1,150 Lbs. (160 Gallons)	300	33.50"	375

Suffix	Description	Model No.
-3	Stainless steel veneer bolted to top of ductile iron grates	
-AK	Anchor kit (set of four) - for BIG-140-OS	BIG-750-AK-SET
-AK	Anchor kit (set of four) - for BIG-300-OS	BIG-1150-AK-SET
-C	Lid extension (specify "C" dimension req.) - for BIG-140-OS (This is up to a 44" high extension system)	BIG-EXT-44
-C	Lid extension (specify "C" dimension req.) - for BIG-300-OS (This is up to a 44" high extension system)	BIG-EXT-44 (2 pcs req.)
-C+	Lid extension from 44" to 72" (specify "C" dimension req.) For BIG-140-OS, Per inch price.	BIG-EXT-72
-C+	Lid extension from 44" to 72" (specify "C" dimension req.) For BIG-300-OS, Per inch price.	BIG-EXT-72 (2 pcs req.)
-F6	6" no hub outlet	BIG-PF6
-FL-C	Membrane clamp kit	BIG-FLC
-HLA	High level alarm and float switch (to be installed on site)	BIG-HLA
-LHSI	4" no hub inlet on left hand side	BIG-PF4
-LHSO	4" no hub outlet on left hand side	BIG-PF4
-RHSI	4" no hub inlet on right hand side	BIG-PF4
-RHSO	4" no hub outlet on right hand side	BIG-PF4
-RPO	4" Remote pump outlet connections on top of interceptor - specify location and number required	BIG-RPO
-SI	No hub side inlet located on opposite side of outlet	BIG-SO
-SP	External Sampling port - inline, high connections	BIG-SP
-SP-L	External Sampling port - inline, low connections	BIG-SP-L
-SP-OF	External Sampling port - offset	BIG-SP-OF
-T	Female threaded connections (for each)	BIG-PF(*)-FT(*) (*) Specify Conn. Size

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Job Name: _____ Page No: _____
 Section No: _____ Contractor: _____
 Schedule No: _____ Purchase Order No: _____