


## T2600-F

## 26" WIDE, FRAME AND GRATE SYSTEM

**Specification:** MIFAB® Series T2600-F, 26" wide, frame and grate system available in 12" long increments with a heavy duty angle iron frame assembly (1¾" x 2¾" x .187") for all grates to secure to and finished with an acid resistant powder epoxy coating. Each 12" long section has two 1" x 3" long anchor tabs / leveling devices for securing into the surrounding concrete. Complete with MIFAB's standard ductile iron grate. Load Class C.

**Function:** Used in airports, car washes, malls, parking lots, factories and any other facilities that require large areas of surface drainage. The standard heavy duty angle iron frame provides for maximum load bearing capability. No body is provided as the channel is typically formed into the concrete by the installer. An infinite number of sections can be assembled together to



Ductile Iron Grates (all 12" long x 24" wide)		
Suffix	Description	
-ВА	Buy American Act compliant product	
-PA	Pennsylvania Steel Act compliant product	
-4	"Heavy Duty" Ductile Iron slotted grate (Standard), Load Class C	
-4-3	"Heavy Duty" Ductile Iron slotted grate (Standard), Load Class C with Type 304 Stainless Steel Veneer	
-4-11	"Heavy Duty" Ductile Iron slotted grate (Standard), Load Class C, acid resistant epoxy coated	
-4-13	"Heavy Duty" Ductile Iron slotted grate (Standard), Load Class C, galvanized	
-LGHP	"Heavy Duty", Heel Proof Longitudinal Slotted Ductile Iron, Load Class C (with veneer)	
-PC	"Heavy Duty" Fabricated steel, acid resistant epoxy coated cover, Load Class C	
-11	Acid resistant coated frame assembly	
-13	Galvanized frame assembly	
-3	Type 304 stainless steel top frame	
Fabricated Grates (all 12" long x 24" wide)		
-PGG	Galvanized steel, perforated grate, meets ADA requirements	
Accessories		
-PGLVP	Vandal resistant grate lockdown hardware (Suffix -6) (per grate)	

CALIFORNIA PROPOSITION 65 WARNING. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.	
Job Name:	Page No:
Section No:	Contractor:
Schedule No:	Purchase Order No: